



State of Utah

JON M. HUNTSMAN, JR.
Governor

GARY HERBERT
Lieutenant Governor

Department of
Environmental Quality

William J. Sinclair
Acting Executive Director

DIVISION OF SOLID AND
HAZARDOUS WASTE
Dennis R. Downs
Director

April 2, 2009

David Georgeson
Environmental Manager
Pacific States Cast Iron Pipe Company
P.O. Box 1219
Provo, UT 84603

Subject: Approval of Permit #0203 for Pacific States Cast Iron Pipe Company Class IIIb Landfill

Dear Mr. Georgeson:

The Division of Solid and Hazardous Waste has published the public notice for the Class IIIb Landfill in the Salt Lake Tribune, The Deseret News, and the Daily Herald. There were no comments received by the Executive Secretary for the draft permit during the 30-day public comment period. Since there were no comments received, the draft permit is approved without modification.

Included with this letter is the signed permit for 10 years. Please be aware that the financial assurance requirements of this permit will need to be updated annually and that a complete review of the financial assurance for this landfill will need to be submitted after five years.

If you have any questions regarding this letter or have comments regarding the Permit #0203, please contact either Roy Van Os or Ralph Bohn at (801) 538-6170.

Sincerely,

Original Document signed by Dennis R. Downs on 4/2/09

Dennis R. Downs, Executive Secretary
Utah Solid and Hazardous Waste Control Board

DRD/rvo/kk

Enclosure: [Final Permit #0203](#)

c: Joseph K. Miner, M.D., MSPH, Executive Director, Utah County Health Department
Terry Beebe, EHS, Environmental Health Director, Utah County Health Department

TN200900400.DOC

**UTAH SOLID AND HAZARDOUS WASTE CONTROL BOARD
SOLID WASTE PERMIT**

**Pacific States Cast Iron Pipe Company
CLASS IIIb LANDFILL**

Pursuant to the provisions of the *Utah Solid and Hazardous Waste Act*, Title 19, Chapter 6, Part 1, Utah Code Annotated (UCA) 1953, as amended (the Act) and the *Utah Solid Waste Permitting and Management Rules*, Utah Administrative Code (UAC) R315-301 through 320 adopted thereunder,

Pacific States Cast Iron Pipe Company (PSCIPCO) as owner and operator,

is hereby approved to construct and operate the PSCIPCO Class IIIb Landfill located in northeast quarter of Section 20, Township 7 south, Range 3 east, Salt Lake Base and Meridian, Utah County, Utah as shown in the permit application that was determined complete on December 8, 2008.

The operation of the landfill is subject to the conditions that PSCIPCO (Permittee) meet the requirements of UAC R315-301 through 320 and the requirements set forth herein.

All references to UAC R315-301 through 320 are to regulations that are in effect on the date that this permit becomes effective.

Effective date: April 1, 2009.

Expiration date: March 31, 2019.

Closure Cost Revision Date: April 1, 2014.

Signed this _____ day of _____, 2009.

Original Document signed by Dennis R. Downs on 4/2/09

Dennis R. Downs, Executive Secretary
Utah Solid and Hazardous Waste Control Board

FACILITY OWNER/OPERATOR INFORMATION

LANDFILL NAME: PSCIPCO Class IIIb Landfill

OWNER NAME: Pacific States Cast Iron Pipe Company

OWNER ADDRESS: 2550 South Industrial Parkway
PO Box 1219
Provo, UT 84603

OWNER PHONE NO.: (801) 373-6910 ext. 212
(801) 377-8104

OPERATOR NAME: Same as Owner

TYPE OF PERMIT: Class IIIb Landfill

PERMIT NUMBER: 0203

LOCATION: Landfill site is located in Township 7 south, Range 3 east,
Section 20, SLMB

Latitude 40° 11' 2.00",
Longitude 111° 37' 5.00"

FACILITY ADDRESS: 2550 South Industrial Parkway
PO Box 1219
Provo, UT 84603

PERMIT REQUIREMENTS

Permit as used in this document is defined in UAC R315-301-2(55).

The application, including the documents included in the table below, as deemed complete on the date shown on the signature page of this permit, are hereby approved and incorporated by reference into this Solid Waste Permit and will be referred to as the permit application throughout this permit. All representations made in the permit application are part of this permit and are enforceable under UAC R315-301-5(2). The permit application will become part of the operating record of the Landfill. Where differences in wording exist between this permit and the application, the wording of the permit supersedes that of the application.

Permit Application	SW2008.03394	October 30, 2008
Approval of Slag as base and cover	TN2008.01004	November 10, 2008
Financial Assurance	TN2008.01240	April 4, 2008

This permit consists of the signature page, Facility Owner/Operator Information section, sections I through V, Appendix A through C, and the permit application as defined above.

The facility as described in this permit and the permit application consists of a disposal cell for permitted wastes generated by PSCIPCO at the Provo site only.

By this permit to operate, the Permittee shall be subject to the following conditions.

I. GENERAL COMPLIANCE RESPONSIBILITIES

A. General Operation

The Permittee shall operate the Class IIIb landfill in accordance with the conditions of this Permit and with all requirements of UAC R315-304, that are in effect as of the date of this permit unless otherwise noted in this permit. Any permit noncompliance or noncompliance with any applicable portions of UCA 19-6-101 through 123 and applicable portions of UAC R315-301 through 320 constitutes a violation of the permit or applicable statute or rule and is grounds for appropriate enforcement action, permit revocation, modification, or denial of a permit renewal application.

B. Noncompliance

If monitoring, inspection, or testing indicates that any permit condition or any applicable rule under UAC R315-301 through 320 may be or is being violated, the Permittee shall promptly make corrections to the operation or other activities to bring the facility into compliance with all permit conditions or rules.

In the event of any noncompliance with any permit condition or violation of an applicable rule, the Permittee shall promptly take any feasible action reasonably necessary to correct the noncompliance or violation and mitigate any risk to the human health or the environment. Actions may include eliminating the activity causing the noncompliance or violation and containment of any waste or contamination using barriers or access restrictions, placing of warning signs, or permanently closing areas of the facility.

The Permittee shall: document the noncompliance or violation in the operating

record, on the day the event occurred or the day it was discovered; notify the Executive Secretary of the Solid and Hazardous Waste Control Board by phone within 24 hours, or the next business day following documentation of the event; and give written notice of the noncompliance or violation and measures taken to protect public health and the environment within seven days of Executive Secretary notification.

Within thirty days of the documentation of the event, the Permittee shall submit, to the Executive Secretary, a written report describing the nature and extent of the noncompliance or violation and the remedial measures taken or to be taken to protect human health and the environment and to eliminate the noncompliance or violation. Upon receipt and review of the assessment report, the Executive Secretary may order the Permittee to perform appropriate remedial measures including development of a site remediation plan for approval by the Executive Secretary.

In an enforcement action, the Permittee may not claim as a defense that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with UAC R315-301 through 320 and this permit.

Compliance with the terms of this permit does not constitute a defense to actions brought under any other local, State, or Federal laws. This permit does not exempt the Permittee from obtaining any other local, State or Federal permits or approvals required for the facility operation.

The issuance of this Permit does not convey any property rights, other than the rights inherent in this permit, in either real or personal property, or any exclusive privileges other than those inherent in this permit. Nor does this permit authorize any injury to private property or any invasion of personal rights, nor any infringement of Federal, State or local laws or regulations including zoning ordinances.

The provisions of this Permit are severable. If any provision of this Permit is held invalid for any reason, the remaining provisions shall remain in full force and effect. If the application of any provision of this Permit to any circumstance is held invalid, its application to other circumstances shall not be affected.

C. Inspection and Inspection Access

The Permittee shall allow the Executive Secretary of the Utah Solid and Hazardous Waste Control Board or an authorized representative of the Board, or representatives from the Utah County Health Department, to enter at reasonable times and:

1. Inspect the landfill or other premises, practices or operations regulated or required under the terms and conditions of this Permit or UAC R315-301 through 320;
2. Have access to and copy any records required to be kept under the terms and conditions of the Permit or UAC R315-301 through 320;
3. Inspect any loads of waste, treatment facilities or processes, pollution management facilities or processes, or control facilities or processes required under the Permit or regulated under UAC R315-301 through 320; and
4. Create a record of any inspection by photographic, videotape, electronic, or any other reasonable means.

D. Prohibited Waste

No hazardous waste as defined by UAC R315-1 and R315-2; no PCB's as defined by UAC R315-301-2(53), except PCB's specified by UAC R315-315-7(2)(a) and (c); no household waste; no municipal waste; no special waste except as specified in this permit; and no commercial waste shall be accepted for treatment, storage, or disposal at the landfill. Any prohibited waste received and accepted for disposal at the facility will constitute a violation of this permit, of UCA 19-6-101 through 123 and of UAC R315-301 through 320.

Waste that is placed in the landfill but does not meet the criteria of the "acceptable waste stream" outlined in the permit application, but is identified and removed from PSCIPCO's landfill, shall not constitute a violation of this permit. However, waste that is identified, segregated and removed shall be noted in the operating record.

E. Acceptable Waste

This permit is for disposal of nonhazardous industrial waste, as defined in UAC R315-301-2(35), generated by PSCIPCO and as generally described in the permit application. The Permittee may accept PCB's as specified by UAC R315-315-7(2).

F. Revocation

This permit is subject to revocation if any condition of this permit is not being met. The Permittee will be notified in writing prior to any proposed revocation action and such action will be subject to all applicable hearing procedures established under UAC R315-12 and the *Utah Administrative Procedures Act*.

Revocation of this permit does not revoke the financial assurance established for closure and post-closure care of the facility, nor remove any responsibility on the part of the Permittee for completion of closure and post-closure care for the facility required in UAC R315-302-3.

Revocation of this permit will necessitate that the Executive Secretary exercise the option to require the funds or other mechanism provided for financial assurance for completion of closure and post-closure care for the facility required in UAC R315-302-3 be called.

G. Attachment Incorporation

Attachments to the permit application are incorporated by reference into this permit and are enforceable conditions of this permit, as are documents incorporated by reference into the attachments. Language in this permit supersedes any conflicting language in the attachments or documents incorporated into the attachments.

II. DESIGN AND CONSTRUCTION

A. Construction

The landfill shall be constructed in the area designated and according to the design outlined in the permit application including landfill cells, fences, gates, and berms.

The Permittee shall notify the Executive Secretary upon completion of construction of any landfill cells or run-on and run-off diversion systems. No landfill cells or run-on and run-off diversion system may be used until construction is approved by the Executive Secretary.

The Permittee shall notify the Executive Secretary of the completion of construction of any final cover system and shall provide all necessary documentation and shall apply for approval of the construction from the Executive Secretary.

III. LANDFILL OPERATION

A. Operations Plan

The operations plan included in the permit application and the solid waste permit issued by the Executive Secretary shall be kept onsite at the landfill or at the location designated in section IIIH of this permit. The landfill shall be operated in accordance with the operations plan as included in the permit application. If necessary, the facility owner may modify the Operations Plan, provided that the modification meets all of the requirements of UAC R315-301 through 320, is as protective of human health and the environment as that approved in the permit application, and is approved by the Executive Secretary as a minor modification under UAC R315-311-2(1)(a)(xiii). Any modification to the Operations Plan shall be noted in the operating record.

Any modification to the operations plan must be submitted to the Executive Secretary for approval and is considered a minor permit modification in compliance with UAC R315-311-2(1)(a)(xiii) unless the Executive Secretary determines the change should be subject to public comment under UAC R315-311-2(1)(b).

B. Security

The Permittee shall operate the Landfill so that unauthorized entry to the facility is prevented. All facility gates and other access routes shall be locked during the time the landfill is closed. Fencing and any other access controls as shown in the permit application shall be constructed to prevent access of persons or livestock by other routes.

C. Waste Inspections

The Permittee shall visually inspect incoming waste loads to verify that no wastes other than those allowed by this permit are disposed in the landfill. A complete waste inspection shall be conducted at a minimum frequency of 1 % of loads received. Loads to be inspected are to be chosen on a random basis.

All loads suspected or known to have containers capable of holding more than five gallons of liquid will be inspected to assure that the container is empty.

All loads that the operator suspects may contain a waste not allowed for disposal at the landfill will be inspected.

Complete inspections shall be conducted as follows:

1. The operator shall conduct the random waste inspection at the working face or an area designated by the operator.
2. Loads subjected to complete inspection shall be unloaded at the designated area;
3. Loads shall be spread by equipment or by hand tools;
4. A visual inspection of the waste shall be conducted by personnel trained in hazardous waste recognition and recognition of other unacceptable waste; and
5. The inspection shall be recorded on the waste inspection form found in Attachment 2 of the permit application. The form shall be placed in the operating record at the end of the operating day.

D. Cover

The Permittee shall cover the waste as necessary to prevent fires and to control vectors, blowing litter, odor, scavenging, and fugitive dust. The Permittee shall cover the waste whenever combustible wastes are disposed. Fine materials that may become fugitive dust shall be covered with a minimum of six inches of earth or other appropriate cover at the end of the working day in which they are received. An alternative cover material may be used when the material meets the requirements of UAC R315-303-4(4)(b) through (d) or when the alternative daily cover meets the requirement of UAC R315-303-4(4)(e).

E. Disposal of Liquids

Disposal of containers larger than household size (five gallons) holding any liquid, noncontainerized material containing free liquids or any waste containing free liquids in containers larger than five gallons is prohibited.

F. Roads

All access roads, within the landfill boundary, used for transporting waste to the landfill for disposal shall be improved and maintained as necessary to assure safe and reliable all-weather access to the disposal area.

G. Burning of Waste

Intentional burning of solid waste is prohibited and is a violation of UAC R315-303-4(2)(b). All accidental fires shall be extinguished as soon as possible.

H. Record Keeping

The Permittee shall maintain and keep on file at the offices of PSCIPCO in Provo Utah, an operating record and other general records of landfill operation as specified in UAC R315-302-2(3). The landfill operator, or other designated personnel, shall date and sign the operating record. Each record to be kept shall contain the signature of the appropriate operator or personnel and the date signed.

The “daily operating record” means a record of landfill operations that may be updated daily, weekly, bi-weekly, or monthly, but no less frequently than monthly.

1. The daily operating record shall include the following items:
 - a. The number of loads of waste and the weights or estimates of weights or volume of waste received each month of operation;
 - b. Major deviations from the approved plan of operation recorded at the end of the operating month in which the deviation occurred or was discovered;
 - c. Results of other monitoring required by this permit recorded in the operating record on the day of the event or the day the information is received;
 - d. Records of all inspections conducted by the Permittee, results of the inspections, and corrective actions taken shall be recorded in the operating record.

2. The general record of landfill operations shall include the following items:
 - a. A copy of the permit including the permit application;
 - b. Results of inspections conducted by representatives of the Utah Solid and Hazardous Waste Control Board and/or representatives of the Utah County Health Department, when forwarded to the Permittee;
 - c. Closure and Post-closure care plans; and
 - d. Records of employee training.

I. Reporting

The Permittee shall prepare and submit, to the Executive Secretary, an Annual Report as required in UAC R315-302-2(4). The Annual Report shall include: the period covered by the report, the annual quantity of waste received, an annual update of the financial assurance mechanism, a re-application for approval of the financial assurance mechanism, and all training programs completed.

J. Self Inspections

The Permittee shall inspect the facility to prevent malfunctions and deterioration, operator errors, and discharges that may cause or lead to the release of wastes or contaminated materials to the environment or create a threat to human health or the environment. These general inspections shall be completed no less than quarterly and shall cover the following areas: Waste placement, and cover, fences and access controls, roads, run-on/run-off controls, final and intermediate cover, litter controls, and records. A record of the inspections shall be placed in the daily operating record on the day of the inspection. Areas needing correction, as noted on the inspection report, shall be corrected in a timely manner. The corrective actions taken shall be documented in the daily operating record.

K. Training

Permittee shall provide training for on-site personnel in landfill operation, including waste load inspection, hazardous waste identification, and personal safety and protection.

IV. CLOSURE REQUIREMENTS

A. Closure

The Permittee shall close and maintain the facility in accordance with the closure and post-closure plans included in the permit application and as required by R315-305-5(5) UAC.

B. Title Recording

The Permittee shall meet the requirements of UAC R315-302-2(6) by recording with the Utah County Recorder as part of the record of title that the property has been used as a landfill. The recording shall including waste locations and waste types disposed.

C. Post-Closure Care

Post-closure care at the closed landfill shall be done in accordance with the Post-Closure Care Plan contained in the permit application. Post-closure care shall continue until all waste disposal sites at the landfill have stabilized and the finding of UAC R315-302-3(7)(c) is made.

D. Financial Assurance

The Permittee shall keep in effect and active the currently approved financial assurance mechanism or another mechanism that meets the requirements of UAC R315-309 to cover the costs of closure and post-closure care at the landfill. The financial assurance mechanism(s) shall be adequately maintained to provide for the cost of closure at any stage or phase or anytime during the life of the landfill or the permit life, whichever is shorter.

With each annual revision of the closure and post-closure care cost estimate, the approved financial assurance mechanism shall be updated to reflect the current cost estimates.

E. Financial Assurance Annual Update

An annual revision of closure and post-closure costs and financial assurance funding as, required by R315-309-2(2), shall be submitted to the Executive Secretary as part of the annual report. The Permittee shall submit the information as required in R315-309-9 and must meet the qualifications for the "Corporate Financial Test" or "Corporate Guarantee" each year.

F. Closure Cost and Post-Closure Cost Revision

The Permittee shall submit a complete revision of the closure and post-closure cost estimates by the date listed on the signature page of this permit.

V. ADMINISTRATIVE REQUIREMENTS

A. Transfers

This permit may be transferred to a new permittee or new permittees by meeting the requirements of the Permit Transfer provision in UAC R315-310-11.

B. Permit Modifications

Modifications to this permit may be made upon application by the Permittee or by the Executive Secretary. The Permittee will be given written notice of any permit modification initiated by the Executive Secretary.

C. Expiration

Application for permit renewal shall be made at least six months prior to the expiration date, as shown on the signature (cover) page of this permit. If a timely renewal application is made and the permit renewal is not complete by the expiration date, this permit will continue in force until renewal is completed or denied.

D. Expansion

This permit is for the operation of a Class IIIb Landfill according to the design and Operation Plan described and explained in the permit application. Any expansion of the current footprint designated in the description contained in the permit application, but within the property boundaries designated in the permit application, will require submittal of plans and specifications to the Executive Secretary. The plans and specifications must be approved by the Executive Secretary prior to construction.

Any expansion of the landfill facility beyond the property boundaries designated in the description contained in the permit application will require submittal of a new permit application in accordance with the requirements of UAC R315-310.

Any addition to the list of acceptable waste in Section IE will require submittal of all necessary information to the Executive Secretary and the approval of the Executive Secretary.

APPENDIX A
EXEMPTION FOR USE OF IRON SLAG TO MAINTAIN SEPARATION FROM HISTORIC
HIGH GROUNDWATER ON FUTURE LANDFILL EXPANSIONS

The PSCIPCO Landfill was in existence prior to the implementation of the current solid waste rules which were adopted in 1994. The existing bottom of this landfill is located within 10 feet of the historic high ground water elevation. Future expansions of the landfill will meet the distance to historic high ground water elevation required in the current solid waste rules by separating the waste from ground water using the waste iron slag. The petition for using slag material as a separation material was granted by the Executive Secretary of the Solid and Hazardous Waste Control Board on November 10, 2008.

APPENDIX B
EXEMPTION FROM FINAL COVER SLOPE

The existing final cover on the side slope of the existing landfill is approximately 2H:1V. Current Solid Waste Permitting and Management Rules, R315-303-3(4)(a)(i)(B) defines the maximum side slope as 33% except where construction integrity and integrity of erosion control can be demonstrated for a steeper slope. PSCIPCO has submitted a slope stability analysis for both static and seismic conditions that can be anticipated at the landfill. Both conditions have been analyzed along the lines of steepest slope (Approximately 1.5H:1V) using the soil conditions of the landfill. Based on calculations using the Simplified Bishop Method of Slices, the factor of safety was approximately 2.2 at the minimum. The pseudo-static safety factor for the critical failure surface on the north slope was greater than 1.0. These safety factors indicate that the steeper slopes will still maintain a stable landfill in both static and pseudo static conditions.

APPENDIX C
EXEMPTION FROM FINAL COVER MATERIAL

The proposed final cover material for this industrial landfill is slag material. Current Solid Waste Permitting and Management Rules, R315-303-3(4)(c)(ii) allows for an alternative final cover material providing that the alternative material provides equivalent protection from wind and water erosion as achieved by the standard final cover. The proposed use of iron slag on side slopes fulfills this requirement and has been approved by the Executive Secretary of the Solid and Hazardous Waste Control Board in the letter to PSCIPCO dated November 10, 2008.