463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Chris Bittner
Utah Division of Water Quality
PO Box 144870
SLC, UT 84114
TEL: (801) 536-4300

RE: MP 44.9

Dear Chris Bittner: Lab Set ID: 1304193

American West Analytical Laboratories received 19 sample(s) on 4/5/2013 for the analyses presented in the following report.

American West Analytical Laboratories (AWAL) is accredited by The National Environmental Laboratory Accreditation Program (NELAP) in Utah and Texas; and is state accredited in Colorado, Idaho, New Mexico, and Missouri.

All analyses were performed in accordance to the NELAP protocols unless noted otherwise. Accreditation scope documents are available upon request. If you have any questions or concerns regarding this report please feel free to call.

The abbreviation "Surr" found in organic reports indicates a surrogate compound that is intentionally added by the laboratory to determine sample injection, extraction, and/or purging efficiency. The "Reporting Limit" found on the report is equivalent to the practical quantitation limit (PQL). This is the minimum concentration that can be reported by the method referenced and the sample matrix. The reporting limit must not be confused with any regulatory limit. Analytical results are reported to three significant figures for quality control and calculation purposes.

Thank You,

Approved by: Kyle F. Gross

Digitally signed by Kyle F. Gross
DN: cn=Kyle F. Gross, o=AWAL, ou=AWAL-Laboratory Director, email=kyle@awal-labs.com, c=US
Date: 2013.04.07 10:17:15 -06'00'

Laboratory Director or designee

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality **Contact:** Chris Bittner
Project: MP 44.9
Lab Sample ID: 1304193-001A
Client Sample ID: East of I-15 / 4920392
Collection Date: 4/5/2013 0745h
Received Date: 4/5/2013 1240h

American West ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Analytical Results VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/5/2013 1856h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-001A
Client Sample ID: East of I-15 / 4920392

Analyzed: 4/5/2013 1856h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-001A
Client Sample ID: East of I-15 / 4920392

Analyzed: 4/5/2013 1856h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

Lab Sample ID: 1304193-001A
Client Sample ID: East of I-15 / 4920392

Analyzed: 4/5/2013 1856h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	56.1	50.00	112	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	52.3	50.00	105	80-128	
Surr: Dibromofluoromethane	1868-53-7	49.9	50.00	99.9	80-124	
Surr: Toluene-d8	2037-26-5	49.0	50.00	97.9	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality **Contact:** Chris Bittner
Project: MP 44.9
Lab Sample ID: 1304193-002A
Client Sample ID: S. Marina / 4920495
Collection Date: 4/5/2013 0800h
Received Date: 4/5/2013 1240h

American West ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Analytical Results VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/5/2013 2012h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-002A
Client Sample ID: S. Marina / 4920495

Analyzed: 4/5/2013 2012h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-002A
Client Sample ID: S. Marina / 4920495

Analyzed: 4/5/2013 2012h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

Lab Sample ID: 1304193-002A
Client Sample ID: S. Marina / 4920495

Analyzed: 4/5/2013 2012h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	56.0	50.00	112	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	52.0	50.00	104	80-128	
Surr: Dibromofluoromethane	1868-53-7	53.0	50.00	106	80-124	
Surr: Toluene-d8	2037-26-5	48.9	50.00	97.7	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality **Contact:** Chris Bittner
Project: MP 44.9
Lab Sample ID: 1304193-003A
Client Sample ID: 50' from N Boom / 4920508
Collection Date: 4/5/2013 0900h
Received Date: 4/5/2013 1240h

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Analytical Results VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/5/2013 2031h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-003A
Client Sample ID: 50' from N Boom / 4920508

Analyzed: 4/5/2013 2031h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-003A
Client Sample ID: 50' from N Boom / 4920508

Analyzed: 4/5/2013 2031h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

Lab Sample ID: 1304193-003A
Client Sample ID: 50' from N Boom / 4920508

Analyzed: 4/5/2013 2031h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	56.9	50.00	114	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	51.5	50.00	103	80-128	
Surr: Dibromofluoromethane	1868-53-7	50.8	50.00	102	80-124	
Surr: Toluene-d8	2037-26-5	49.3	50.00	98.7	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality **Contact:** Chris Bittner
Project: MP 44.9
Lab Sample ID: 1304193-004A
Client Sample ID: North Boom / 4920397
Collection Date: 4/5/2013 0910h
Received Date: 4/5/2013 1240h

Analytical Results VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/5/2013 2050h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-004A
Client Sample ID: North Boom / 4920397

Analyzed: 4/5/2013 2050h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-004A
Client Sample ID: North Boom / 4920397

Analyzed: 4/5/2013 2050h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

Lab Sample ID: 1304193-004A
Client Sample ID: North Boom / 4920397

Analyzed: 4/5/2013 2050h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	57.2	50.00	114	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	52.1	50.00	104	80-128	
Surr: Dibromofluoromethane	1868-53-7	53.3	50.00	107	80-124	
Surr: Toluene-d8	2037-26-5	49.3	50.00	98.7	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality **Contact:** Chris Bittner
Project: MP 44.9
Lab Sample ID: 1304193-005A
Client Sample ID: W. Boom 5 / 4920499
Collection Date: 4/5/2013 0920h
Received Date: 4/5/2013 1240h

Analytical Results VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/5/2013 2109h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-005A
Client Sample ID: W. Boom 5 / 4920499

Analyzed: 4/5/2013 2109h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-005A
Client Sample ID: W. Boom 5 / 4920499

Analyzed: 4/5/2013 2109h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

Lab Sample ID: 1304193-005A
Client Sample ID: W. Boom 5 / 4920499

Analyzed: 4/5/2013 2109h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	57.2	50.00	114	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	52.6	50.00	105	80-128	
Surr: Dibromofluoromethane	1868-53-7	53.2	50.00	106	80-124	
Surr: Toluene-d8	2037-26-5	48.9	50.00	97.8	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality **Contact:** Chris Bittner
Project: MP 44.9
Lab Sample ID: 1304193-006A
Client Sample ID: W. Boom 4 / 4920498
Collection Date: 4/5/2013 0930h
Received Date: 4/5/2013 1240h

Analytical Results VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/5/2013 2128h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-006A
Client Sample ID: W. Boom 4 / 4920498

Analyzed: 4/5/2013 2128h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-006A
Client Sample ID: W. Boom 4 / 4920498

Analyzed: 4/5/2013 2128h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

Lab Sample ID: 1304193-006A
Client Sample ID: W. Boom 4 / 4920498

Analyzed: 4/5/2013 2128h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	57.2	50.00	114	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	52.2	50.00	104	80-128	
Surr: Dibromofluoromethane	1868-53-7	50.3	50.00	101	80-124	
Surr: Toluene-d8	2037-26-5	49.3	50.00	98.6	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality **Contact:** Chris Bittner
Project: MP 44.9
Lab Sample ID: 1304193-007A
Client Sample ID: 50' from WB 4 / 4920502
Collection Date: 4/5/2013 0940h
Received Date: 4/5/2013 1240h

Analytical Results VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/5/2013 2147h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-007A
Client Sample ID: 50' from WB 4 / 4920502

Analyzed: 4/5/2013 2147h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-007A
Client Sample ID: 50' from WB 4 / 4920502

Analyzed: 4/5/2013 2147h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

Lab Sample ID: 1304193-007A
Client Sample ID: 50' from WB 4 / 4920502

Analyzed: 4/5/2013 2147h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	57.4	50.00	115	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	51.9	50.00	104	80-128	
Surr: Dibromofluoromethane	1868-53-7	50.7	50.00	101	80-124	
Surr: Toluene-d8	2037-26-5	49.2	50.00	98.5	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality **Contact:** Chris Bittner
Project: MP 44.9
Lab Sample ID: 1304193-008A
Client Sample ID: W. Boom 3 / 4920497
Collection Date: 4/5/2013 0950h
Received Date: 4/5/2013 1240h

Analytical Results VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/5/2013 2206h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-008A
Client Sample ID: W. Boom 3 / 4920497

Analyzed: 4/5/2013 2206h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-008A
Client Sample ID: W. Boom 3 / 4920497

Analyzed: 4/5/2013 2206h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

Lab Sample ID: 1304193-008A
Client Sample ID: W. Boom 3 / 4920497

Analyzed: 4/5/2013 2206h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	58.2	50.00	116	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	52.0	50.00	104	80-128	
Surr: Dibromofluoromethane	1868-53-7	50.7	50.00	101	80-124	
Surr: Toluene-d8	2037-26-5	49.3	50.00	98.6	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality **Contact:** Chris Bittner
Project: MP 44.9
Lab Sample ID: 1304193-009A
Client Sample ID: W. Boom 2 / 4920496
Collection Date: 4/5/2013 1000h
Received Date: 4/5/2013 1240h

Analytical Results VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/5/2013 2224h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-009A
Client Sample ID: W. Boom 2 / 4920496

Analyzed: 4/5/2013 2224h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-009A
Client Sample ID: W. Boom 2 / 4920496

Analyzed: 4/5/2013 2224h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

Lab Sample ID: 1304193-009A
Client Sample ID: W. Boom 2 / 4920496

Analyzed: 4/5/2013 2224h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	57.1	50.00	114	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	50.3	50.00	101	80-128	
Surr: Dibromofluoromethane	1868-53-7	49.7	50.00	99.5	80-124	
Surr: Toluene-d8	2037-26-5	48.5	50.00	97.0	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality **Contact:** Chris Bittner
Project: MP 44.9
Lab Sample ID: 1304193-010A
Client Sample ID: 50' From WB1 / 4920505
Collection Date: 4/5/2013 1010h
Received Date: 4/5/2013 1240h

Analytical Results VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/5/2013 2243h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-010A
Client Sample ID: 50' From WB1 / 4920505

Analyzed: 4/5/2013 2243h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-010A
Client Sample ID: 50' From WB1 / 4920505

Analyzed: 4/5/2013 2243h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

Lab Sample ID: 1304193-010A
Client Sample ID: 50' From WB1 / 4920505

Analyzed: 4/5/2013 2243h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	57.0	50.00	114	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	50.3	50.00	101	80-128	
Surr: Dibromofluoromethane	1868-53-7	49.9	50.00	99.8	80-124	
Surr: Toluene-d8	2037-26-5	48.1	50.00	96.2	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality **Contact:** Chris Bittner
Project: MP 44.9
Lab Sample ID: 1304193-011A
Client Sample ID: W. Boom 1 / 4920396
Collection Date: 4/5/2013 1020h
Received Date: 4/5/2013 1240h

Analytical Results VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/5/2013 2302h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-011A
Client Sample ID: W. Boom 1 / 4920396

Analyzed: 4/5/2013 2302h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-011A
Client Sample ID: W. Boom 1 / 4920396

Analyzed: 4/5/2013 2302h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

Lab Sample ID: 1304193-011A
Client Sample ID: W. Boom 1 / 4920396

Analyzed: 4/5/2013 2302h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	57.9	50.00	116	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	51.8	50.00	104	80-128	
Surr: Dibromofluoromethane	1868-53-7	50.4	50.00	101	80-124	
Surr: Toluene-d8	2037-26-5	49.2	50.00	98.5	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality **Contact:** Chris Bittner
Project: MP 44.9
Lab Sample ID: 1304193-012A
Client Sample ID: East of Boom / 4920395
Collection Date: 4/5/2013 1030h
Received Date: 4/5/2013 1240h

Analytical Results VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/5/2013 2321h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-012A
Client Sample ID: East of Boom / 4920395

Analyzed: 4/5/2013 2321h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-012A
Client Sample ID: East of Boom / 4920395

Analyzed: 4/5/2013 2321h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

Lab Sample ID: 1304193-012A
Client Sample ID: East of Boom / 4920395

Analyzed: 4/5/2013 2321h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	58.2	50.00	116	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	51.8	50.00	104	80-128	
Surr: Dibromofluoromethane	1868-53-7	51.4	50.00	103	80-124	
Surr: Toluene-d8	2037-26-5	48.9	50.00	97.9	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality **Contact:** Chris Bittner
Project: MP 44.9
Lab Sample ID: 1304193-013A
Client Sample ID: Between Weirs / 4920394
Collection Date: 4/5/2013 1040h
Received Date: 4/5/2013 1240h

Analytical Results VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/5/2013 2340h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-013A
Client Sample ID: Between Weirs / 4920394

Analyzed: 4/5/2013 2340h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-013A
Client Sample ID: Between Weirs / 4920394

Analyzed: 4/5/2013 2340h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

Lab Sample ID: 1304193-013A
Client Sample ID: Between Weirs / 4920394

Analyzed: 4/5/2013 2340h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	58.3	50.00	117	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	50.3	50.00	101	80-128	
Surr: Dibromofluoromethane	1868-53-7	50.3	50.00	101	80-124	
Surr: Toluene-d8	2037-26-5	49.0	50.00	98.0	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality **Contact:** Chris Bittner
Project: MP 44.9
Lab Sample ID: 1304193-014A
Client Sample ID: Between Weirs Dup / 4920394
Collection Date: 4/5/2013 1045h
Received Date: 4/5/2013 1240h

Analytical Results VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/5/2013 2359h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-014A
Client Sample ID: Between Weirs Dup / 4920394

Analyzed: 4/5/2013 2359h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-014A
Client Sample ID: Between Weirs Dup / 4920394

Analyzed: 4/5/2013 2359h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

Lab Sample ID: 1304193-014A
Client Sample ID: Between Weirs Dup / 4920394

Analyzed: 4/5/2013 2359h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	55.8	50.00	112	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	49.5	50.00	99.0	80-128	
Surr: Dibromofluoromethane	1868-53-7	49.7	50.00	99.4	80-124	
Surr: Toluene-d8	2037-26-5	49.2	50.00	98.3	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality **Contact:** Chris Bittner
Project: MP 44.9
Lab Sample ID: 1304193-015A
Client Sample ID: East of #3
Collection Date: 4/5/2013 1035h
Received Date: 4/5/2013 1240h

Analytical Results VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/6/2013 0018h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-015A
Client Sample ID: East of #3

Analyzed: 4/6/2013 0018h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-015A
Client Sample ID: East of #3

Analyzed: 4/6/2013 0018h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

Lab Sample ID: 1304193-015A
Client Sample ID: East of #3

Analyzed: 4/6/2013 0018h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	55.4	50.00	111	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	49.9	50.00	99.8	80-128	
Surr: Dibromofluoromethane	1868-53-7	48.9	50.00	97.8	80-124	
Surr: Toluene-d8	2037-26-5	48.5	50.00	97.0	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality **Contact:** Chris Bittner
Project: MP 44.9
Lab Sample ID: 1304193-016A
Client Sample ID: Field Blank
Collection Date: 4/5/2013 1100h
Received Date: 4/5/2013 1240h

Analytical Results VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/5/2013 1818h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-016A
Client Sample ID: Field Blank

Analyzed: 4/5/2013 1818h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-016A
Client Sample ID: Field Blank

Analyzed: 4/5/2013 1818h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

Lab Sample ID: 1304193-016A
Client Sample ID: Field Blank

Analyzed: 4/5/2013 1818h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	55.3	50.00	111	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	51.3	50.00	103	80-128	
Surr: Dibromofluoromethane	1868-53-7	50.7	50.00	101	80-124	
Surr: Toluene-d8	2037-26-5	48.9	50.00	97.8	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality **Contact:** Chris Bittner
Project: MP 44.9
Lab Sample ID: 1304193-017A
Client Sample ID: Trip Blank
Collection Date: 4/5/2013
Received Date: 4/5/2013 1240h

Analytical Results VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/5/2013 1837h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-017A
Client Sample ID: Trip Blank

Analyzed: 4/5/2013 1837h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-017A
Client Sample ID: Trip Blank

Analyzed: 4/5/2013 1837h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

Lab Sample ID: 1304193-017A
Client Sample ID: Trip Blank

Analyzed: 4/5/2013 1837h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	56.0	50.00	112	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	52.2	50.00	104	80-128	
Surr: Dibromofluoromethane	1868-53-7	52.3	50.00	105	80-124	
Surr: Toluene-d8	2037-26-5	49.2	50.00	98.4	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality **Contact:** Chris Bittner
Project: MP 44.9
Lab Sample ID: 1304193-018A
Client Sample ID: French Drain 4920398
Collection Date: 4/5/2013 1050h
Received Date: 4/5/2013 1240h

Analytical Results VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/6/2013 0037h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	**64.3**	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	**74.2**	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	**2.03**	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-018A
Client Sample ID: French Drain 4920398

Analyzed: 4/6/2013 0037h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	**7.32**	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	**7.77**	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-018A
Client Sample ID: French Drain 4920398

Analyzed: 4/6/2013 0037h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	**2.20**	
m,p-Xylene	179601-23-1	2.00	**78.0**	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	**2.06**	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	**9.10**	
o-Xylene	95-47-6	2.00	**47.4**	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	**7.37**	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	**125**	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

Lab Sample ID: 1304193-018A
Client Sample ID: French Drain 4920398

Analyzed: 4/6/2013 0037h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	56.4	50.00	113	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	49.4	50.00	98.7	80-128	
Surr: Dibromofluoromethane	1868-53-7	49.6	50.00	99.2	80-124	
Surr: Toluene-d8	2037-26-5	48.8	50.00	97.7	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality **Contact:** Chris Bittner
Project: MP 44.9
Lab Sample ID: 1304193-019A
Client Sample ID: French Drain North
Collection Date: 4/5/2013 1110h
Received Date: 4/5/2013 1240h

Analytical Results VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/6/2013 0056h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	**72.4**	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	**53.8**	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-019A
Client Sample ID: French Drain North

Analyzed: 4/6/2013 0056h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	**7.06**	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	**4.78**	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West
ANALYTICAL LABORATORIES

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Lab Sample ID: 1304193-019A
Client Sample ID: French Drain North

Analyzed: 4/6/2013 0056h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	**71.6**	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	**7.62**	
o-Xylene	95-47-6	2.00	**61.9**	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	**2.76**	
Toluene	108-88-3	2.00	**6.16**	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	**134**	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

Lab Sample ID: 1304193-019A
Client Sample ID: French Drain North

Analyzed: 4/6/2013 0056h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	52.6	50.00	105	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	49.3	50.00	98.5	80-128	
Surr: Dibromofluoromethane	1868-53-7	51.0	50.00	102	80-124	
Surr: Toluene-d8	2037-26-5	49.1	50.00	98.1	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West Analytical Laboratories

RUSH

D

WORK ORDER Summary

Work Order: **1304193**

Client: Utah Division of Water Quality

Due Date: 4/19/2013

Client ID: UTD200 **Contact:** Chris Bittner

Project: **MP 44.9** **QC Level:** III WO Type: Standard

Comments: Next Day Rush; QC 3. Include TICs on SVOC only. Send partial reports as results become available, bill accordingly.;

Sample ID	Client Sample ID	Collected Date	Received Date	Test Code	Matrix	Sel	Storage	
1304193-001A	**East of I-15 / 4920392**	4/5/2013 0745h	4/5/2013 1240h	**8260-W**	Aqueous	☑	Purge	3
				Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4				
1304193-001B				**3510-SVOA-PR**		☐	walkin - semi	2
				8270-W		☑	walkin - semi	
				Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6				
				8270-W-SIM		☑	walkin - semi	
				Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:				
1304193-001C				**3510-TPH-PR**		☐	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		☑	Walkin-TPH (Liters)	
				Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1				
1304193-002A	**S. Marina / 4920495**	4/5/2013 0800h	4/5/2013 1240h	**8260-W**	Aqueous	☑	Purge	3
				Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4				
1304193-002B				**3510-SVOA-PR**		☐	walkin - semi	2
				8270-W		☑	walkin - semi	
				Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6				
				8270-W-SIM		☑	walkin - semi	
				Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:				
1304193-002C				**3510-TPH-PR**		☐	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		☑	Walkin-TPH (Liters)	
				Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1				
1304193-003A	**50' from N Boom / 4920508**	4/5/2013 0900h	4/5/2013 1240h	**8260-W**	Aqueous	☑	Purge	3
				Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4				
1304193-003B				**3510-SVOA-PR**		☐	walkin - semi	2
				8270-W		☑	walkin - semi	
				Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6				
				8270-W-SIM		☑	walkin - semi	
				Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:				
1304193-003C				**3510-TPH-PR**		☐	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		☑	Walkin-TPH (Liters)	
				Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1				
1304193-004A	**North Boom / 4920397**	4/5/2013 0910h	4/5/2013 1240h	**8260-W**	Aqueous	☑	Purge	3
				Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4				
1304193-004B				**3510-SVOA-PR**		☐	walkin - semi	2

Printed: 4/5/2013 FOR LABORATORY USE ONLY [fill out on page 1]: %M ☑ RT ☑ CN ☑ TAT ☑ QC ☑ HOK_____ HOK_____ HOK_____ COC Emailed_____

WORK ORDER Summary

Work Order: **1304193**

Client: Utah Division of Water Quality

Due Date: 4/19/2013

Sample ID	Client Sample ID	Collected Date	Received Date	Test Code	Matrix	Sel	Storage	
1304193-004B	**North Boom / 4920397**	4/5/2013 0910h	4/5/2013 1240h	**8270-W**	Aqueous	☑	walkin - semi	2
				Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6				
				8270-W-SIM		☑	walkin - semi	
				Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:				
1304193-004C				**3510-TPH-PR**		☐	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		☑	Walkin-TPH (Liters)	
				Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1				
1304193-005A	**W. Boom 5 / 4920499**	4/5/2013 0920h	4/5/2013 1240h	**8260-W**	Aqueous	☑	Purge	3
				Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4				
1304193-005B				**3510-SVOA-PR**		☐	walkin - semi	2
				8270-W		☑	walkin - semi	
				Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6				
				8270-W-SIM		☑	walkin - semi	
				Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:				
1304193-005C				**3510-TPH-PR**		☐	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		☑	Walkin-TPH (Liters)	
				Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1				
1304193-006A	**W. Boom 4 / 4920498**	4/5/2013 0930h	4/5/2013 1240h	**8260-W**	Aqueous	☑	Purge	3
				Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4				
1304193-006B				**3510-SVOA-PR**		☐	walkin - semi	2
				8270-W		☑	walkin - semi	
				Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6				
				8270-W-SIM		☑	walkin - semi	
				Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:				
1304193-006C				**3510-TPH-PR**		☐	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		☑	Walkin-TPH (Liters)	
				Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1				
1304193-007A	**50' from WB 4 / 4920502**	4/5/2013 0940h	4/5/2013 1240h	**8260-W**	Aqueous	☑	Purge	3
				Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4				
1304193-007B				**3510-SVOA-PR**		☐	walkin - semi	2
				8270-W		☑	walkin - semi	
				Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6				
				8270-W-SIM		☑	walkin - semi	
				Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:				
1304193-007C				**3510-TPH-PR**		☐	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		☑	Walkin-TPH (Liters)	
				Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1				
1304193-008A	**W. Boom 3 / 4920497**	4/5/2013 0950h	4/5/2013 1240h	**8260-W**	Aqueous	☑	Purge	3
				Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4				
1304193-008B				**3510-SVOA-PR**		☐	walkin - semi	2

FOR LABORATORY USE ONLY [fill out on page 1]: %M ☐ RT ☐ CN ☐ TAT ☐ QC ☐ HOK_____ HOK_____ HOK_____ COC Emailed_____

WORK ORDER Summary

Work Order: **1304193**

Client: Utah Division of Water Quality

Due Date: 4/19/2013

Sample ID	Client Sample ID	Collected Date	Received Date	Test Code	Matrix	Sel	Storage	
1304193-008B	**W. Boom 3 / 4920497**	4/5/2013 0950h	4/5/2013 1240h	**8270-W**	Aqueous	☑	walkin - semi	2
				Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6				
				8270-W-SIM		☑	walkin - semi	
				Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:				
1304193-008C				**3510-TPH-PR**		☐	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		☑	Walkin-TPH (Liters)	
				Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1				
1304193-009A	**W. Boom 2 / 4920496**	4/5/2013 1000h	4/5/2013 1240h	**8260-W**	Aqueous	☑	Purge	3
				Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4				
1304193-009B				**3510-SVOA-PR**		☐	walkin - semi	2
				8270-W		☑	walkin - semi	
				Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6				
				8270-W-SIM		☑	walkin - semi	
				Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:				
1304193-009C				**3510-TPH-PR**		☐	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		☑	Walkin-TPH (Liters)	
				Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1				
1304193-010A	**50' From WB1 / 4920505**	4/5/2013 1010h	4/5/2013 1240h	**8260-W**	Aqueous	☑	Purge	3
				Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4				
1304193-010B				**3510-SVOA-PR**		☐	walkin - semi	2
				8270-W		☑	walkin - semi	
				Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6				
				8270-W-SIM		☑	walkin - semi	
				Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:				
1304193-010C				**3510-TPH-PR**		☐	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		☑	Walkin-TPH (Liters)	
				Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1				
1304193-011A	**W. Boom 1 / 4920396**	4/5/2013 1020h	4/5/2013 1240h	**8260-W**	Aqueous	☑	Purge	3
				Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4				
1304193-011B				**3510-SVOA-PR**		☐	walkin - semi	2
				8270-W		☑	walkin - semi	
				Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6				
				8270-W-SIM		☑	walkin - semi	
				Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:				
1304193-011C				**3510-TPH-PR**		☐	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		☑	Walkin-TPH (Liters)	
				Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1				
1304193-012A	**East of Boom / 4920395**	4/5/2013 1030h	4/5/2013 1240h	**8260-W**	Aqueous	☑	Purge	3
				Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4				
1304193-012B				**3510-SVOA-PR**		☐	walkin - semi	2

FOR LABORATORY USE ONLY [fill out on page 1]: %M ☐ RT ☐ CN ☐ TAT ☐ QC ☐ HOK_____ HOK_____ HOK_____ COC Emailed_____

WORK ORDER Summary

Work Order: **1304193**

Client: Utah Division of Water Quality

Due Date: 4/19/2013

Sample ID	Client Sample ID	Collected Date	Received Date	Test Code	Matrix	Sel	Storage	
1304193-012B	**East of Boom / 4920395**	4/5/2013 1030h	4/5/2013 1240h	**8270-W**	Aqueous	☑	walkin - semi	2
				Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6				
				8270-W-SIM		☑	walkin - semi	
				Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:				
1304193-012C				**3510-TPH-PR**		☐	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		☑	Walkin-TPH (Liters)	
				Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1				
1304193-013A	**Between Weirs / 4920394**	4/5/2013 1040h	4/5/2013 1240h	**8260-W**	Aqueous	☑	Purge	3
				Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4				
1304193-013B				**3510-SVOA-PR**		☐	walkin - semi	2
				8270-W		☑	walkin - semi	
				Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6				
				8270-W-SIM		☑	walkin - semi	
				Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:				
1304193-013C				**3510-TPH-PR**		☐	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		☑	Walkin-TPH (Liters)	
				Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1				
1304193-014A	**Between Weirs Dup / 4920394**	4/5/2013 1045h	4/5/2013 1240h	**8260-W**	Aqueous	☑	Purge	3
				Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4				
1304193-014B				**3510-SVOA-PR**		☐	walkin - semi	2
				8270-W		☑	walkin - semi	
				Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6				
				8270-W-SIM		☑	walkin - semi	
				Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:				
1304193-014C				**3510-TPH-PR**		☐	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		☑	Walkin-TPH (Liters)	
				Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1				
1304193-015A	**East of #3**	4/5/2013 1035h	4/5/2013 1240h	**8260-W**	Aqueous	☑	Purge	3
				Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4				
1304193-015B				**3510-SVOA-PR**		☐	walkin - semi	2
				8270-W		☑	walkin - semi	
				Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6				
				8270-W-SIM		☑	walkin - semi	
				Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:				
1304193-015C				**3510-TPH-PR**		☐	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		☑	Walkin-TPH (Liters)	
				Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1				
1304193-016A	**Field Blank**	4/5/2013 1100h	4/5/2013 1240h	**8260-W**	Aqueous	☑	Purge	3
				Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4				

FOR LABORATORY USE ONLY [fill out on page 1]: %M ☐ RT ☐ CN ☐ TAT ☐ QC ☐ HOK_____ HOK_____ HOK_____ COC Emailed_____

WORK ORDER Summary

Work Order: **1304193**

Client: Utah Division of Water Quality

Due Date: 4/19/2013

Sample ID	Client Sample ID	Collected Date	Received Date	Test Code	Matrix	Sel	Storage	
1304193-017A	**Trip Blank**	4/5/2013	4/5/2013 1240h	**8260-W**	Aqueous	☑	Purge	3
				Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4				
1304193-018A	**French Drain 4920398**	4/5/2013 1050h	4/5/2013 1240h	**8260-W**	Aqueous	☑	Purge	3
				Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4				
1304193-018B				**3510-SVOA-PR**		☐	walkin - semi	2
				8270-W		☑	walkin - semi	
				Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6				
				8270-W-SIM		☑	walkin - semi	
				Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:				
1304193-018C				**3510-TPH-PR**		☐	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		☑	Walkin-TPH (Liters)	
				Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1				
1304193-019A	**French Drain North**	4/5/2013 1110h	4/5/2013 1240h	**8260-W**	Aqueous	☑	Purge	3
				Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4				
1304193-019B				**3510-SVOA-PR**		☐	walkin - semi	2
				8270-W		☑	walkin - semi	
				Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6				
				8270-W-SIM		☑	walkin - semi	
				Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:				
1304193-019C				**3510-TPH-PR**		☐	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		☑	Walkin-TPH (Liters)	
				Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1				

FOR LABORATORY USE ONLY [fill out on page 1]: %M ☐ RT ☐ CN ☐ TAT ☐ QC ☐ HOK_____ HOK_____ HOK_____ COC Emailed_____

American West Analytical Laboratories

Chain of Custody

Lab Sample Set # 1304193

Page 1 of 2

Client: **Utah DEQ**
Address: **195 North 1950 West**
Salt Lake City, UT 84114

Project Name: **MP 44.9**
PO#:

Contact: **Chris Bittner**
Phone: **801-536-3600**
Fax :
Email: cbittner@utah.gov

QC Level: **3**
Turn Around Time **1**

	Sample ID:	Date Sampled	Time	# of Containers	Sample Matrix	8260 VOAs	8270D PNA SIM TIC	8015D DRO												Comments
1	East of I-15 4920392	4/5/13	7:45	7	W	x	x	x												
2	S. Marina 4920495	4/5/13	8:00	7	W	x	x	x												
3	50' fr. N Boom 4920508		9:00	7	W	x	x	x												
4	North Boom 4920397		9:10	7	W	x	x	x												
5	W. Boom 5 4920499		9:20	7	W	x	x	x												
6	W. Boom 4 4920498		9:30	7	W	x	x	x												
7	50' from WB4 4920502		9:40	7	W	x	x	x												
8	W. Boom 3 4920497		9:50	7	W	x	x	x												
9	W. Boom 2 4920496		10:00	7	W	x	x	x												
10	50 ' from WB1 4920505		10:10	7	W	x	x	x												
11	W. Boom 1 4920396		10:20	7	W	x	x	x												
12	East of Boom 4920395		10:50	7	W	x	x	x												
13	B/t Weirs 4920394		10:40	7	W	x	x	x												
14	B/t Weirs Dup 4920394		10:45	7	W	x	x	x												
15	East of #3		10:35	7	W	x	x	x												
16	Field Blank		11:00	3	W	x														
17	Trip Blank			3	W	x														
	FRENCH DRAIN 4920398		10:50	7	W	X	X	X												

Special Instructions:

Laboratory Use Only

Samples Were:
1 Shipped or hand delivered
2 Ambient or Chilled
3 Temperature 2.3
4 Received Broken/Leaking (Improperly Sealed) Y N
5 Properly Preserved Y N
Holding Times Y N

COC Tape Was:
1 Present on Outer Package Y N NA
2 Unbroken on Outer Package Y N NA
3 Present on Sample Y N NA
4 Unbroken on Sample Y N NA

Discrepancies Between Sample Labels and COC Record? Y N

Relinquished by: *Signature*	Date:	Received by: *Signature*	Date:
aranderso@utah.gov	4/5/13	Elena Hayward	4-5-13
Print Name Alex Anderson	Time: 12:40	*Print Name* Elena Hayward	Time: 1240
Relinquished by: *Signature*	Date:	Received by: *Signature*	Date:
Print Name	Time:	*Print Name*	Time:

Client UT DEQ
Address 195 N 1950 W
SLC (City) UT (State) 84114 (Zip)
Phone 801-536-2600 Fax
Contact CHRIS BITTNER
E-mail cbittner@utah.gov
Project Name CPL MP 44.9
Project Number/P.O.#
Sampler Name ALEX ANDERSON

AMERICAN WEST ANALYTICAL LABORATORIES
463 West 3600 South
Salt Lake City, Utah 84115

CHAIN OF CUSTODY

(801) 263-8686
(888) 263-8686
Fax (801) 263-8687
Email:awal@awal-labs.com

Lab Sample Set # 1304193
Page 2 of 2

Turn Around Time (Circle One)
(1 day) 2 day 3 day 4 day 5 day Standard

Sample ID	Date/Time Collected	Matrix	Number of Containers (Total)	TESTS REQUIRED											COMMENTS
FRENCH DRAIN NORTH	4/5/13 11:10	W	7												

QC LEVEL: 1 2 2+ (3) 3+ 4

LABORATORY USE ONLY

SAMPLES WERE:
1 Shipped or hand delivered (Y) N
Notes:
2 Ambient or Chilled (Y) N
Notes:
3 Temperature 2.3
4 Received Broken/Leaking (Improperly Sealed) Y (N)
Notes:
5 Properly Preserved (Y) N
Checked at Bench Y N
Notes:
6 Received Within Holding Times (Y) N
Notes:

COC Tape Was:
1 Present on Outer Package Y N (NA)
2 Unbroken on Outer Package Y N (NA)
3 Present on Sample Y N (NA)
4 Unbroken on Sample Y N (NA)

Discrepancies Between Sample Labels and COC Record? Y (N)
Notes:

Relinquished By: Signature	Date	Received By: Signature	Date
Alex Anderson	4/5/13	Elma Hayward	4/5/13
PRINT NAME: Alex Anderson	Time 12:40	PRINT NAME: Elma Hayward	Time 1240
Relinquished By: Signature	Date	Received By: Signature	Date
PRINT NAME	Time	PRINT NAME	Time
Relinquished By: Signature	Date	Received By: Signature	Date
PRINT NAME	Time	PRINT NAME	Time
Relinquished By: Signature	Date	Received By: Signature	Date
PRINT NAME	Time	PRINT NAME	Time

Special Instructions: