



Chris Bittner
Utah Division of Water Quality
PO Box 144870
SLC, UT 84114
TEL: (801) 536-4300

RE: MP 44.9

Dear Chris Bittner:

Lab Set ID: 1304216

463 West 3600 South
Salt Lake City, UT 84115

American West Analytical Laboratories received 19 sample(s) on 4/8/2013 for the analyses presented in the following report.

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

American West Analytical Laboratories (AWAL) is accredited by The National Environmental Laboratory Accreditation Program (NELAP) in Utah and Texas; and is state accredited in Colorado, Idaho, New Mexico, and Missouri.

All analyses were performed in accordance to the NELAP protocols unless noted otherwise. Accreditation scope documents are available upon request. If you have any questions or concerns regarding this report please feel free to call.

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

The abbreviation "Surr" found in organic reports indicates a surrogate compound that is intentionally added by the laboratory to determine sample injection, extraction, and/or purging efficiency. The "Reporting Limit" found on the report is equivalent to the practical quantitation limit (PQL). This is the minimum concentration that can be reported by the method referenced and the sample matrix. The reporting limit must not be confused with any regulatory limit. Analytical results are reported to three significant figures for quality control and calculation purposes.

Thank You,

Approved by: _____
Laboratory Director or designee

Partial Report



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality

Contact: Chris Bittner

Project: MP 44.9

Lab Sample ID: 1304216-001A

Client Sample ID: East of I-15 / 4920392

Collection Date: 4/8/2013 900h

Received Date: 4/8/2013 1500h

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/8/2013 1849h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304216-001A
Client Sample ID: East of I-15 / 4920392

Analyzed: 4/8/2013 1849h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

 Phone: (801) 263-8686
 Toll Free: (888) 263-8686
 Fax: (801) 263-8687
 e-mail: awal@awal-labs.com

 web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	

Partial Report



Lab Sample ID: 1304216-001A
Client Sample ID: East of I-15 / 4920392

Analyzed: 4/8/2013 1849h

Units: $\mu\text{g/L}$ Dilution Factor: 1 Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report



Lab Sample ID: 1304216-001A
Client Sample ID: East of I-15 / 4920392

Analyzed: 4/8/2013 1849h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual		
Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	57.3	50.00	115	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	52.0	50.00	104	80-128	
Surr: Dibromofluoromethane	1868-53-7	51.6	50.00	103	80-124	
Surr: Toluene-d8	2037-26-5	49.1	50.00	98.2	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304216-002A
Client Sample ID: S. Marina / 4920495
Collection Date: 4/8/2013 915h
Received Date: 4/8/2013 1500h

Contact: Chris Bittner

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/8/2013 2005h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304216-002A
Client Sample ID: S. Marina / 4920495

Analyzed: 4/8/2013 2005h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	



Lab Sample ID: 1304216-002A
Client Sample ID: S. Marina / 4920495

Analyzed: 4/8/2013 2005h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report



Lab Sample ID: 1304216-002A
Client Sample ID: S. Marina / 4920495

Analyzed: 4/8/2013 2005h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual		
Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	57.2	50.00	114	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	51.2	50.00	102	80-128	
Surr: Dibromofluoromethane	1868-53-7	50.8	50.00	102	80-124	
Surr: Toluene-d8	2037-26-5	48.5	50.00	97.0	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304216-003A
Client Sample ID: 50' from N. Boom / 4920508
Collection Date: 4/8/2013 1000h
Received Date: 4/8/2013 1500h

Contact: Chris Bittner

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/8/2013 2024h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304216-003A
Client Sample ID: 50' from N. Boom / 4920508

Analyzed: 4/8/2013 2024h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	



Lab Sample ID: 1304216-003A
Client Sample ID: 50' from N. Boom / 4920508

Analyzed: 4/8/2013 2024h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report



Lab Sample ID: 1304216-003A
Client Sample ID: 50' from N. Boom / 4920508

Analyzed: 4/8/2013 2024h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual		
Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	57.5	50.00	115	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	52.4	50.00	105	80-128	
Surr: Dibromofluoromethane	1868-53-7	51.5	50.00	103	80-124	
Surr: Toluene-d8	2037-26-5	49.1	50.00	98.3	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304216-004A
Client Sample ID: North Boom / 4920397
Collection Date: 4/8/2013 1010h
Received Date: 4/8/2013 1500h

Contact: Chris Bittner

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/8/2013 2043h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304216-004A

Client Sample ID: North Boom / 4920397

Analyzed: 4/8/2013 2043h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	



Lab Sample ID: 1304216-004A
Client Sample ID: North Boom / 4920397

Analyzed: 4/8/2013 2043h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report



Lab Sample ID: 1304216-004A

Client Sample ID: North Boom / 4920397

Analyzed: 4/8/2013 2043h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual		
Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	58.6	50.00	117	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	53.4	50.00	107	80-128	
Surr: Dibromofluoromethane	1868-53-7	51.7	50.00	103	80-124	
Surr: Toluene-d8	2037-26-5	49.1	50.00	98.1	77-129	

463 West 3600 South

Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross

Laboratory Director

Jose Rocha

QA Officer

Partial Report



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality

Contact: Chris Bittner

Project: MP 44.9

Lab Sample ID: 1304216-005A

Client Sample ID: W. Boom 5 / 4920499

Collection Date: 4/8/2013 1020h

Received Date: 4/8/2013 1500h

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/8/2013 2102h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304216-005A
Client Sample ID: W. Boom 5 / 4920499

Analyzed: 4/8/2013 2102h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	



Lab Sample ID: 1304216-005A
Client Sample ID: W. Boom 5 / 4920499

Analyzed: 4/8/2013 2102h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report



Lab Sample ID: 1304216-005A
Client Sample ID: W. Boom 5 / 4920499

Analyzed: 4/8/2013 2102h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual		
Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	57.3	50.00	115	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	52.2	50.00	104	80-128	
Surr: Dibromofluoromethane	1868-53-7	51.1	50.00	102	80-124	
Surr: Toluene-d8	2037-26-5	49.2	50.00	98.3	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality

Contact: Chris Bittner

Project: MP 44.9

Lab Sample ID: 1304216-006A

Client Sample ID: W. Boom 4 / 4920498

Collection Date: 4/8/2013 1030h

Received Date: 4/8/2013 1500h

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/8/2013 2121h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304216-006A
Client Sample ID: W. Boom 4 / 4920498

Analyzed: 4/8/2013 2121h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	

Partial Report



Lab Sample ID: 1304216-006A
Client Sample ID: W. Boom 4 / 4920498

Analyzed: 4/8/2013 2121h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report



Lab Sample ID: 1304216-006A
Client Sample ID: W. Boom 4 / 4920498

Analyzed: 4/8/2013 2121h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual		
Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	57.5	50.00	115	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	51.7	50.00	103	80-128	
Surr: Dibromofluoromethane	1868-53-7	53.4	50.00	107	80-124	
Surr: Toluene-d8	2037-26-5	48.6	50.00	97.2	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality

Contact: Chris Bittner

Project: MP 44.9

Lab Sample ID: 1304216-007A

Client Sample ID: 50' from WB4 / 4920502

Collection Date: 4/8/2013 1040h

Received Date: 4/8/2013 1500h

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/8/2013 2140h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304216-007A
Client Sample ID: 50' from WB4 / 4920502

Analyzed: 4/8/2013 2140h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	



Lab Sample ID: 1304216-007A
Client Sample ID: 50' from WB4 / 4920502

Analyzed: 4/8/2013 2140h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report



Lab Sample ID: 1304216-007A
Client Sample ID: 50' from WB4 / 4920502

Analyzed: 4/8/2013 2140h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual		
Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	57.8	50.00	116	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	51.2	50.00	102	80-128	
Surr: Dibromofluoromethane	1868-53-7	51.6	50.00	103	80-124	
Surr: Toluene-d8	2037-26-5	48.6	50.00	97.3	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality

Contact: Chris Bittner

Project: MP 44.9

Lab Sample ID: 1304216-008A

Client Sample ID: W. Boom 3 / 4920497

Collection Date: 4/8/2013 1050h

Received Date: 4/8/2013 1500h

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/8/2013 2159h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304216-008A
Client Sample ID: W. Boom 3 / 4920497

Analyzed: 4/8/2013 2159h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	



Lab Sample ID: 1304216-008A
Client Sample ID: W. Boom 3 / 4920497

Analyzed: 4/8/2013 2159h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report



Lab Sample ID: 1304216-008A
Client Sample ID: W. Boom 3 / 4920497

Analyzed: 4/8/2013 2159h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual		
Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	56.7	50.00	113	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	51.1	50.00	102	80-128	
Surr: Dibromofluoromethane	1868-53-7	50.4	50.00	101	80-124	
Surr: Toluene-d8	2037-26-5	48.2	50.00	96.3	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality

Contact: Chris Bittner

Project: MP 44.9

Lab Sample ID: 1304216-009A

Client Sample ID: W. Boom 2 / 4920496

Collection Date: 4/8/2013 1100h

Received Date: 4/8/2013 1500h

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/8/2013 2218h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304216-009A
Client Sample ID: W. Boom 2 / 4920496

Analyzed: 4/8/2013 2218h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	



Lab Sample ID: 1304216-009A
Client Sample ID: W. Boom 2 / 4920496

Analyzed: 4/8/2013 2218h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report



Lab Sample ID: 1304216-009A
Client Sample ID: W. Boom 2 / 4920496

Analyzed: 4/8/2013 2218h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual		
Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	56.8	50.00	114	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	50.9	50.00	102	80-128	
Surr: Dibromofluoromethane	1868-53-7	50.7	50.00	101	80-124	
Surr: Toluene-d8	2037-26-5	48.4	50.00	96.8	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304216-010A
Client Sample ID: 50' from WB1 / 4920505
Collection Date: 4/8/2013 1110h
Received Date: 4/8/2013 1500h

Contact: Chris Bittner

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/8/2013 2237h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304216-010A
Client Sample ID: 50' from WB1 / 4920505

Analyzed: 4/8/2013 2237h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	



Lab Sample ID: 1304216-010A
Client Sample ID: 50' from WB1 / 4920505

Analyzed: 4/8/2013 2237h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report



Lab Sample ID: 1304216-010A
Client Sample ID: 50' from WB1 / 4920505

Analyzed: 4/8/2013 2237h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual		
Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	58.1	50.00	116	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	52.0	50.00	104	80-128	
Surr: Dibromofluoromethane	1868-53-7	52.1	50.00	104	80-124	
Surr: Toluene-d8	2037-26-5	49.7	50.00	99.5	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality

Contact: Chris Bittner

Project: MP 44.9

Lab Sample ID: 1304216-011A

Client Sample ID: W. Boom 1 / 4920396

Collection Date: 4/8/2013 1120h

Received Date: 4/8/2013 1500h

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/8/2013 2256h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304216-011A
Client Sample ID: W. Boom 1 / 4920396

Analyzed: 4/8/2013 2256h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	



Lab Sample ID: 1304216-011A
Client Sample ID: W. Boom 1 / 4920396

Analyzed: 4/8/2013 2256h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report



Lab Sample ID: 1304216-011A
Client Sample ID: W. Boom 1 / 4920396

Analyzed: 4/8/2013 2256h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual		
Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	55.6	50.00	111	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	50.0	50.00	100	80-128	
Surr: Dibromofluoromethane	1868-53-7	49.7	50.00	99.5	80-124	
Surr: Toluene-d8	2037-26-5	46.7	50.00	93.4	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304216-012A
Client Sample ID: East of Boom / 4920395
Collection Date: 4/8/2013 1130h
Received Date: 4/8/2013 1500h

Contact: Chris Bittner

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/8/2013 2315h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304216-012A
Client Sample ID: East of Boom / 4920395

Analyzed: 4/8/2013 2315h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

 Phone: (801) 263-8686
 Toll Free: (888) 263-8686
 Fax: (801) 263-8687
 e-mail: awal@awal-labs.com

 web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.



Lab Sample ID: 1304216-012A
Client Sample ID: East of Boom / 4920395

Analyzed: 4/8/2013 2315h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report



Lab Sample ID: 1304216-012A
Client Sample ID: East of Boom / 4920395

Analyzed: 4/8/2013 2315h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual		
Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	58.5	50.00	117	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	51.6	50.00	103	80-128	
Surr: Dibromofluoromethane	1868-53-7	51.8	50.00	104	80-124	
Surr: Toluene-d8	2037-26-5	49.1	50.00	98.1	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304216-013A
Client Sample ID: Between Weirs / 4920394
Collection Date: 4/8/2013 1215h
Received Date: 4/8/2013 1500h

Contact: Chris Bittner

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/8/2013 2334h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304216-013A
Client Sample ID: Between Weirs / 4920394

Analyzed: 4/8/2013 2334h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	



Lab Sample ID: 1304216-013A
Client Sample ID: Between Weirs / 4920394

Analyzed: 4/8/2013 2334h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report



Lab Sample ID: 1304216-013A
Client Sample ID: Between Weirs / 4920394

Analyzed: 4/8/2013 2334h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual		
Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	57.1	50.00	114	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	50.2	50.00	100	80-128	
Surr: Dibromofluoromethane	1868-53-7	50.8	50.00	102	80-124	
Surr: Toluene-d8	2037-26-5	49.0	50.00	98.0	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304216-014A
Client Sample ID: Between Weirs Dup / 4920394
Collection Date: 4/8/2013 1220h
Received Date: 4/8/2013 1500h

Contact: Chris Bittner

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/8/2013 2353h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304216-014A
Client Sample ID: Between Weirs Dup / 4920394

Analyzed: 4/8/2013 2353h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	



Lab Sample ID: 1304216-014A
Client Sample ID: Between Weirs Dup / 4920394

Analyzed: 4/8/2013 2353h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	

Partial Report



Lab Sample ID: 1304216-014A
Client Sample ID: Between Weirs Dup / 4920394

Analyzed: 4/8/2013 2353h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual		
Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	57.6	50.00	115	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	51.3	50.00	103	80-128	
Surr: Dibromofluoromethane	1868-53-7	51.7	50.00	103	80-124	
Surr: Toluene-d8	2037-26-5	49.5	50.00	99.0	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304216-015A
Client Sample ID: Field Blank
Collection Date: 4/8/2013 1230h
Received Date: 4/8/2013 1500h

Contact: Chris Bittner

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/8/2013 1830h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304216-015A

Client Sample ID: Field Blank

Analyzed: 4/8/2013 1830h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	



Lab Sample ID: 1304216-015A

Client Sample ID: Field Blank

Analyzed: 4/8/2013 1830h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	



Lab Sample ID: 1304216-015A

Client Sample ID: Field Blank

Analyzed: 4/8/2013 1830h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual		
Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	56.4	50.00	113	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	50.3	50.00	101	80-128	
Surr: Dibromofluoromethane	1868-53-7	51.1	50.00	102	80-124	
Surr: Toluene-d8	2037-26-5	48.6	50.00	97.2	77-129	

463 West 3600 South

Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross

Laboratory Director

Jose Rocha

QA Officer

Partial Report



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304216-017A
Client Sample ID: French Drain South / 4920398
Collection Date: 4/8/2013 1200h
Received Date: 4/8/2013 1500h

Contact: Chris Bittner

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/9/2013 012h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	46.3	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	68.2	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304216-017A
Client Sample ID: French Drain South / 4920398

Analyzed: 4/9/2013 012h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	5.38	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	



Lab Sample ID: 1304216-017A
Client Sample ID: French Drain South / 4920398

Analyzed: 4/9/2013 012h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	58.9	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	7.01	
o-Xylene	95-47-6	2.00	28.2	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	3.31	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	87.0	

Partial Report



Lab Sample ID: 1304216-017A
Client Sample ID: French Drain South / 4920398

Analyzed: 4/9/2013 012h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual		
Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	57.6	50.00	115	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	49.9	50.00	99.8	80-128	
Surr: Dibromofluoromethane	1868-53-7	52.0	50.00	104	80-124	
Surr: Toluene-d8	2037-26-5	49.0	50.00	98.0	77-129	

463 West 3600 South

Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross

Laboratory Director

Jose Rocha

QA Officer

Partial Report



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304216-018A
Client Sample ID: French Drain North / 4920399
Collection Date: 4/8/2013 1150h
Received Date: 4/8/2013 1500h

Contact: Chris Bittner

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/9/2013 818h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	70.3	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	46.1	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304216-018A
Client Sample ID: French Drain North / 4920399

Analyzed: 4/9/2013 818h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	6.48	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	4.66	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	



Lab Sample ID: 1304216-018A
Client Sample ID: French Drain North / 4920399

Analyzed: 4/9/2013 818h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

 Phone: (801) 263-8686
 Toll Free: (888) 263-8686
 Fax: (801) 263-8687
 e-mail: awal@awal-labs.com

 web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	48.7	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	7.25	
o-Xylene	95-47-6	2.00	51.0	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	3.59	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	99.7	

Partial Report

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.



Lab Sample ID: 1304216-018A
Client Sample ID: French Drain North / 4920399

Analyzed: 4/9/2013 818h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual		
Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	58.9	50.00	118	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	50.3	50.00	101	80-128	
Surr: Dibromofluoromethane	1868-53-7	52.5	50.00	105	80-124	
Surr: Toluene-d8	2037-26-5	49.5	50.00	99.0	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304216-019A
Client Sample ID: East of Boom Near#3 / 4920400
Collection Date: 4/8/2013 1140h
Received Date: 4/8/2013 1500h

Contact: Chris Bittner

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/9/2013 837h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304216-019A
Client Sample ID: East of Boom Near#3 / 4920400

Analyzed: 4/9/2013 837h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	



Lab Sample ID: 1304216-019A

Client Sample ID: East of Boom Near#3 / 4920400

Analyzed: 4/9/2013 837h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	



Lab Sample ID: 1304216-019A
Client Sample ID: East of Boom Near#3 / 4920400

Analyzed: 4/9/2013 837h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual		
Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	54.1	50.00	108	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	51.6	50.00	103	80-128	
Surr: Dibromofluoromethane	1868-53-7	50.7	50.00	101	80-124	
Surr: Toluene-d8	2037-26-5	49.5	50.00	99.1	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Partial Report

WORK ORDER Summary

Work Order: **1304216** Page 1 of 5

Client: Utah Division of Water Quality

Due Date: 4/9/2013

Client ID: UTD200

Contact: Chris Bittner

Project: MP 44.9

QC Level: III

WO Type: Standard

Comments: Next Day Rush. QC 3. Include TICs on SVOC only. Send partial reports as results become available. Bill accordingly.;

Sample ID	Client Sample ID	Collected Date	Received Date	Test Code	Matrix	Sel	Storage	
1304216-001A	East of I-15 / 4920392	4/8/2013 0900h	4/8/2013 1500h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3
<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>								
1304216-001B				3510-SVOA-PR		<input type="checkbox"/>	Walkin-Semi	2
				8270-W		<input checked="" type="checkbox"/>	Walkin-Semi	
<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>								
				8270-W-SIM		<input checked="" type="checkbox"/>	Walkin-Semi	
<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>								
1304216-001C				3510-TPH-PR		<input type="checkbox"/>	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		<input checked="" type="checkbox"/>	Walkin-TPH (Liters)	
<i>Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1</i>								
1304216-002A	S. Marina / 4920495	4/8/2013 0915h	4/8/2013 1500h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3
<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>								
1304216-002B				3510-SVOA-PR		<input type="checkbox"/>	Walkin-Semi	2
				8270-W		<input checked="" type="checkbox"/>	Walkin-Semi	
<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>								
				8270-W-SIM		<input checked="" type="checkbox"/>	Walkin-Semi	
<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>								
1304216-002C				3510-TPH-PR		<input type="checkbox"/>	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		<input checked="" type="checkbox"/>	Walkin-TPH (Liters)	
<i>Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1</i>								
1304216-003A	50' from N. Boom / 4920508	4/8/2013 1000h	4/8/2013 1500h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3
<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>								
1304216-003B				3510-SVOA-PR		<input type="checkbox"/>	Walkin-Semi	2
				8270-W		<input checked="" type="checkbox"/>	Walkin-Semi	
<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>								
				8270-W-SIM		<input checked="" type="checkbox"/>	Walkin-Semi	
<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>								
1304216-003C				3510-TPH-PR		<input type="checkbox"/>	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		<input checked="" type="checkbox"/>	Walkin-TPH (Liters)	
<i>Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1</i>								
1304216-004A	North Boom / 4920397	4/8/2013 1010h	4/8/2013 1500h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3
<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>								
1304216-004B				3510-SVOA-PR		<input type="checkbox"/>	Walkin-Semi	2

WORK ORDER Summary

Work Order: **1304216** Page 2 of 5

Client: Utah Division of Water Quality

Due Date: 4/9/2013

Sample ID	Client Sample ID	Collected Date	Received Date	Test Code	Matrix	Sel	Storage			
1304216-004B	North Boom / 4920397	4/8/2013 1010h	4/8/2013 1500h	8270-W	Aqueous	<input checked="" type="checkbox"/>	Walkin-Semi	2		
<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>				8270-W-SIM		<input checked="" type="checkbox"/>	Walkin-Semi			
1304216-004C				<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>						
				3510-TPH-PR		<input type="checkbox"/>	Walkin-TPH (Liters)			
				8015-W-TPH(1L)		<input checked="" type="checkbox"/>	Walkin-TPH (Liters)			
				<i>Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1</i>						
1304216-005A	W. Boom 5 / 4920499	4/8/2013 1020h	4/8/2013 1500h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3		
<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>				3510-SVOA-PR		<input type="checkbox"/>	Walkin-Semi			
1304216-005B				8270-W		<input checked="" type="checkbox"/>	Walkin-Semi	2		
<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>				8270-W-SIM		<input checked="" type="checkbox"/>	Walkin-Semi			
<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>				3510-TPH-PR		<input type="checkbox"/>	Walkin-TPH (Liters)			
1304216-005C				8015-W-TPH(1L)		<input checked="" type="checkbox"/>	Walkin-TPH (Liters)			
<i>Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1</i>				8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge			
<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>				3510-SVOA-PR		<input type="checkbox"/>	Walkin-Semi			
1304216-006A	W. Boom 4 / 4920498	4/8/2013 1030h	4/8/2013 1500h	8270-W		<input checked="" type="checkbox"/>	Walkin-Semi	2		
<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>				8270-W-SIM		<input checked="" type="checkbox"/>	Walkin-Semi			
1304216-006B				<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>						
				3510-TPH-PR		<input type="checkbox"/>	Walkin-TPH (Liters)			
				8015-W-TPH(1L)		<input checked="" type="checkbox"/>	Walkin-TPH (Liters)			
				<i>Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1</i>						
1304216-006C	50' from WB4 / 4920502	4/8/2013 1040h	4/8/2013 1500h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3		
<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>				3510-SVOA-PR		<input type="checkbox"/>	Walkin-Semi			
1304216-007A				8270-W		<input checked="" type="checkbox"/>	Walkin-Semi	2		
<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>				8270-W-SIM		<input checked="" type="checkbox"/>	Walkin-Semi			
<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>				3510-TPH-PR		<input type="checkbox"/>	Walkin-TPH (Liters)			
1304216-007B				8015-W-TPH(1L)		<input checked="" type="checkbox"/>	Walkin-TPH (Liters)			
<i>Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1</i>				8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge			
<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>				3510-SVOA-PR		<input type="checkbox"/>	Walkin-Semi			
1304216-007C				8270-W		<input checked="" type="checkbox"/>	Walkin-Semi	2		
<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>				8270-W-SIM		<input checked="" type="checkbox"/>	Walkin-Semi			
<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>				3510-TPH-PR		<input type="checkbox"/>	Walkin-TPH (Liters)			
1304216-008A	W. Boom 3 / 4920497	4/8/2013 1050h	4/8/2013 1500h	8015-W-TPH(1L)		<input checked="" type="checkbox"/>	Walkin-TPH (Liters)			
<i>Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1</i>				8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge			
1304216-008B				<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>						
				3510-SVOA-PR		<input type="checkbox"/>	Walkin-Semi	2		

WORK ORDER Summary

Work Order: **1304216** Page 3 of 5

Client: Utah Division of Water Quality

Due Date: 4/9/2013

Sample ID	Client Sample ID	Collected Date	Received Date	Test Code	Matrix	Sel	Storage			
1304216-008B	W. Boom 3 / 4920497	4/8/2013 1050h	4/8/2013 1500h	8270-W	Aqueous	<input checked="" type="checkbox"/>	Walkin-Semi	2		
<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>										
				8270-W-SIM				<input checked="" type="checkbox"/>	Walkin-Semi	
1304216-008C						<input type="checkbox"/>	Walkin-TPH (Liters)			
<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>										
				3510-TPH-PR				<input checked="" type="checkbox"/>	Walkin-TPH (Liters)	
1304216-009A	W. Boom 2 / 4920496	4/8/2013 1100h	4/8/2013 1500h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3		
<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>										
1304216-009B							3510-SVOA-PR		<input type="checkbox"/>	Walkin-Semi
				8270-W		<input checked="" type="checkbox"/>	Walkin-Semi			
						<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>				
				8270-W-SIM		<input checked="" type="checkbox"/>	Walkin-Semi			
						<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>				
1304216-009C						<input type="checkbox"/>	Walkin-TPH (Liters)			
<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>										
				3510-TPH-PR				<input checked="" type="checkbox"/>	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		<input checked="" type="checkbox"/>	Walkin-TPH (Liters)			
						<i>Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1</i>				
1304216-010A	50' from WB1 / 4920505	4/8/2013 1110h	4/8/2013 1500h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3		
<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>										
1304216-010B							3510-SVOA-PR		<input type="checkbox"/>	Walkin-Semi
				8270-W		<input checked="" type="checkbox"/>	Walkin-Semi			
						<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>				
				8270-W-SIM		<input checked="" type="checkbox"/>	Walkin-Semi			
						<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>				
1304216-010C						<input type="checkbox"/>	Walkin-TPH (Liters)			
<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>										
				3510-TPH-PR				<input checked="" type="checkbox"/>	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		<input checked="" type="checkbox"/>	Walkin-TPH (Liters)			
						<i>Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1</i>				
1304216-011A	W. Boom 1 / 4920396	4/8/2013 1120h	4/8/2013 1500h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3		
<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>										
1304216-011B							3510-SVOA-PR		<input type="checkbox"/>	Walkin-Semi
				8270-W		<input checked="" type="checkbox"/>	Walkin-Semi			
						<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>				
				8270-W-SIM		<input checked="" type="checkbox"/>	Walkin-Semi			
						<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>				
1304216-011C						<input type="checkbox"/>	Walkin-TPH (Liters)			
<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>										
				3510-TPH-PR				<input checked="" type="checkbox"/>	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		<input checked="" type="checkbox"/>	Walkin-TPH (Liters)			
						<i>Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1</i>				
1304216-012A	East of Boom / 4920395	4/8/2013 1130h	4/8/2013 1500h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3		
<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>										
1304216-012B							3510-SVOA-PR		<input type="checkbox"/>	Walkin-Semi

WORK ORDER Summary

Work Order: **1304216** Page 4 of 5

Client: Utah Division of Water Quality

Due Date: 4/9/2013

Sample ID	Client Sample ID	Collected Date	Received Date	Test Code	Matrix	Sel	Storage	
1304216-012B	East of Boom / 4920395	4/8/2013 1130h	4/8/2013 1500h	8270-W	Aqueous	<input checked="" type="checkbox"/>	Walkin-Semi	2
				<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>				
1304216-012C				8270-W-SIM		<input checked="" type="checkbox"/>	Walkin-Semi	
				<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>				
				3510-TPH-PR		<input type="checkbox"/>	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		<input checked="" type="checkbox"/>	Walkin-TPH (Liters)	
<i>Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1</i>								
1304216-013A	Between Weirs / 4920394	4/8/2013 1215h	4/8/2013 1500h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3
<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>								
1304216-013B				3510-SVOA-PR		<input type="checkbox"/>	Walkin-Semi	2
				8270-W		<input checked="" type="checkbox"/>	Walkin-Semi	
<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>								
1304216-013C				8270-W-SIM		<input checked="" type="checkbox"/>	Walkin-Semi	
				<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>				
				3510-TPH-PR		<input type="checkbox"/>	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		<input checked="" type="checkbox"/>	Walkin-TPH (Liters)	
<i>Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1</i>								
1304216-014A	Between Weirs Dup / 4920394	4/8/2013 1220h	4/8/2013 1500h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3
<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>								
1304216-014B				3510-SVOA-PR		<input type="checkbox"/>	Walkin-Semi	2
				8270-W		<input checked="" type="checkbox"/>	Walkin-Semi	
<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>								
1304216-014C				8270-W-SIM		<input checked="" type="checkbox"/>	Walkin-Semi	
				<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>				
				3510-TPH-PR		<input type="checkbox"/>	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		<input checked="" type="checkbox"/>	Walkin-TPH (Liters)	
<i>Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1</i>								
1304216-015A	Field Blank	4/8/2013 1230h	4/8/2013 1500h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3
<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>								
1304216-016A	Trip Blank	4/8/2013	4/8/2013 1500h		Aqueous	<input type="checkbox"/>	not provided	1
1304216-017A	French Drain South / 4920398	4/8/2013 1200h	4/8/2013 1500h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3
				<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>				
1304216-017B				3510-SVOA-PR		<input type="checkbox"/>	Walkin-Semi	2
				8270-W		<input checked="" type="checkbox"/>	Walkin-Semi	
				<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>				
1304216-017C				8270-W-SIM		<input checked="" type="checkbox"/>	Walkin-Semi	
				<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>				
				3510-TPH-PR		<input type="checkbox"/>	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		<input checked="" type="checkbox"/>	Walkin-TPH (Liters)	
<i>Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1</i>								

WORK ORDER Summary

Work Order: **1304216** Page 5 of 5

Client: Utah Division of Water Quality

Due Date: 4/9/2013

Sample ID	Client Sample ID	Collected Date	Received Date	Test Code	Matrix	Sel	Storage			
1304216-018A	French Drain North / 4920399	4/8/2013 1150h	4/8/2013 1500h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3		
1304216-018B										
				3510-SVOA-PR				<input type="checkbox"/>	Walkin-Semi	2
				8270-W				<input checked="" type="checkbox"/>	Walkin-Semi	
				<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>						
				<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>						
				8270-W-SIM		<input checked="" type="checkbox"/>	Walkin-Semi			
				<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>						
1304216-018C				3510-TPH-PR		<input type="checkbox"/>	Walkin-TPH (Liters)			
				8015-W-TPH(1L)		<input checked="" type="checkbox"/>	Walkin-TPH (Liters)			
				<i>Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1</i>						
1304216-019A	East of Boom Near#3 / 4920400	4/8/2013 1140h	4/8/2013 1500h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3		
1304216-019B										
				3510-SVOA-PR				<input type="checkbox"/>	Walkin-Semi	2
				8270-W				<input checked="" type="checkbox"/>	Walkin-Semi	
				<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>						
				<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>						
				8270-W-SIM		<input checked="" type="checkbox"/>	Walkin-Semi			
				<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>						
1304216-019C				3510-TPH-PR		<input type="checkbox"/>	Walkin-TPH (Liters)			
				8015-W-TPH(1L)		<input checked="" type="checkbox"/>	Walkin-TPH (Liters)			
				<i>Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1</i>						

American West Analytical Laboratories

Chain of Custody

Lab Sample Set # 1304216

Client: **Utah Division of Water Quality**
 Address: **195 N. 1950 W.**
Salt Lake City, UT 84115

Contact: **Chris Bittner**
 Phone: **(801) 536-3600**
 Fax :

Page 1 of 1

Project Name: **MP 44.9**
 PO#:

Email: **cbittner@utah.gov**

QC Level: **3**
 Turn Around Time
NEXT DAY RUSH

Sample ID:	Date Sampled	Time	# of Containers	Sample Matrix	VOC's (8260C)	Full SVOC - w/ TICs (8270D)	PNA SVOC - SIM (8270D)	DRO (8015D)	Comments
1 East of I-15 4920392	4/8/2013	9:00	7	W	X	X	X	X	
2 S. Marina 4920495	4/8/2013	9:15	7	W	X	X	X	X	
3 50' from N. Boom 4920508	4/8/2013	10:00	7	W	X	X	X	X	
4 North Boom 4920397	4/8/2013	10:10	7	W	X	X	X	X	
5 W. Boom 5 4920499	4/8/2013	10:20	7	W	X	X	X	X	
6 W. Boom 4 4920498	4/8/2013	10:30	7	W	X	X	X	X	
7 50' from WB4 4920502	4/8/2013	10:40	7	W	X	X	X	X	
8 W. Boom 3 4920497	4/8/2013	10:50	7	W	X	X	X	X	
9 W. Boom 2 4920496	4/8/2013	11:00	7	W	X	X	X	X	
10 50' from WB1 4920505	4/8/2013	11:10	7	W	X	X	X	X	
11 W. Boom 1 4920396	4/8/2013	11:20	7	W	X	X	X	X	
12 East of Boom 4920395	4/8/2013	11:30	7	W	X	X	X	X	
13 Between Weirs 4920394	4/8/2013	12:15	7	W	X	X	X	X	
14 Between Weirs Dup 4920394	4/8/2013	12:20	7	W	X	X	X	X	
15 Field Blank	4/8/2013	12:30	3	W	X				
16 Trip Blank	4/8/2013				X				Not Provided
17 French Drain South 4920398	4/8/2013	12:00	7	W	X	X	X	X	
18 French Drain North 4920399	4/8/2013	11:50	7	W	X	X	X	X	
19 E. of Boom Near #3 4920400	4/8/2013	11:40	7	W	X	X	X	X	
20									

Laboratory Use Only

Samples Were:

- Shipped or hand delivered
- Ambient or Chilled
- Temperature 2.3
- Received Broken/Leaking (Improperly Sealed) Y N
- Properly Preserved Y N
- Received Within Holding Times Y N

COC Page Was:

- Present on Outer Package Y N NA
- Unbroken on Outer Package Y N NA
- Present on Sample Y N NA
- Unbroken on Sample Y N NA

Discrepancies Between Sample Labels and COC Record? Y N

Special Instructions: **Release results as they become available**

Relinquished by: Signature <i>Alex Anderson</i>	Date: <u>4/8/13</u>	Received by: Signature <i>Chris Bittner</i>	Date: <u>4-8-13</u>
Print Name <i>Alex Anderson</i>	Time: <u>15:00</u>	Print Name <i>Chris Bittner</i>	Time: <u>1500</u>
Relinquished by: Signature	Date:	Received by: Signature	Date:
Print Name	Time:	Print Name	Time: