



Chris Bittner
Utah Division of Water Quality
PO Box 144870
SLC, UT 84114
TEL: (801) 536-4300

RE: MP 44.9

Dear Chris Bittner:

Lab Set ID: 1304551

463 West 3600 South
Salt Lake City, UT 84115

American West Analytical Laboratories received 9 sample(s) on 4/19/2013 for the analyses presented in the following report.

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

American West Analytical Laboratories (AWAL) is accredited by The National Environmental Laboratory Accreditation Program (NELAP) in Utah and Texas; and is state accredited in Colorado, Idaho, New Mexico, and Missouri.

All analyses were performed in accordance to the NELAP protocols unless noted otherwise. Accreditation scope documents are available upon request. If you have any questions or concerns regarding this report please feel free to call.

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

The abbreviation "Surr" found in organic reports indicates a surrogate compound that is intentionally added by the laboratory to determine sample injection, extraction, and/or purging efficiency. The "Reporting Limit" found on the report is equivalent to the practical quantitation limit (PQL). This is the minimum concentration that can be reported by the method referenced and the sample matrix. The reporting limit must not be confused with any regulatory limit. Analytical results are reported to three significant figures for quality control and calculation purposes.

Thank You,

Approved by: _____
Laboratory Director or designee



TPH (DRO) Case Narrative

Client: Utah Division of Water Quality
Contact: Chris Bittner
Project: MP 44.9
Lab Set ID: 1304551

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Sample Receipt Information:

Date of Receipt: 4/19/2013
Date of Collection: 4/19/2013
Sample Condition: Intact
C-O-C Discrepancies: None
Method: SW-846 8015D /3510C
Analysis: Total Petroleum Hydrocarbon (DRO - C10-28)

General Set Comments: Multiple samples exhibited TPH-DRO above the reporting limit.

Holding Time Requirements: The preparations and analyses of the samples were performed within respective holding times.

Analysis Requirements: The samples were prepared and/or analyzed following the methods stated on the analytical reports.

Analytical QC Requirements: All instrument calibration and calibration check requirements were met.

Batch QC Requirements: MB, LCS, MS, MSD, RPD, and Surrogates:

Method Blank (MB): No target analytes were detected above reporting limits, evaluated to MDL, indicating the procedure was free from contamination.

Laboratory Control Samples (LCS): All LCS recoveries were within control limits, indicating that the preparation and analysis were in control.

Matrix Spike / Matrix Spike Duplicate (MS/MSD): All percent recoveries and RPDs (Relative Percent Differences) were inside established limits, indicating no apparent matrix interferences.

Surrogates: All surrogate recoveries were within established limits.

Corrective Action: None required.



Semivolatile Case Narrative

Client: Utah Division of Water Quality
Contact: Chris Bittner
Project: MP 44.9
Lab Set ID: 1304551

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Sample Receipt Information:

Date of Receipt: 4/19/2013
Date of Collection: 4/19/2013
Sample Condition: Intact
C-O-C Discrepancies: None
Method: SW-846 8270D/3510C
Analysis: Semivolatile Organics

General Set Comments: Multiple analytes were observed above their reporting limits. The samples were analyzed for TICs.

Holding Time Requirements: The preparations and analyses of the samples were performed within respective holding times.

Preparation Requirements: The samples were prepared and analyzed following the methods stated on the analytical reports.

Analytical QC Requirements: All instrument calibration and calibration check requirements were met. All internal standard recoveries met method criterion.

Batch QC Requirements: MB, LCS, MS, MSD, RPD, and Surrogates:

Method Blanks: No target analytes were detected above reporting limits, indicating that the procedure was free from contamination.

Laboratory Control Sample (LCS): All LCS percent recoveries were within control limits, indicating that the preparation and analysis were in control.

Matrix Spike / Matrix Spike Duplicate (MS/MSD): All percent recoveries and RPDs (Relative Percent Differences) were inside established limits, with the following exception: On sample 1304551-002B, the RPD for Pentachlorophenol was outside of its control limit due to suspected sample non-homogeneity or matrix interference.

Surrogates: All surrogate recoveries were within established limits.

Corrective Action: None required.



Volatile Case Narrative

Client: Utah Division of Water Quality
Contact: Chris Bittner
Project: MP 44.9
Lab Set ID: 1304551

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Sample Receipt Information:

Date of Receipt: 4/19/2013
Date of Collection: 4/19/2013
Sample Condition: Intact
C-O-C Discrepancies: None
Method: SW-846 8260C/5030C
Analysis: Volatile Organic Compounds

General Set Comments: Multiple analytes were observed above reporting limits.

Holding Time and Preservation Requirements: All samples were received in appropriate containers and properly preserved. The analysis and preparation of all samples were performed within the method holding times following the methods stated on the analytical reports.

Analytical QC Requirements: All instrument calibration and calibration check requirements were met. All internal standard recoveries met method criterion.

Batch QC Requirements: MB, LCS, MS, MSD, RPD, and Surrogates:

Method Blanks (MBs): No target analytes were detected above reporting limits, indicating that the procedure was free from contamination.

Laboratory Control Sample (LCSs): All LCS recoveries were within control limits, indicating that the preparation and analysis were in control.

Matrix Spike / Matrix Spike Duplicate (MS/MSD): All percent recoveries and RPDs (Relative Percent Differences) were inside established limits, indicating no apparent matrix interferences.

Surrogates: All surrogate recoveries were within established limits.

Corrective Action: None required.



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality **Contact:** Chris Bittner
Project: MP 44.9
Lab Sample ID: 1304551-005C
Client Sample ID: East of Boom #3 / 4920402
Collection Date: 4/19/2013 950h
Received Date: 4/19/2013 1240h

Analytical Results

TPH-DRO (C10-C28) by GC/FID Method 8015D/3510C

Analyzed: 4/22/2013 1857h **Extracted:** 4/19/2013 1630h
Units: mg/L **Dilution Factor:** 1 **Method:** SW8015D

463 West 3600 South
Salt Lake City, UT 84115

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Diesel Range Organics (DRO) (C10-C28)	68476-34-6	0.500	< 0.500	

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 4-Bromofluorobenzene	460-00-4	0.161	0.4000	40.3	10-190	

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality **Contact:** Chris Bittner
Project: MP 44.9
Lab Sample ID: 1304551-006C
Client Sample ID: Below Weirs ab Res. / 4920401
Collection Date: 4/19/2013 1000h
Received Date: 4/19/2013 1240h

Analytical Results

TPH-DRO (C10-C28) by GC/FID Method 8015D/3510C

Analyzed: 4/22/2013 1916h **Extracted:** 4/19/2013 1630h
Units: mg/L **Dilution Factor:** 1 **Method:** SW8015D

463 West 3600 South
Salt Lake City, UT 84115

Compound	CAS Number	Reporting Limit	Analytical Result	Qual		
Diesel Range Organics (DRO) (C10-C28)	68476-34-6	0.500	0.939			
Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 4-Bromofluorobenzene	460-00-4	0.152	0.4000	37.9	10-190	

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality **Contact:** Chris Bittner
Project: MP 44.9
Lab Sample ID: 1304551-007C
Client Sample ID: Duplicate / 4920395
Collection Date: 4/19/2013 1020h
Received Date: 4/19/2013 1240h

Analytical Results

TPH-DRO (C10-C28) by GC/FID Method 8015D/3510C

Analyzed: 4/22/2013 1935h **Extracted:** 4/19/2013 1630h
Units: mg/L **Dilution Factor:** 1 **Method:** SW8015D

463 West 3600 South
Salt Lake City, UT 84115

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Diesel Range Organics (DRO) (C10-C28)	68476-34-6	0.500	< 0.500	

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 4-Bromofluorobenzene	460-00-4	0.161	0.4000	40.2	10-190	

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality **Contact:** Chris Bittner
Project: MP 44.9
Lab Sample ID: 1304551-001B
Client Sample ID: East of I-15 / 4920392
Collection Date: 4/19/2013 900h
Received Date: 4/19/2013 1240h

Analytical Results

SVOA PNA SIM List by GC/MS Method 8270D/3510C

Analyzed: 4/23/2013 903h **Extracted:** 4/22/2013 836h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1-Methylnaphthalene	90-12-0	0.100	0.320	
2-Methylnaphthalene	91-57-6	0.100	< 0.100	
Acenaphthene	83-32-9	0.100	< 0.100	
Acenaphthylene	208-96-8	0.100	< 0.100	
Anthracene	120-12-7	0.100	< 0.100	
Benz(a)anthracene	56-55-3	0.100	< 0.100	
Benzo(a)pyrene	50-32-8	0.100	< 0.100	
Benzo(b)fluoranthene	205-99-2	0.100	< 0.100	
Benzo(g,h,i)perylene	191-24-2	0.100	< 0.100	
Benzo(k)fluoranthene	207-08-9	0.100	< 0.100	
Chrysene	218-01-9	0.100	< 0.100	
Dibenz(a,h)anthracene	53-70-3	0.100	< 0.100	
Fluoranthene	206-44-0	0.100	< 0.100	
Fluorene	86-73-7	0.100	< 0.100	
Indene	95-13-6	0.100	< 0.100	
Indeno(1,2,3-cd)pyrene	193-39-5	0.100	< 0.100	
Naphthalene	91-20-3	0.100	0.370	
Phenanthrene	85-01-8	0.100	< 0.100	
Pyrene	129-00-0	0.100	< 0.100	



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality

Contact: Chris Bittner

Project: MP 44.9

Lab Sample ID: 1304551-002B

Client Sample ID: S. Marina / 4920495

Collection Date: 4/19/2013 930h

Received Date: 4/19/2013 1240h

Analytical Results

SVOA PNA SIM List by GC/MS Method 8270D/3510C

Analyzed: 4/23/2013 929h

Extracted: 4/22/2013 836h

Units: µg/L

Dilution Factor: 1

Method: SW8270D

463 West 3600 South

Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross

Laboratory Director

Jose Rocha

QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1-Methylnaphthalene	90-12-0	0.100	0.610	
2-Methylnaphthalene	91-57-6	0.100	0.470	
Acenaphthene	83-32-9	0.100	< 0.100	
Acenaphthylene	208-96-8	0.100	< 0.100	
Anthracene	120-12-7	0.100	< 0.100	
Benz(a)anthracene	56-55-3	0.100	< 0.100	
Benzo(a)pyrene	50-32-8	0.100	< 0.100	
Benzo(b)fluoranthene	205-99-2	0.100	< 0.100	
Benzo(g,h,i)perylene	191-24-2	0.100	< 0.100	
Benzo(k)fluoranthene	207-08-9	0.100	< 0.100	
Chrysene	218-01-9	0.100	< 0.100	
Dibenz(a,h)anthracene	53-70-3	0.100	< 0.100	
Fluoranthene	206-44-0	0.100	< 0.100	
Fluorene	86-73-7	0.100	< 0.100	
Indene	95-13-6	0.100	< 0.100	
Indeno(1,2,3-cd)pyrene	193-39-5	0.100	< 0.100	
Naphthalene	91-20-3	0.100	0.670	
Phenanthrene	85-01-8	0.100	< 0.100	
Pyrene	129-00-0	0.100	< 0.100	



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304551-005B
Client Sample ID: East of Boom #3 / 4920402
Collection Date: 4/19/2013 950h
Received Date: 4/19/2013 1240h

Contact: Chris Bittner

Analytical Results

SVOA PNA SIM List by GC/MS Method 8270D/3510C

Analyzed: 4/23/2013 1048h **Extracted:** 4/22/2013 836h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1-Methylnaphthalene	90-12-0	0.100	< 0.100	
2-Methylnaphthalene	91-57-6	0.100	< 0.100	
Acenaphthene	83-32-9	0.100	< 0.100	
Acenaphthylene	208-96-8	0.100	< 0.100	
Anthracene	120-12-7	0.100	< 0.100	
Benz(a)anthracene	56-55-3	0.100	< 0.100	
Benzo(a)pyrene	50-32-8	0.100	< 0.100	
Benzo(b)fluoranthene	205-99-2	0.100	< 0.100	
Benzo(g,h,i)perylene	191-24-2	0.100	< 0.100	
Benzo(k)fluoranthene	207-08-9	0.100	< 0.100	
Chrysene	218-01-9	0.100	< 0.100	
Dibenz(a,h)anthracene	53-70-3	0.100	< 0.100	
Fluoranthene	206-44-0	0.100	< 0.100	
Fluorene	86-73-7	0.100	< 0.100	
Indene	95-13-6	0.100	< 0.100	
Indeno(1,2,3-cd)pyrene	193-39-5	0.100	< 0.100	
Naphthalene	91-20-3	0.100	< 0.100	
Phenanthrene	85-01-8	0.100	< 0.100	
Pyrene	129-00-0	0.100	< 0.100	



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304551-006B
Client Sample ID: Below Weirs ab Res. / 4920401
Collection Date: 4/19/2013 1000h
Received Date: 4/19/2013 1240h

Contact: Chris Bittner

Analytical Results

SVOA PNA SIM List by GC/MS Method 8270D/3510C

Analyzed: 4/23/2013 1114h **Extracted:** 4/22/2013 836h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1-Methylnaphthalene	90-12-0	0.100	< 0.100	
2-Methylnaphthalene	91-57-6	0.100	< 0.100	
Acenaphthene	83-32-9	0.100	< 0.100	
Acenaphthylene	208-96-8	0.100	< 0.100	
Anthracene	120-12-7	0.100	< 0.100	
Benz(a)anthracene	56-55-3	0.100	< 0.100	
Benzo(a)pyrene	50-32-8	0.100	< 0.100	
Benzo(b)fluoranthene	205-99-2	0.100	< 0.100	
Benzo(g,h,i)perylene	191-24-2	0.100	< 0.100	
Benzo(k)fluoranthene	207-08-9	0.100	< 0.100	
Chrysene	218-01-9	0.100	< 0.100	
Dibenz(a,h)anthracene	53-70-3	0.100	< 0.100	
Fluoranthene	206-44-0	0.100	< 0.100	
Fluorene	86-73-7	0.100	< 0.100	
Indene	95-13-6	0.100	< 0.100	
Indeno(1,2,3-cd)pyrene	193-39-5	0.100	< 0.100	
Naphthalene	91-20-3	0.100	< 0.100	
Phenanthrene	85-01-8	0.100	< 0.100	
Pyrene	129-00-0	0.100	< 0.100	



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304551-007B
Client Sample ID: Duplicate / 4920395
Collection Date: 4/19/2013 1020h
Received Date: 4/19/2013 1240h

Contact: Chris Bittner

Analytical Results

SVOA PNA SIM List by GC/MS Method 8270D/3510C

Analyzed: 4/23/2013 1140h **Extracted:** 4/22/2013 836h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1-Methylnaphthalene	90-12-0	0.100	< 0.100	
2-Methylnaphthalene	91-57-6	0.100	< 0.100	
Acenaphthene	83-32-9	0.100	< 0.100	
Acenaphthylene	208-96-8	0.100	< 0.100	
Anthracene	120-12-7	0.100	< 0.100	
Benz(a)anthracene	56-55-3	0.100	< 0.100	
Benzo(a)pyrene	50-32-8	0.100	< 0.100	
Benzo(b)fluoranthene	205-99-2	0.100	< 0.100	
Benzo(g,h,i)perylene	191-24-2	0.100	< 0.100	
Benzo(k)fluoranthene	207-08-9	0.100	< 0.100	
Chrysene	218-01-9	0.100	< 0.100	
Dibenz(a,h)anthracene	53-70-3	0.100	< 0.100	
Fluoranthene	206-44-0	0.100	< 0.100	
Fluorene	86-73-7	0.100	< 0.100	
Indene	95-13-6	0.100	< 0.100	
Indeno(1,2,3-cd)pyrene	193-39-5	0.100	< 0.100	
Naphthalene	91-20-3	0.100	< 0.100	
Phenanthrene	85-01-8	0.100	< 0.100	
Pyrene	129-00-0	0.100	< 0.100	



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality

Contact: Chris Bittner

Project: MP 44.9

Lab Sample ID: 1304551-008B

Client Sample ID: East of Boom / 4920395

Collection Date: 4/19/2013 1020h

Received Date: 4/19/2013 1240h

Analytical Results

SVOA PNA SIM List by GC/MS Method 8270D/3510C

Analyzed: 4/23/2013 1206h

Extracted: 4/22/2013 836h

Units: µg/L

Dilution Factor: 1

Method: SW8270D

463 West 3600 South

Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross

Laboratory Director

Jose Rocha

QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1-Methylnaphthalene	90-12-0	0.100	0.370	
2-Methylnaphthalene	91-57-6	0.100	0.270	
Acenaphthene	83-32-9	0.100	< 0.100	
Acenaphthylene	208-96-8	0.100	< 0.100	
Anthracene	120-12-7	0.100	< 0.100	
Benz(a)anthracene	56-55-3	0.100	< 0.100	
Benzo(a)pyrene	50-32-8	0.100	< 0.100	
Benzo(b)fluoranthene	205-99-2	0.100	< 0.100	
Benzo(g,h,i)perylene	191-24-2	0.100	< 0.100	
Benzo(k)fluoranthene	207-08-9	0.100	< 0.100	
Chrysene	218-01-9	0.100	< 0.100	
Dibenz(a,h)anthracene	53-70-3	0.100	< 0.100	
Fluoranthene	206-44-0	0.100	< 0.100	
Fluorene	86-73-7	0.100	< 0.100	
Indene	95-13-6	0.100	< 0.100	
Indeno(1,2,3-cd)pyrene	193-39-5	0.100	< 0.100	
Naphthalene	91-20-3	0.100	0.400	
Phenanthrene	85-01-8	0.100	< 0.100	
Pyrene	129-00-0	0.100	< 0.100	



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality **Contact:** Chris Bittner
Project: MP 44.9
Lab Sample ID: 1304551-009B
Client Sample ID: North Weir
Collection Date: 4/19/2013 945h
Received Date: 4/19/2013 1240h

Analytical Results

SVOA PNA SIM List by GC/MS Method 8270D/3510C

Analyzed: 4/23/2013 1233h **Extracted:** 4/22/2013 836h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1-Methylnaphthalene	90-12-0	0.100	< 0.100	
2-Methylnaphthalene	91-57-6	0.100	< 0.100	
Acenaphthene	83-32-9	0.100	< 0.100	
Acenaphthylene	208-96-8	0.100	< 0.100	
Anthracene	120-12-7	0.100	< 0.100	
Benz(a)anthracene	56-55-3	0.100	< 0.100	
Benzo(a)pyrene	50-32-8	0.100	< 0.100	
Benzo(b)fluoranthene	205-99-2	0.100	< 0.100	
Benzo(g,h,i)perylene	191-24-2	0.100	< 0.100	
Benzo(k)fluoranthene	207-08-9	0.100	< 0.100	
Chrysene	218-01-9	0.100	< 0.100	
Dibenz(a,h)anthracene	53-70-3	0.100	< 0.100	
Fluoranthene	206-44-0	0.100	< 0.100	
Fluorene	86-73-7	0.100	< 0.100	
Indene	95-13-6	0.100	< 0.100	
Indeno(1,2,3-cd)pyrene	193-39-5	0.100	< 0.100	
Naphthalene	91-20-3	0.100	0.370	
Phenanthrene	85-01-8	0.100	< 0.100	
Pyrene	129-00-0	0.100	< 0.100	



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality

Contact: Chris Bittner

Project: MP 44.9

Lab Sample ID: 1304551-001B

Client Sample ID: East of I-15 / 4920392

Collection Date: 4/19/2013 900h

Received Date: 4/19/2013 1240h

Analytical Results

SVOA List by GC/MS Method 8270D/3510C

Analyzed: 4/23/2013 1943h

Extracted: 4/22/2013 836h

Units: µg/L

Dilution Factor: 1

Method: SW8270D

463 West 3600 South

Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross

Laboratory Director

Jose Rocha

QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1'-Biphenyl	92-52-4	10.0	< 10.0	
1,2,4,5-Tetrachlorobenzene	95-94-3	10.0	< 10.0	
1,2,4-Trichlorobenzene	120-82-1	10.0	< 10.0	
1,2-Dichlorobenzene	95-50-1	10.0	< 10.0	
1,3,5-Trinitrobenzene	99-35-4	10.0	< 10.0	
1,3-Dichlorobenzene	541-73-1	10.0	< 10.0	
1,3-Dinitrobenzene	99-65-0	10.0	< 10.0	
1,4-Dichlorobenzene	106-46-7	10.0	< 10.0	
1,4-Dinitrobenzene	100-25-4	10.0	< 10.0	
1,4-Naphthoquinone	130-15-4	10.0	< 10.0	
1,4-Phenylenediamine	106-50-3	10.0	< 10.0	
1-Chloronaphthalene	90-13-1	10.0	< 10.0	
1-Methylnaphthalene	90-12-0	10.0	< 10.0	
1-Naphthylamine	134-32-7	10.0	< 10.0	
2,3,4,6-Tetrachlorophenol	58-90-2	10.0	< 10.0	
2,4,5-Trichlorophenol	95-95-4	10.0	< 10.0	
2,4,6-Trichlorophenol	88-06-2	10.0	< 10.0	
2,4-Dichlorophenol	120-83-2	10.0	< 10.0	
2,4-Dimethylphenol	105-67-9	10.0	< 10.0	
2,4-Dinitrophenol	51-28-5	10.0	< 10.0	
2,4-Dinitrotoluene	121-14-2	10.0	< 10.0	
2,6-Dichlorophenol	87-65-0	10.0	< 10.0	
2,6-Dinitrotoluene	606-20-2	10.0	< 10.0	
2-Acetylaminofluorene	53-96-3	10.0	< 10.0	
2-Chloronaphthalene	91-58-7	10.0	< 10.0	
2-Chlorophenol	95-57-8	10.0	< 10.0	
2-Methylnaphthalene	91-57-6	10.0	< 10.0	
2-Methylphenol	95-48-7	10.0	< 10.0	
2-Naphthylamine	91-59-8	10.0	< 10.0	
2-Nitroaniline	88-74-4	10.0	< 10.0	



Lab Sample ID: 1304551-001B

Client Sample ID: East of I-15 / 4920392

Analyzed: 4/23/2013 1943h

Extracted: 4/22/2013 836h

Units: µg/L

Dilution Factor: 1

Method: SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
2-Nitrophenol	88-75-5	10.0	< 10.0	
2-Picoline	109-06-8	10.0	< 10.0	
3&4-Methylphenol		10.0	< 10.0	
3,3'-Dichlorobenzidine	91-94-1	10.0	< 10.0	
3,3'-Dimethylbenzidine	119-93-7	10.0	< 10.0	
3-Methylcholanthrene	56-49-5	10.0	< 10.0	
3-Nitroaniline	99-09-2	10.0	< 10.0	
4,6-Dinitro-2-methylphenol	534-52-1	10.0	< 10.0	
4-Aminobiphenyl	92-67-1	10.0	< 10.0	
4-Bromophenyl phenyl ether	101-55-3	10.0	< 10.0	
4-Chloro-3-methylphenol	59-50-7	10.0	< 10.0	
4-Chloroaniline	106-47-8	10.0	< 10.0	
4-Chlorophenyl phenyl ether	7005-72-3	10.0	< 10.0	
4-Nitroaniline	100-01-6	10.0	< 10.0	
4-Nitrophenol	100-02-7	10.0	< 10.0	
5-Nitro-o-toluidine	99-55-8	10.0	< 10.0	
7,12-Dimethylbenz(a)anthracene	57-97-6	10.0	< 10.0	
a,a-Dimethylphenethylamine	122-09-8	10.0	< 10.0	
Acenaphthene	83-32-9	10.0	< 10.0	
Acenaphthylene	208-96-8	10.0	< 10.0	
Acetophenone	98-86-2	10.0	< 10.0	
alpha-Terpineol	98-55-5	10.0	< 10.0	
Aniline	62-53-3	10.0	< 10.0	
Anthracene	120-12-7	10.0	< 10.0	
Aramite	140-57-8	10.0	< 10.0	
Atrazine	1912-24-9	10.0	< 10.0	
Azobenzene	103-33-3	10.0	< 10.0	
Benz(a)anthracene	56-55-3	10.0	< 10.0	
Benzaldehyde	100-52-7	10.0	< 10.0	
Benzidine	92-87-5	10.0	< 10.0	
Benzo(a)pyrene	50-32-8	10.0	< 10.0	
Benzo(b)fluoranthene	205-99-2	10.0	< 10.0	
Benzo(g,h,i)perylene	191-24-2	10.0	< 10.0	
Benzo(k)fluoranthene	207-08-9	10.0	< 10.0	
Benzoic acid	65-85-0	20.0	< 20.0	
Benzyl alcohol	100-51-6	10.0	< 10.0	
Bis(2-chloroethoxy)methane	111-91-1	10.0	< 10.0	



Lab Sample ID: 1304551-001B
Client Sample ID: East of I-15 / 4920392

Analyzed: 4/23/2013 1943h **Extracted:** 4/22/2013 836h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Bis(2-chloroethyl) ether	111-44-4	10.0	< 10.0	
Bis(2-chloroisopropyl) ether	108-60-1	10.0	< 10.0	
Bis(2-ethylhexyl) phthalate	117-81-7	10.0	< 10.0	
bis(2-ethylhexyl)adipate	103-23-1	10.0	< 10.0	
Butyl benzyl phthalate	85-68-7	10.0	< 10.0	
Caprolactam	105-60-2	10.0	< 10.0	
Carbazole	86-74-8	10.0	< 10.0	
Chlorobenzilate	510-15-6	10.0	< 10.0	
Chrysene	218-01-9	10.0	< 10.0	
Di-n-butyl phthalate	84-74-2	10.0	< 10.0	
Di-n-octyl phthalate	117-84-0	10.0	< 10.0	
Diallate (cis or trans)	2303-16-4	10.0	< 10.0	
Dibenz(a,h)anthracene	53-70-3	10.0	< 10.0	
Dibenzofuran	132-64-9	10.0	< 10.0	
Diethyl phthalate	84-66-2	10.0	< 10.0	
Dimethoate	60-51-5	10.0	< 10.0	
Dimethyl phthalate	131-11-3	10.0	< 10.0	
Dimethylaminoazobenzene	60-11-7	10.0	< 10.0	
Dinoseb	88-85-7	10.0	< 10.0	
Diphenylamine	122-39-4	10.0	< 10.0	
Disulfoton	298-04-4	10.0	< 10.0	
Ethyl methanesulfonate	62-50-0	10.0	< 10.0	
Famphur	52-85-7	10.0	< 10.0	
Fluoranthene	206-44-0	10.0	< 10.0	
Fluorene	86-73-7	10.0	< 10.0	
Hexachlorobenzene	118-74-1	10.0	< 10.0	
Hexachlorobutadiene	87-68-3	10.0	< 10.0	
Hexachlorocyclopentadiene	77-47-4	10.0	< 10.0	
Hexachloroethane	67-72-1	10.0	< 10.0	
Hexachlorophene	70-30-4	10.0	< 10.0	
Hexachloropropene	1888-71-7	10.0	< 10.0	
Indene	95-13-6	10.0	< 10.0	
Indeno(1,2,3-cd)pyrene	193-39-5	10.0	< 10.0	
Isodrin	465-73-6	10.0	< 10.0	
Isophorone	78-59-1	10.0	< 10.0	
Isosafrole	120-58-1	10.0	< 10.0	
Kepone	143-50-0	10.0	< 10.0	



Lab Sample ID: 1304551-001B

Client Sample ID: East of I-15 / 4920392

Analyzed: 4/23/2013 1943h

Extracted: 4/22/2013 836h

Units: µg/L

Dilution Factor: 1

Method: SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Methapyrilene	91-80-5	10.0	< 10.0	
Methyl methanesulfonate	66-27-3	10.0	< 10.0	
n-Decane	124-18-5	10.0	< 10.0	
N-Nitrosodi-n-butylamine	924-16-3	10.0	< 10.0	
N-Nitrosodiethylamine	55-18-5	10.0	< 10.0	
N-Nitrosodimethylamine	62-75-9	10.0	< 10.0	
N-Nitrosodiphenylamine	86-30-6	10.0	< 10.0	
N-Nitrosodi-n-propylamine	621-64-7	10.0	< 10.0	
N-Nitrosomethylethylamine	10595-95-6	10.0	< 10.0	
N-Nitrosomorpholine	59-89-2	10.0	< 10.0	
N-Nitrosopiperidine	100-75-4	10.0	< 10.0	
N-Nitrosopyrrolidine	930-55-2	10.0	< 10.0	
n-Octadecane	593-45-3	10.0	< 10.0	
Naphthalene	91-20-3	10.0	< 10.0	
Nitrobenzene	98-95-3	10.0	< 10.0	
Nitroquinoline-1-oxide	56-57-5	10.0	< 10.0	
O,O,O-Triethyl phosphorothioate	126-68-1	10.0	< 10.0	
o-Toluidine	95-53-4	10.0	< 10.0	
Parathion	56-38-2	10.0	< 10.0	
Methyl parathion	298-00-0	10.0	< 10.0	
Pentachlorobenzene	608-93-5	10.0	< 10.0	
Pentachloronitrobenzene	82-68-8	10.0	< 10.0	
Pentachlorophenol	87-86-5	10.0	< 10.0	
Phenacetin	62-44-2	10.0	< 10.0	
Phenanthrene	85-01-8	10.0	< 10.0	
Phenol	108-95-2	10.0	< 10.0	
Phorate	298-02-2	10.0	< 10.0	
Pronamide	23950-58-5	10.0	< 10.0	
Pyrene	129-00-0	10.0	< 10.0	
Pyridine	110-86-1	10.0	< 10.0	
Quinoline	91-22-5	10.0	< 10.0	
Safrole	94-59-7	10.0	< 10.0	
Tetraethyl dithiopyrophosphate	3689-24-5	10.0	< 10.0	
Thionazin	297-97-2	10.0	< 10.0	
TIC: 2-1-Phenyl ethylidene-hydrazono-...	1000148-55-3		30.9	JN



Lab Sample ID: 1304551-001B

Client Sample ID: East of I-15 / 4920392

Analyzed: 4/23/2013 1943h

Extracted: 4/22/2013 836h

Units: µg/L

Dilution Factor: 1

Method: SW8270D

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 2,4,6-Tribromophenol	118-79-6	73.2	80.00	91.5	14-159	
Surr: 2-Fluorobiphenyl	321-60-8	20.6	40.00	51.5	10-124	
Surr: 2-Fluorophenol	367-12-4	25.6	80.00	32.0	10-106	
Surr: Nitrobenzene-d5	4165-60-0	18.5	40.00	46.2	10-180	
Surr: Phenol-d6	13127-88-3	20.0	80.00	25.0	10-122	
Surr: Terphenyl-d14	1718-51-0	40.0	40.00	100	10-221	

J - This flag indicates an estimated value.

N - This flag indicates presumptive evidence of a compound.

This sample was analyzed for TICs.

463 West 3600 South

Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross

Laboratory Director

Jose Rocha

QA Officer



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304551-002B
Client Sample ID: S. Marina / 4920495
Collection Date: 4/19/2013 930h
Received Date: 4/19/2013 1240h

Contact: Chris Bittner

Analytical Results

SVOA List by GC/MS Method 8270D/3510C

Analyzed: 4/23/2013 2008h

Extracted: 4/22/2013 836h

Units: µg/L

Dilution Factor: 1

Method: SW8270D

463 West 3600 South

Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross

Laboratory Director

Jose Rocha

QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1'-Biphenyl	92-52-4	10.0	< 10.0	
1,2,4,5-Tetrachlorobenzene	95-94-3	10.0	< 10.0	
1,2,4-Trichlorobenzene	120-82-1	10.0	< 10.0	
1,2-Dichlorobenzene	95-50-1	10.0	< 10.0	
1,3,5-Trinitrobenzene	99-35-4	10.0	< 10.0	
1,3-Dichlorobenzene	541-73-1	10.0	< 10.0	
1,3-Dinitrobenzene	99-65-0	10.0	< 10.0	
1,4-Dichlorobenzene	106-46-7	10.0	< 10.0	
1,4-Dinitrobenzene	100-25-4	10.0	< 10.0	
1,4-Naphthoquinone	130-15-4	10.0	< 10.0	
1,4-Phenylenediamine	106-50-3	10.0	< 10.0	
1-Chloronaphthalene	90-13-1	10.0	< 10.0	
1-Methylnaphthalene	90-12-0	10.0	< 10.0	
1-Naphthylamine	134-32-7	10.0	< 10.0	
2,3,4,6-Tetrachlorophenol	58-90-2	10.0	< 10.0	
2,4,5-Trichlorophenol	95-95-4	10.0	< 10.0	
2,4,6-Trichlorophenol	88-06-2	10.0	< 10.0	
2,4-Dichlorophenol	120-83-2	10.0	< 10.0	
2,4-Dimethylphenol	105-67-9	10.0	< 10.0	
2,4-Dinitrophenol	51-28-5	10.0	< 10.0	
2,4-Dinitrotoluene	121-14-2	10.0	< 10.0	
2,6-Dichlorophenol	87-65-0	10.0	< 10.0	
2,6-Dinitrotoluene	606-20-2	10.0	< 10.0	
2-Acetylaminofluorene	53-96-3	10.0	< 10.0	
2-Chloronaphthalene	91-58-7	10.0	< 10.0	
2-Chlorophenol	95-57-8	10.0	< 10.0	
2-Methylnaphthalene	91-57-6	10.0	< 10.0	
2-Methylphenol	95-48-7	10.0	< 10.0	
2-Naphthylamine	91-59-8	10.0	< 10.0	
2-Nitroaniline	88-74-4	10.0	< 10.0	



Lab Sample ID: 1304551-002B
Client Sample ID: S. Marina / 4920495

Analyzed: 4/23/2013 2008h **Extracted:** 4/22/2013 836h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
2-Nitrophenol	88-75-5	10.0	< 10.0	
2-Picoline	109-06-8	10.0	< 10.0	
3&4-Methylphenol		10.0	< 10.0	
3,3'-Dichlorobenzidine	91-94-1	10.0	< 10.0	
3,3'-Dimethylbenzidine	119-93-7	10.0	< 10.0	
3-Methylcholanthrene	56-49-5	10.0	< 10.0	
3-Nitroaniline	99-09-2	10.0	< 10.0	
4,6-Dinitro-2-methylphenol	534-52-1	10.0	< 10.0	
4-Aminobiphenyl	92-67-1	10.0	< 10.0	
4-Bromophenyl phenyl ether	101-55-3	10.0	< 10.0	
4-Chloro-3-methylphenol	59-50-7	10.0	< 10.0	
4-Chloroaniline	106-47-8	10.0	< 10.0	
4-Chlorophenyl phenyl ether	7005-72-3	10.0	< 10.0	
4-Nitroaniline	100-01-6	10.0	< 10.0	
4-Nitrophenol	100-02-7	10.0	< 10.0	
5-Nitro-o-toluidine	99-55-8	10.0	< 10.0	
7,12-Dimethylbenz(a)anthracene	57-97-6	10.0	< 10.0	
a,a-Dimethylphenethylamine	122-09-8	10.0	< 10.0	
Acenaphthene	83-32-9	10.0	< 10.0	
Acenaphthylene	208-96-8	10.0	< 10.0	
Acetophenone	98-86-2	10.0	< 10.0	
alpha-Terpineol	98-55-5	10.0	< 10.0	
Aniline	62-53-3	10.0	< 10.0	
Anthracene	120-12-7	10.0	< 10.0	
Aramite	140-57-8	10.0	< 10.0	
Atrazine	1912-24-9	10.0	< 10.0	
Azobenzene	103-33-3	10.0	< 10.0	
Benz(a)anthracene	56-55-3	10.0	< 10.0	
Benzaldehyde	100-52-7	10.0	< 10.0	
Benzidine	92-87-5	10.0	< 10.0	
Benzo(a)pyrene	50-32-8	10.0	< 10.0	
Benzo(b)fluoranthene	205-99-2	10.0	< 10.0	
Benzo(g,h,i)perylene	191-24-2	10.0	< 10.0	
Benzo(k)fluoranthene	207-08-9	10.0	< 10.0	
Benzoic acid	65-85-0	20.0	< 20.0	
Benzyl alcohol	100-51-6	10.0	< 10.0	
Bis(2-chloroethoxy)methane	111-91-1	10.0	< 10.0	



Lab Sample ID: 1304551-002B
Client Sample ID: S. Marina / 4920495

Analyzed: 4/23/2013 2008h **Extracted:** 4/22/2013 836h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Bis(2-chloroethyl) ether	111-44-4	10.0	< 10.0	
Bis(2-chloroisopropyl) ether	108-60-1	10.0	< 10.0	
Bis(2-ethylhexyl) phthalate	117-81-7	10.0	< 10.0	
bis(2-ethylhexyl)adipate	103-23-1	10.0	< 10.0	
Butyl benzyl phthalate	85-68-7	10.0	< 10.0	
Caprolactam	105-60-2	10.0	< 10.0	
Carbazole	86-74-8	10.0	< 10.0	
Chlorobenzilate	510-15-6	10.0	< 10.0	
Chrysene	218-01-9	10.0	< 10.0	
Di-n-butyl phthalate	84-74-2	10.0	< 10.0	
Di-n-octyl phthalate	117-84-0	10.0	< 10.0	
Diallate (cis or trans)	2303-16-4	10.0	< 10.0	
Dibenz(a,h)anthracene	53-70-3	10.0	< 10.0	
Dibenzofuran	132-64-9	10.0	< 10.0	
Diethyl phthalate	84-66-2	10.0	< 10.0	
Dimethoate	60-51-5	10.0	< 10.0	
Dimethyl phthalate	131-11-3	10.0	< 10.0	
Dimethylaminoazobenzene	60-11-7	10.0	< 10.0	
Dinoseb	88-85-7	10.0	< 10.0	
Diphenylamine	122-39-4	10.0	< 10.0	
Disulfoton	298-04-4	10.0	< 10.0	
Ethyl methanesulfonate	62-50-0	10.0	< 10.0	
Famphur	52-85-7	10.0	< 10.0	
Fluoranthene	206-44-0	10.0	< 10.0	
Fluorene	86-73-7	10.0	< 10.0	
Hexachlorobenzene	118-74-1	10.0	< 10.0	
Hexachlorobutadiene	87-68-3	10.0	< 10.0	
Hexachlorocyclopentadiene	77-47-4	10.0	< 10.0	
Hexachloroethane	67-72-1	10.0	< 10.0	
Hexachlorophene	70-30-4	10.0	< 10.0	
Hexachloropropene	1888-71-7	10.0	< 10.0	
Indene	95-13-6	10.0	< 10.0	
Indeno(1,2,3-cd)pyrene	193-39-5	10.0	< 10.0	
Isodrin	465-73-6	10.0	< 10.0	
Isophorone	78-59-1	10.0	< 10.0	
Isosafrole	120-58-1	10.0	< 10.0	
Kepone	143-50-0	10.0	< 10.0	



Lab Sample ID: 1304551-002B
Client Sample ID: S. Marina / 4920495

Analyzed: 4/23/2013 2008h **Extracted:** 4/22/2013 836h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Methapyrilene	91-80-5	10.0	< 10.0	
Methyl methanesulfonate	66-27-3	10.0	< 10.0	
n-Decane	124-18-5	10.0	< 10.0	
N-Nitrosodi-n-butylamine	924-16-3	10.0	< 10.0	
N-Nitrosodiethylamine	55-18-5	10.0	< 10.0	
N-Nitrosodimethylamine	62-75-9	10.0	< 10.0	
N-Nitrosodiphenylamine	86-30-6	10.0	< 10.0	
N-Nitrosodi-n-propylamine	621-64-7	10.0	< 10.0	
N-Nitrosomethylethylamine	10595-95-6	10.0	< 10.0	
N-Nitrosomorpholine	59-89-2	10.0	< 10.0	
N-Nitrosopiperidine	100-75-4	10.0	< 10.0	
N-Nitrosopyrrolidine	930-55-2	10.0	< 10.0	
n-Octadecane	593-45-3	10.0	< 10.0	
Naphthalene	91-20-3	10.0	< 10.0	
Nitrobenzene	98-95-3	10.0	< 10.0	
Nitroquinoline-1-oxide	56-57-5	10.0	< 10.0	
O,O,O-Triethyl phosphorothioate	126-68-1	10.0	< 10.0	
o-Toluidine	95-53-4	10.0	< 10.0	
Parathion	56-38-2	10.0	< 10.0	
Methyl parathion	298-00-0	10.0	< 10.0	
Pentachlorobenzene	608-93-5	10.0	< 10.0	
Pentachloronitrobenzene	82-68-8	10.0	< 10.0	
Pentachlorophenol	87-86-5	10.0	< 10.0	@
Phenacetin	62-44-2	10.0	< 10.0	
Phenanthrene	85-01-8	10.0	< 10.0	
Phenol	108-95-2	10.0	< 10.0	
Phorate	298-02-2	10.0	< 10.0	
Pronamide	23950-58-5	10.0	< 10.0	
Pyrene	129-00-0	10.0	< 10.0	
Pyridine	110-86-1	10.0	< 10.0	
Quinoline	91-22-5	10.0	< 10.0	
Safrole	94-59-7	10.0	< 10.0	
Tetraethyl dithiopyrophosphate	3689-24-5	10.0	< 10.0	
Thionazin	297-97-2	10.0	< 10.0	



Lab Sample ID: 1304551-002B

Client Sample ID: S. Marina / 4920495

Analyzed: 4/23/2013 2008h

Extracted: 4/22/2013 836h

Units: µg/L

Dilution Factor: 1

Method: SW8270D

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 2,4,6-Tribromophenol	118-79-6	72.9	80.00	91.1	14-159	
Surr: 2-Fluorobiphenyl	321-60-8	18.6	40.00	46.6	10-124	
Surr: 2-Fluorophenol	367-12-4	31.2	80.00	39.0	10-106	
Surr: Nitrobenzene-d5	4165-60-0	16.8	40.00	42.0	10-180	
Surr: Phenol-d6	13127-88-3	22.8	80.00	28.5	10-122	
Surr: Terphenyl-d14	1718-51-0	35.7	40.00	89.2	10-221	

@ - High RPD due to suspected sample non-homogeneity or matrix interference.

This sample was analyzed for TICs and no unknown peaks were detected.

463 West 3600 South

Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross

Laboratory Director

Jose Rocha

QA Officer



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304551-005B
Client Sample ID: East of Boom #3 / 4920402
Collection Date: 4/19/2013 950h
Received Date: 4/19/2013 1240h

Contact: Chris Bittner

Analytical Results

SVOA List by GC/MS Method 8270D/3510C

Analyzed: 4/23/2013 2119h

Extracted: 4/22/2013 836h

Units: µg/L

Dilution Factor: 1

Method: SW8270D

463 West 3600 South

Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross

Laboratory Director

Jose Rocha

QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1'-Biphenyl	92-52-4	10.0	< 10.0	
1,2,4,5-Tetrachlorobenzene	95-94-3	10.0	< 10.0	
1,2,4-Trichlorobenzene	120-82-1	10.0	< 10.0	
1,2-Dichlorobenzene	95-50-1	10.0	< 10.0	
1,3,5-Trinitrobenzene	99-35-4	10.0	< 10.0	
1,3-Dichlorobenzene	541-73-1	10.0	< 10.0	
1,3-Dinitrobenzene	99-65-0	10.0	< 10.0	
1,4-Dichlorobenzene	106-46-7	10.0	< 10.0	
1,4-Dinitrobenzene	100-25-4	10.0	< 10.0	
1,4-Naphthoquinone	130-15-4	10.0	< 10.0	
1,4-Phenylenediamine	106-50-3	10.0	< 10.0	
1-Chloronaphthalene	90-13-1	10.0	< 10.0	
1-Methylnaphthalene	90-12-0	10.0	< 10.0	
1-Naphthylamine	134-32-7	10.0	< 10.0	
2,3,4,6-Tetrachlorophenol	58-90-2	10.0	< 10.0	
2,4,5-Trichlorophenol	95-95-4	10.0	< 10.0	
2,4,6-Trichlorophenol	88-06-2	10.0	< 10.0	
2,4-Dichlorophenol	120-83-2	10.0	< 10.0	
2,4-Dimethylphenol	105-67-9	10.0	< 10.0	
2,4-Dinitrophenol	51-28-5	10.0	< 10.0	
2,4-Dinitrotoluene	121-14-2	10.0	< 10.0	
2,6-Dichlorophenol	87-65-0	10.0	< 10.0	
2,6-Dinitrotoluene	606-20-2	10.0	< 10.0	
2-Acetylaminofluorene	53-96-3	10.0	< 10.0	
2-Chloronaphthalene	91-58-7	10.0	< 10.0	
2-Chlorophenol	95-57-8	10.0	< 10.0	
2-Methylnaphthalene	91-57-6	10.0	< 10.0	
2-Methylphenol	95-48-7	10.0	< 10.0	
2-Naphthylamine	91-59-8	10.0	< 10.0	
2-Nitroaniline	88-74-4	10.0	< 10.0	



Lab Sample ID: 1304551-005B
Client Sample ID: East of Boom #3 / 4920402

Analyzed: 4/23/2013 2119h **Extracted:** 4/22/2013 836h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
2-Nitrophenol	88-75-5	10.0	< 10.0	
2-Picoline	109-06-8	10.0	< 10.0	
3&4-Methylphenol		10.0	< 10.0	
3,3'-Dichlorobenzidine	91-94-1	10.0	< 10.0	
3,3'-Dimethylbenzidine	119-93-7	10.0	< 10.0	
3-Methylcholanthrene	56-49-5	10.0	< 10.0	
3-Nitroaniline	99-09-2	10.0	< 10.0	
4,6-Dinitro-2-methylphenol	534-52-1	10.0	< 10.0	
4-Aminobiphenyl	92-67-1	10.0	< 10.0	
4-Bromophenyl phenyl ether	101-55-3	10.0	< 10.0	
4-Chloro-3-methylphenol	59-50-7	10.0	< 10.0	
4-Chloroaniline	106-47-8	10.0	< 10.0	
4-Chlorophenyl phenyl ether	7005-72-3	10.0	< 10.0	
4-Nitroaniline	100-01-6	10.0	< 10.0	
4-Nitrophenol	100-02-7	10.0	< 10.0	
5-Nitro-o-toluidine	99-55-8	10.0	< 10.0	
7,12-Dimethylbenz(a)anthracene	57-97-6	10.0	< 10.0	
a,a-Dimethylphenethylamine	122-09-8	10.0	< 10.0	
Acenaphthene	83-32-9	10.0	< 10.0	
Acenaphthylene	208-96-8	10.0	< 10.0	
Acetophenone	98-86-2	10.0	< 10.0	
alpha-Terpineol	98-55-5	10.0	< 10.0	
Aniline	62-53-3	10.0	< 10.0	
Anthracene	120-12-7	10.0	< 10.0	
Aramite	140-57-8	10.0	< 10.0	
Atrazine	1912-24-9	10.0	< 10.0	
Azobenzene	103-33-3	10.0	< 10.0	
Benz(a)anthracene	56-55-3	10.0	< 10.0	
Benzaldehyde	100-52-7	10.0	< 10.0	
Benzidine	92-87-5	10.0	< 10.0	
Benzo(a)pyrene	50-32-8	10.0	< 10.0	
Benzo(b)fluoranthene	205-99-2	10.0	< 10.0	
Benzo(g,h,i)perylene	191-24-2	10.0	< 10.0	
Benzo(k)fluoranthene	207-08-9	10.0	< 10.0	
Benzoic acid	65-85-0	20.0	< 20.0	
Benzyl alcohol	100-51-6	10.0	< 10.0	
Bis(2-chloroethoxy)methane	111-91-1	10.0	< 10.0	



Lab Sample ID: 1304551-005B
Client Sample ID: East of Boom #3 / 4920402

Analyzed: 4/23/2013 2119h **Extracted:** 4/22/2013 836h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Bis(2-chloroethyl) ether	111-44-4	10.0	< 10.0	
Bis(2-chloroisopropyl) ether	108-60-1	10.0	< 10.0	
Bis(2-ethylhexyl) phthalate	117-81-7	10.0	< 10.0	
bis(2-ethylhexyl)adipate	103-23-1	10.0	< 10.0	
Butyl benzyl phthalate	85-68-7	10.0	< 10.0	
Caprolactam	105-60-2	10.0	< 10.0	
Carbazole	86-74-8	10.0	< 10.0	
Chlorobenzilate	510-15-6	10.0	< 10.0	
Chrysene	218-01-9	10.0	< 10.0	
Di-n-butyl phthalate	84-74-2	10.0	< 10.0	
Di-n-octyl phthalate	117-84-0	10.0	< 10.0	
Diallate (cis or trans)	2303-16-4	10.0	< 10.0	
Dibenz(a,h)anthracene	53-70-3	10.0	< 10.0	
Dibenzofuran	132-64-9	10.0	< 10.0	
Diethyl phthalate	84-66-2	10.0	< 10.0	
Dimethoate	60-51-5	10.0	< 10.0	
Dimethyl phthalate	131-11-3	10.0	< 10.0	
Dimethylaminoazobenzene	60-11-7	10.0	< 10.0	
Dinoseb	88-85-7	10.0	< 10.0	
Diphenylamine	122-39-4	10.0	< 10.0	
Disulfoton	298-04-4	10.0	< 10.0	
Ethyl methanesulfonate	62-50-0	10.0	< 10.0	
Famphur	52-85-7	10.0	< 10.0	
Fluoranthene	206-44-0	10.0	< 10.0	
Fluorene	86-73-7	10.0	< 10.0	
Hexachlorobenzene	118-74-1	10.0	< 10.0	
Hexachlorobutadiene	87-68-3	10.0	< 10.0	
Hexachlorocyclopentadiene	77-47-4	10.0	< 10.0	
Hexachloroethane	67-72-1	10.0	< 10.0	
Hexachlorophene	70-30-4	10.0	< 10.0	
Hexachloropropene	1888-71-7	10.0	< 10.0	
Indene	95-13-6	10.0	< 10.0	
Indeno(1,2,3-cd)pyrene	193-39-5	10.0	< 10.0	
Isodrin	465-73-6	10.0	< 10.0	
Isophorone	78-59-1	10.0	< 10.0	
Isosafrole	120-58-1	10.0	< 10.0	
Kepone	143-50-0	10.0	< 10.0	



Lab Sample ID: 1304551-005B
Client Sample ID: East of Boom #3 / 4920402

Analyzed: 4/23/2013 2119h **Extracted:** 4/22/2013 836h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Methapyrilene	91-80-5	10.0	< 10.0	
Methyl methanesulfonate	66-27-3	10.0	< 10.0	
n-Decane	124-18-5	10.0	< 10.0	
N-Nitrosodi-n-butylamine	924-16-3	10.0	< 10.0	
N-Nitrosodiethylamine	55-18-5	10.0	< 10.0	
N-Nitrosodimethylamine	62-75-9	10.0	< 10.0	
N-Nitrosodiphenylamine	86-30-6	10.0	< 10.0	
N-Nitrosodi-n-propylamine	621-64-7	10.0	< 10.0	
N-Nitrosomethylethylamine	10595-95-6	10.0	< 10.0	
N-Nitrosomorpholine	59-89-2	10.0	< 10.0	
N-Nitrosopiperidine	100-75-4	10.0	< 10.0	
N-Nitrosopyrrolidine	930-55-2	10.0	< 10.0	
n-Octadecane	593-45-3	10.0	< 10.0	
Naphthalene	91-20-3	10.0	< 10.0	
Nitrobenzene	98-95-3	10.0	< 10.0	
Nitroquinoline-1-oxide	56-57-5	10.0	< 10.0	
O,O,O-Triethyl phosphorothioate	126-68-1	10.0	< 10.0	
o-Toluidine	95-53-4	10.0	< 10.0	
Parathion	56-38-2	10.0	< 10.0	
Methyl parathion	298-00-0	10.0	< 10.0	
Pentachlorobenzene	608-93-5	10.0	< 10.0	
Pentachloronitrobenzene	82-68-8	10.0	< 10.0	
Pentachlorophenol	87-86-5	10.0	< 10.0	
Phenacetin	62-44-2	10.0	< 10.0	
Phenanthrene	85-01-8	10.0	< 10.0	
Phenol	108-95-2	10.0	< 10.0	
Phorate	298-02-2	10.0	< 10.0	
Pronamide	23950-58-5	10.0	< 10.0	
Pyrene	129-00-0	10.0	< 10.0	
Pyridine	110-86-1	10.0	< 10.0	
Quinoline	91-22-5	10.0	< 10.0	
Safrole	94-59-7	10.0	< 10.0	
Tetraethyl dithiopyrophosphate	3689-24-5	10.0	< 10.0	
Thionazin	297-97-2	10.0	< 10.0	



Lab Sample ID: 1304551-005B

Client Sample ID: East of Boom #3 / 4920402

Analyzed: 4/23/2013 2119h

Extracted: 4/22/2013 836h

Units: µg/L

Dilution Factor: 1

Method: SW8270D

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 2,4,6-Tribromophenol	118-79-6	83.9	80.00	105	14-159	
Surr: 2-Fluorobiphenyl	321-60-8	17.4	40.00	43.4	10-124	
Surr: 2-Fluorophenol	367-12-4	30.8	80.00	38.5	10-106	
Surr: Nitrobenzene-d5	4165-60-0	16.9	40.00	42.2	10-180	
Surr: Phenol-d6	13127-88-3	24.2	80.00	30.2	10-122	
Surr: Terphenyl-d14	1718-51-0	34.2	40.00	85.5	10-221	

This sample was analyzed for TICs and no unknown peaks were detected.

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304551-006B
Client Sample ID: Below Weirs ab Res. / 4920401
Collection Date: 4/19/2013 1000h
Received Date: 4/19/2013 1240h

Contact: Chris Bittner

Analytical Results

SVOA List by GC/MS Method 8270D/3510C

Analyzed: 4/23/2013 2143h

Extracted: 4/22/2013 836h

Units: µg/L

Dilution Factor: 1

Method: SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1'-Biphenyl	92-52-4	10.0	< 10.0	
1,2,4,5-Tetrachlorobenzene	95-94-3	10.0	< 10.0	
1,2,4-Trichlorobenzene	120-82-1	10.0	< 10.0	
1,2-Dichlorobenzene	95-50-1	10.0	< 10.0	
1,3,5-Trinitrobenzene	99-35-4	10.0	< 10.0	
1,3-Dichlorobenzene	541-73-1	10.0	< 10.0	
1,3-Dinitrobenzene	99-65-0	10.0	< 10.0	
1,4-Dichlorobenzene	106-46-7	10.0	< 10.0	
1,4-Dinitrobenzene	100-25-4	10.0	< 10.0	
1,4-Naphthoquinone	130-15-4	10.0	< 10.0	
1,4-Phenylenediamine	106-50-3	10.0	< 10.0	
1-Chloronaphthalene	90-13-1	10.0	< 10.0	
1-Methylnaphthalene	90-12-0	10.0	< 10.0	
1-Naphthylamine	134-32-7	10.0	< 10.0	
2,3,4,6-Tetrachlorophenol	58-90-2	10.0	< 10.0	
2,4,5-Trichlorophenol	95-95-4	10.0	< 10.0	
2,4,6-Trichlorophenol	88-06-2	10.0	< 10.0	
2,4-Dichlorophenol	120-83-2	10.0	< 10.0	
2,4-Dimethylphenol	105-67-9	10.0	< 10.0	
2,4-Dinitrophenol	51-28-5	10.0	< 10.0	
2,4-Dinitrotoluene	121-14-2	10.0	< 10.0	
2,6-Dichlorophenol	87-65-0	10.0	< 10.0	
2,6-Dinitrotoluene	606-20-2	10.0	< 10.0	
2-Acetylaminofluorene	53-96-3	10.0	< 10.0	
2-Chloronaphthalene	91-58-7	10.0	< 10.0	
2-Chlorophenol	95-57-8	10.0	< 10.0	
2-Methylnaphthalene	91-57-6	10.0	< 10.0	
2-Methylphenol	95-48-7	10.0	< 10.0	
2-Naphthylamine	91-59-8	10.0	< 10.0	
2-Nitroaniline	88-74-4	10.0	< 10.0	



Lab Sample ID: 1304551-006B

Client Sample ID: Below Weirs ab Res. / 4920401

Analyzed: 4/23/2013 2143h

Extracted: 4/22/2013 836h

Units: µg/L

Dilution Factor: 1

Method: SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
2-Nitrophenol	88-75-5	10.0	< 10.0	
2-Picoline	109-06-8	10.0	< 10.0	
3&4-Methylphenol		10.0	< 10.0	
3,3'-Dichlorobenzidine	91-94-1	10.0	< 10.0	
3,3'-Dimethylbenzidine	119-93-7	10.0	< 10.0	
3-Methylcholanthrene	56-49-5	10.0	< 10.0	
3-Nitroaniline	99-09-2	10.0	< 10.0	
4,6-Dinitro-2-methylphenol	534-52-1	10.0	< 10.0	
4-Aminobiphenyl	92-67-1	10.0	< 10.0	
4-Bromophenyl phenyl ether	101-55-3	10.0	< 10.0	
4-Chloro-3-methylphenol	59-50-7	10.0	< 10.0	
4-Chloroaniline	106-47-8	10.0	< 10.0	
4-Chlorophenyl phenyl ether	7005-72-3	10.0	< 10.0	
4-Nitroaniline	100-01-6	10.0	< 10.0	
4-Nitrophenol	100-02-7	10.0	< 10.0	
5-Nitro-o-toluidine	99-55-8	10.0	< 10.0	
7,12-Dimethylbenz(a)anthracene	57-97-6	10.0	< 10.0	
a,a-Dimethylphenethylamine	122-09-8	10.0	< 10.0	
Acenaphthene	83-32-9	10.0	< 10.0	
Acenaphthylene	208-96-8	10.0	< 10.0	
Acetophenone	98-86-2	10.0	< 10.0	
alpha-Terpineol	98-55-5	10.0	< 10.0	
Aniline	62-53-3	10.0	< 10.0	
Anthracene	120-12-7	10.0	< 10.0	
Aramite	140-57-8	10.0	< 10.0	
Atrazine	1912-24-9	10.0	< 10.0	
Azobenzene	103-33-3	10.0	< 10.0	
Benz(a)anthracene	56-55-3	10.0	< 10.0	
Benzaldehyde	100-52-7	10.0	< 10.0	
Benzidine	92-87-5	10.0	< 10.0	
Benzo(a)pyrene	50-32-8	10.0	< 10.0	
Benzo(b)fluoranthene	205-99-2	10.0	< 10.0	
Benzo(g,h,i)perylene	191-24-2	10.0	< 10.0	
Benzo(k)fluoranthene	207-08-9	10.0	< 10.0	
Benzoic acid	65-85-0	20.0	< 20.0	
Benzyl alcohol	100-51-6	10.0	< 10.0	
Bis(2-chloroethoxy)methane	111-91-1	10.0	< 10.0	



Lab Sample ID: 1304551-006B

Client Sample ID: Below Weirs ab Res. / 4920401

Analyzed: 4/23/2013 2143h

Extracted: 4/22/2013 836h

Units: µg/L

Dilution Factor: 1

Method: SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Bis(2-chloroethyl) ether	111-44-4	10.0	< 10.0	
Bis(2-chloroisopropyl) ether	108-60-1	10.0	< 10.0	
Bis(2-ethylhexyl) phthalate	117-81-7	10.0	< 10.0	
bis(2-ethylhexyl)adipate	103-23-1	10.0	< 10.0	
Butyl benzyl phthalate	85-68-7	10.0	< 10.0	
Caprolactam	105-60-2	10.0	< 10.0	
Carbazole	86-74-8	10.0	< 10.0	
Chlorobenzilate	510-15-6	10.0	< 10.0	
Chrysene	218-01-9	10.0	< 10.0	
Di-n-butyl phthalate	84-74-2	10.0	< 10.0	
Di-n-octyl phthalate	117-84-0	10.0	< 10.0	
Diallate (cis or trans)	2303-16-4	10.0	< 10.0	
Dibenz(a,h)anthracene	53-70-3	10.0	< 10.0	
Dibenzofuran	132-64-9	10.0	< 10.0	
Diethyl phthalate	84-66-2	10.0	< 10.0	
Dimethoate	60-51-5	10.0	< 10.0	
Dimethyl phthalate	131-11-3	10.0	< 10.0	
Dimethylaminoazobenzene	60-11-7	10.0	< 10.0	
Dinoseb	88-85-7	10.0	< 10.0	
Diphenylamine	122-39-4	10.0	< 10.0	
Disulfoton	298-04-4	10.0	< 10.0	
Ethyl methanesulfonate	62-50-0	10.0	< 10.0	
Famphur	52-85-7	10.0	< 10.0	
Fluoranthene	206-44-0	10.0	< 10.0	
Fluorene	86-73-7	10.0	< 10.0	
Hexachlorobenzene	118-74-1	10.0	< 10.0	
Hexachlorobutadiene	87-68-3	10.0	< 10.0	
Hexachlorocyclopentadiene	77-47-4	10.0	< 10.0	
Hexachloroethane	67-72-1	10.0	< 10.0	
Hexachlorophene	70-30-4	10.0	< 10.0	
Hexachloropropene	1888-71-7	10.0	< 10.0	
Indene	95-13-6	10.0	< 10.0	
Indeno(1,2,3-cd)pyrene	193-39-5	10.0	< 10.0	
Isodrin	465-73-6	10.0	< 10.0	
Isophorone	78-59-1	10.0	< 10.0	
Isosafrole	120-58-1	10.0	< 10.0	
Kepone	143-50-0	10.0	< 10.0	



Lab Sample ID: 1304551-006B

Client Sample ID: Below Weirs ab Res. / 4920401

Analyzed: 4/23/2013 2143h

Extracted: 4/22/2013 836h

Units: µg/L

Dilution Factor: 1

Method: SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Methapyrilene	91-80-5	10.0	< 10.0	
Methyl methanesulfonate	66-27-3	10.0	< 10.0	
n-Decane	124-18-5	10.0	< 10.0	
N-Nitrosodi-n-butylamine	924-16-3	10.0	< 10.0	
N-Nitrosodiethylamine	55-18-5	10.0	< 10.0	
N-Nitrosodimethylamine	62-75-9	10.0	< 10.0	
N-Nitrosodiphenylamine	86-30-6	10.0	< 10.0	
N-Nitrosodi-n-propylamine	621-64-7	10.0	< 10.0	
N-Nitrosomethylethylamine	10595-95-6	10.0	< 10.0	
N-Nitrosomorpholine	59-89-2	10.0	< 10.0	
N-Nitrosopiperidine	100-75-4	10.0	< 10.0	
N-Nitrosopyrrolidine	930-55-2	10.0	< 10.0	
n-Octadecane	593-45-3	10.0	< 10.0	
Naphthalene	91-20-3	10.0	< 10.0	
Nitrobenzene	98-95-3	10.0	< 10.0	
Nitroquinoline-1-oxide	56-57-5	10.0	< 10.0	
O,O,O-Triethyl phosphorothioate	126-68-1	10.0	< 10.0	
o-Toluidine	95-53-4	10.0	< 10.0	
Parathion	56-38-2	10.0	< 10.0	
Methyl parathion	298-00-0	10.0	< 10.0	
Pentachlorobenzene	608-93-5	10.0	< 10.0	
Pentachloronitrobenzene	82-68-8	10.0	< 10.0	
Pentachlorophenol	87-86-5	10.0	< 10.0	
Phenacetin	62-44-2	10.0	< 10.0	
Phenanthrene	85-01-8	10.0	< 10.0	
Phenol	108-95-2	10.0	< 10.0	
Phorate	298-02-2	10.0	< 10.0	
Pronamide	23950-58-5	10.0	< 10.0	
Pyrene	129-00-0	10.0	< 10.0	
Pyridine	110-86-1	10.0	< 10.0	
Quinoline	91-22-5	10.0	< 10.0	
Safrole	94-59-7	10.0	< 10.0	
Tetraethyl dithiopyrophosphate	3689-24-5	10.0	< 10.0	
Thionazin	297-97-2	10.0	< 10.0	
TIC: 1(2H)-Naphthalenone, 3,4-dihydro-	000529-34-0		5.49	JN
TIC: 1(2H)-Naphthalenone, 8-ethyl-3,4...	051015-33-9		5.66	JN
TIC: 1H-Cyclopropa[b]naphthalene, 1a,...	006571-72-8		6.70	JN



Lab Sample ID: 1304551-006B
Client Sample ID: Below Weirs ab Res. / 4920401

Analyzed: 4/23/2013 2143h **Extracted:** 4/22/2013 836h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8270D

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
TIC: 1H-Inden-1-one, 2,3-dihydro-3,4,...	035322-84-0		7.75	JN
TIC: 2-Amino-5,6-dimethylbenzimidazole	029096-75-1		9.82	JN
TIC: 2H-1-Benzopyran-2-one, 6-methyl-	000092-48-8		6.83	JN
TIC: 5,8-Dimethyl-1,2,3,4-tetrahydro-...	032820-12-5		6.05	JN
TIC: Benzene, 1-ethyl-3,5-diisopropyl-	015181-13-2		15.1	JN
TIC: Carbostyryl, 8-hydroxy-	015450-76-7		9.88	JN
TIC: Naphth[1,2-b]oxirene, 1a,2,3,7b-...	002461-34-9		7.96	JN

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 2,4,6-Tribromophenol	118-79-6	73.4	80.00	91.8	14-159	
Surr: 2-Fluorobiphenyl	321-60-8	14.1	40.00	35.2	10-124	
Surr: 2-Fluorophenol	367-12-4	25.6	80.00	32.0	10-106	
Surr: Nitrobenzene-d5	4165-60-0	13.9	40.00	34.6	10-180	
Surr: Phenol-d6	13127-88-3	21.0	80.00	26.3	10-122	
Surr: Terphenyl-d14	1718-51-0	39.0	40.00	97.5	10-221	

J - This flag indicates an estimated value.
N - This flag indicates presumptive evidence of a compound.
This sample was analyzed for TICs.

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304551-007B
Client Sample ID: Duplicate / 4920395
Collection Date: 4/19/2013 1020h
Received Date: 4/19/2013 1240h

Contact: Chris Bittner

Analytical Results

SVOA List by GC/MS Method 8270D/3510C

Analyzed: 4/23/2013 2207h **Extracted:** 4/22/2013 836h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1'-Biphenyl	92-52-4	10.0	< 10.0	
1,2,4,5-Tetrachlorobenzene	95-94-3	10.0	< 10.0	
1,2,4-Trichlorobenzene	120-82-1	10.0	< 10.0	
1,2-Dichlorobenzene	95-50-1	10.0	< 10.0	
1,3,5-Trinitrobenzene	99-35-4	10.0	< 10.0	
1,3-Dichlorobenzene	541-73-1	10.0	< 10.0	
1,3-Dinitrobenzene	99-65-0	10.0	< 10.0	
1,4-Dichlorobenzene	106-46-7	10.0	< 10.0	
1,4-Dinitrobenzene	100-25-4	10.0	< 10.0	
1,4-Naphthoquinone	130-15-4	10.0	< 10.0	
1,4-Phenylenediamine	106-50-3	10.0	< 10.0	
1-Chloronaphthalene	90-13-1	10.0	< 10.0	
1-Methylnaphthalene	90-12-0	10.0	< 10.0	
1-Naphthylamine	134-32-7	10.0	< 10.0	
2,3,4,6-Tetrachlorophenol	58-90-2	10.0	< 10.0	
2,4,5-Trichlorophenol	95-95-4	10.0	< 10.0	
2,4,6-Trichlorophenol	88-06-2	10.0	< 10.0	
2,4-Dichlorophenol	120-83-2	10.0	< 10.0	
2,4-Dimethylphenol	105-67-9	10.0	< 10.0	
2,4-Dinitrophenol	51-28-5	10.0	< 10.0	
2,4-Dinitrotoluene	121-14-2	10.0	< 10.0	
2,6-Dichlorophenol	87-65-0	10.0	< 10.0	
2,6-Dinitrotoluene	606-20-2	10.0	< 10.0	
2-Acetylaminofluorene	53-96-3	10.0	< 10.0	
2-Chloronaphthalene	91-58-7	10.0	< 10.0	
2-Chlorophenol	95-57-8	10.0	< 10.0	
2-Methylnaphthalene	91-57-6	10.0	< 10.0	
2-Methylphenol	95-48-7	10.0	< 10.0	
2-Naphthylamine	91-59-8	10.0	< 10.0	
2-Nitroaniline	88-74-4	10.0	< 10.0	



Lab Sample ID: 1304551-007B
Client Sample ID: Duplicate / 4920395

Analyzed: 4/23/2013 2207h **Extracted:** 4/22/2013 836h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
2-Nitrophenol	88-75-5	10.0	< 10.0	
2-Picoline	109-06-8	10.0	< 10.0	
3&4-Methylphenol		10.0	< 10.0	
3,3'-Dichlorobenzidine	91-94-1	10.0	< 10.0	
3,3'-Dimethylbenzidine	119-93-7	10.0	< 10.0	
3-Methylcholanthrene	56-49-5	10.0	< 10.0	
3-Nitroaniline	99-09-2	10.0	< 10.0	
4,6-Dinitro-2-methylphenol	534-52-1	10.0	< 10.0	
4-Aminobiphenyl	92-67-1	10.0	< 10.0	
4-Bromophenyl phenyl ether	101-55-3	10.0	< 10.0	
4-Chloro-3-methylphenol	59-50-7	10.0	< 10.0	
4-Chloroaniline	106-47-8	10.0	< 10.0	
4-Chlorophenyl phenyl ether	7005-72-3	10.0	< 10.0	
4-Nitroaniline	100-01-6	10.0	< 10.0	
4-Nitrophenol	100-02-7	10.0	< 10.0	
5-Nitro-o-toluidine	99-55-8	10.0	< 10.0	
7,12-Dimethylbenz(a)anthracene	57-97-6	10.0	< 10.0	
a,a-Dimethylphenethylamine	122-09-8	10.0	< 10.0	
Acenaphthene	83-32-9	10.0	< 10.0	
Acenaphthylene	208-96-8	10.0	< 10.0	
Acetophenone	98-86-2	10.0	< 10.0	
alpha-Terpineol	98-55-5	10.0	< 10.0	
Aniline	62-53-3	10.0	< 10.0	
Anthracene	120-12-7	10.0	< 10.0	
Aramite	140-57-8	10.0	< 10.0	
Atrazine	1912-24-9	10.0	< 10.0	
Azobenzene	103-33-3	10.0	< 10.0	
Benz(a)anthracene	56-55-3	10.0	< 10.0	
Benzaldehyde	100-52-7	10.0	< 10.0	
Benzidine	92-87-5	10.0	< 10.0	
Benzo(a)pyrene	50-32-8	10.0	< 10.0	
Benzo(b)fluoranthene	205-99-2	10.0	< 10.0	
Benzo(g,h,i)perylene	191-24-2	10.0	< 10.0	
Benzo(k)fluoranthene	207-08-9	10.0	< 10.0	
Benzoic acid	65-85-0	20.0	< 20.0	
Benzyl alcohol	100-51-6	10.0	< 10.0	
Bis(2-chloroethoxy)methane	111-91-1	10.0	< 10.0	



Lab Sample ID: 1304551-007B
Client Sample ID: Duplicate / 4920395

Analyzed: 4/23/2013 2207h **Extracted:** 4/22/2013 836h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Bis(2-chloroethyl) ether	111-44-4	10.0	< 10.0	
Bis(2-chloroisopropyl) ether	108-60-1	10.0	< 10.0	
Bis(2-ethylhexyl) phthalate	117-81-7	10.0	< 10.0	
bis(2-ethylhexyl)adipate	103-23-1	10.0	< 10.0	
Butyl benzyl phthalate	85-68-7	10.0	< 10.0	
Caprolactam	105-60-2	10.0	< 10.0	
Carbazole	86-74-8	10.0	< 10.0	
Chlorobenzilate	510-15-6	10.0	< 10.0	
Chrysene	218-01-9	10.0	< 10.0	
Di-n-butyl phthalate	84-74-2	10.0	< 10.0	
Di-n-octyl phthalate	117-84-0	10.0	< 10.0	
Diallate (cis or trans)	2303-16-4	10.0	< 10.0	
Dibenz(a,h)anthracene	53-70-3	10.0	< 10.0	
Dibenzofuran	132-64-9	10.0	< 10.0	
Diethyl phthalate	84-66-2	10.0	< 10.0	
Dimethoate	60-51-5	10.0	< 10.0	
Dimethyl phthalate	131-11-3	10.0	< 10.0	
Dimethylaminoazobenzene	60-11-7	10.0	< 10.0	
Dinoseb	88-85-7	10.0	< 10.0	
Diphenylamine	122-39-4	10.0	< 10.0	
Disulfoton	298-04-4	10.0	< 10.0	
Ethyl methanesulfonate	62-50-0	10.0	< 10.0	
Famphur	52-85-7	10.0	< 10.0	
Fluoranthene	206-44-0	10.0	< 10.0	
Fluorene	86-73-7	10.0	< 10.0	
Hexachlorobenzene	118-74-1	10.0	< 10.0	
Hexachlorobutadiene	87-68-3	10.0	< 10.0	
Hexachlorocyclopentadiene	77-47-4	10.0	< 10.0	
Hexachloroethane	67-72-1	10.0	< 10.0	
Hexachlorophene	70-30-4	10.0	< 10.0	
Hexachloropropene	1888-71-7	10.0	< 10.0	
Indene	95-13-6	10.0	< 10.0	
Indeno(1,2,3-cd)pyrene	193-39-5	10.0	< 10.0	
Isodrin	465-73-6	10.0	< 10.0	
Isophorone	78-59-1	10.0	< 10.0	
Isosafrole	120-58-1	10.0	< 10.0	
Kepone	143-50-0	10.0	< 10.0	



Lab Sample ID: 1304551-007B
Client Sample ID: Duplicate / 4920395

Analyzed: 4/23/2013 2207h **Extracted:** 4/22/2013 836h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Methapyrilene	91-80-5	10.0	< 10.0	
Methyl methanesulfonate	66-27-3	10.0	< 10.0	
n-Decane	124-18-5	10.0	< 10.0	
N-Nitrosodi-n-butylamine	924-16-3	10.0	< 10.0	
N-Nitrosodiethylamine	55-18-5	10.0	< 10.0	
N-Nitrosodimethylamine	62-75-9	10.0	< 10.0	
N-Nitrosodiphenylamine	86-30-6	10.0	< 10.0	
N-Nitrosodi-n-propylamine	621-64-7	10.0	< 10.0	
N-Nitrosomethylethylamine	10595-95-6	10.0	< 10.0	
N-Nitrosomorpholine	59-89-2	10.0	< 10.0	
N-Nitrosopiperidine	100-75-4	10.0	< 10.0	
N-Nitrosopyrrolidine	930-55-2	10.0	< 10.0	
n-Octadecane	593-45-3	10.0	< 10.0	
Naphthalene	91-20-3	10.0	< 10.0	
Nitrobenzene	98-95-3	10.0	< 10.0	
Nitroquinoline-1-oxide	56-57-5	10.0	< 10.0	
O,O,O-Triethyl phosphorothioate	126-68-1	10.0	< 10.0	
o-Toluidine	95-53-4	10.0	< 10.0	
Parathion	56-38-2	10.0	< 10.0	
Methyl parathion	298-00-0	10.0	< 10.0	
Pentachlorobenzene	608-93-5	10.0	< 10.0	
Pentachloronitrobenzene	82-68-8	10.0	< 10.0	
Pentachlorophenol	87-86-5	10.0	< 10.0	
Phenacetin	62-44-2	10.0	< 10.0	
Phenanthrene	85-01-8	10.0	< 10.0	
Phenol	108-95-2	10.0	< 10.0	
Phorate	298-02-2	10.0	< 10.0	
Pronamide	23950-58-5	10.0	< 10.0	
Pyrene	129-00-0	10.0	< 10.0	
Pyridine	110-86-1	10.0	< 10.0	
Quinoline	91-22-5	10.0	< 10.0	
Safrole	94-59-7	10.0	< 10.0	
Tetraethyl dithiopyrophosphate	3689-24-5	10.0	< 10.0	
Thionazin	297-97-2	10.0	< 10.0	
TIC: 9-Octadecenamide, (Z)-	000301-02-0		25.9	JN



Lab Sample ID: 1304551-007B
Client Sample ID: Duplicate / 4920395

Analyzed: 4/23/2013 2207h **Extracted:** 4/22/2013 836h
Units: µg/L **Dilution Factor:** 1 **Method:** SW8270D

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 2,4,6-Tribromophenol	118-79-6	84.4	80.00	105	14-159	
Surr: 2-Fluorobiphenyl	321-60-8	17.6	40.00	43.9	10-124	
Surr: 2-Fluorophenol	367-12-4	30.8	80.00	38.5	10-106	
Surr: Nitrobenzene-d5	4165-60-0	16.5	40.00	41.2	10-180	
Surr: Phenol-d6	13127-88-3	23.5	80.00	29.3	10-122	
Surr: Terphenyl-d14	1718-51-0	36.0	40.00	90.0	10-221	

J - This flag indicates an estimated value.
N - This flag indicates presumptive evidence of a compound.
This sample was analyzed for TICs.

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality

Contact: Chris Bittner

Project: MP 44.9

Lab Sample ID: 1304551-008B

Client Sample ID: East of Boom / 4920395

Collection Date: 4/19/2013 1020h

Received Date: 4/19/2013 1240h

Analytical Results

SVOA List by GC/MS Method 8270D/3510C

Analyzed: 4/23/2013 2231h

Extracted: 4/22/2013 836h

Units: µg/L

Dilution Factor: 1

Method: SW8270D

463 West 3600 South

Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross

Laboratory Director

Jose Rocha

QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1'-Biphenyl	92-52-4	10.0	< 10.0	
1,2,4,5-Tetrachlorobenzene	95-94-3	10.0	< 10.0	
1,2,4-Trichlorobenzene	120-82-1	10.0	< 10.0	
1,2-Dichlorobenzene	95-50-1	10.0	< 10.0	
1,3,5-Trinitrobenzene	99-35-4	10.0	< 10.0	
1,3-Dichlorobenzene	541-73-1	10.0	< 10.0	
1,3-Dinitrobenzene	99-65-0	10.0	< 10.0	
1,4-Dichlorobenzene	106-46-7	10.0	< 10.0	
1,4-Dinitrobenzene	100-25-4	10.0	< 10.0	
1,4-Naphthoquinone	130-15-4	10.0	< 10.0	
1,4-Phenylenediamine	106-50-3	10.0	< 10.0	
1-Chloronaphthalene	90-13-1	10.0	< 10.0	
1-Methylnaphthalene	90-12-0	10.0	< 10.0	
1-Naphthylamine	134-32-7	10.0	< 10.0	
2,3,4,6-Tetrachlorophenol	58-90-2	10.0	< 10.0	
2,4,5-Trichlorophenol	95-95-4	10.0	< 10.0	
2,4,6-Trichlorophenol	88-06-2	10.0	< 10.0	
2,4-Dichlorophenol	120-83-2	10.0	< 10.0	
2,4-Dimethylphenol	105-67-9	10.0	< 10.0	
2,4-Dinitrophenol	51-28-5	10.0	< 10.0	
2,4-Dinitrotoluene	121-14-2	10.0	< 10.0	
2,6-Dichlorophenol	87-65-0	10.0	< 10.0	
2,6-Dinitrotoluene	606-20-2	10.0	< 10.0	
2-Acetylaminofluorene	53-96-3	10.0	< 10.0	
2-Chloronaphthalene	91-58-7	10.0	< 10.0	
2-Chlorophenol	95-57-8	10.0	< 10.0	
2-Methylnaphthalene	91-57-6	10.0	< 10.0	
2-Methylphenol	95-48-7	10.0	< 10.0	
2-Naphthylamine	91-59-8	10.0	< 10.0	
2-Nitroaniline	88-74-4	10.0	< 10.0	



Lab Sample ID: 1304551-008B

Client Sample ID: East of Boom / 4920395

Analyzed: 4/23/2013 2231h

Extracted: 4/22/2013 836h

Units: µg/L

Dilution Factor: 1

Method: SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
2-Nitrophenol	88-75-5	10.0	< 10.0	
2-Picoline	109-06-8	10.0	< 10.0	
3&4-Methylphenol		10.0	< 10.0	
3,3'-Dichlorobenzidine	91-94-1	10.0	< 10.0	
3,3'-Dimethylbenzidine	119-93-7	10.0	< 10.0	
3-Methylcholanthrene	56-49-5	10.0	< 10.0	
3-Nitroaniline	99-09-2	10.0	< 10.0	
4,6-Dinitro-2-methylphenol	534-52-1	10.0	< 10.0	
4-Aminobiphenyl	92-67-1	10.0	< 10.0	
4-Bromophenyl phenyl ether	101-55-3	10.0	< 10.0	
4-Chloro-3-methylphenol	59-50-7	10.0	< 10.0	
4-Chloroaniline	106-47-8	10.0	< 10.0	
4-Chlorophenyl phenyl ether	7005-72-3	10.0	< 10.0	
4-Nitroaniline	100-01-6	10.0	< 10.0	
4-Nitrophenol	100-02-7	10.0	< 10.0	
5-Nitro-o-toluidine	99-55-8	10.0	< 10.0	
7,12-Dimethylbenz(a)anthracene	57-97-6	10.0	< 10.0	
a,a-Dimethylphenethylamine	122-09-8	10.0	< 10.0	
Acenaphthene	83-32-9	10.0	< 10.0	
Acenaphthylene	208-96-8	10.0	< 10.0	
Acetophenone	98-86-2	10.0	< 10.0	
alpha-Terpineol	98-55-5	10.0	< 10.0	
Aniline	62-53-3	10.0	< 10.0	
Anthracene	120-12-7	10.0	< 10.0	
Aramite	140-57-8	10.0	< 10.0	
Atrazine	1912-24-9	10.0	< 10.0	
Azobenzene	103-33-3	10.0	< 10.0	
Benz(a)anthracene	56-55-3	10.0	< 10.0	
Benzaldehyde	100-52-7	10.0	< 10.0	
Benzidine	92-87-5	10.0	< 10.0	
Benzo(a)pyrene	50-32-8	10.0	< 10.0	
Benzo(b)fluoranthene	205-99-2	10.0	< 10.0	
Benzo(g,h,i)perylene	191-24-2	10.0	< 10.0	
Benzo(k)fluoranthene	207-08-9	10.0	< 10.0	
Benzoic acid	65-85-0	20.0	< 20.0	
Benzyl alcohol	100-51-6	10.0	< 10.0	
Bis(2-chloroethoxy)methane	111-91-1	10.0	< 10.0	



Lab Sample ID: 1304551-008B

Client Sample ID: East of Boom / 4920395

Analyzed: 4/23/2013 2231h

Extracted: 4/22/2013 836h

Units: µg/L

Dilution Factor: 1

Method: SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Bis(2-chloroethyl) ether	111-44-4	10.0	< 10.0	
Bis(2-chloroisopropyl) ether	108-60-1	10.0	< 10.0	
Bis(2-ethylhexyl) phthalate	117-81-7	10.0	< 10.0	
bis(2-ethylhexyl)adipate	103-23-1	10.0	< 10.0	
Butyl benzyl phthalate	85-68-7	10.0	< 10.0	
Caprolactam	105-60-2	10.0	< 10.0	
Carbazole	86-74-8	10.0	< 10.0	
Chlorobenzilate	510-15-6	10.0	< 10.0	
Chrysene	218-01-9	10.0	< 10.0	
Di-n-butyl phthalate	84-74-2	10.0	< 10.0	
Di-n-octyl phthalate	117-84-0	10.0	< 10.0	
Diallate (cis or trans)	2303-16-4	10.0	< 10.0	
Dibenz(a,h)anthracene	53-70-3	10.0	< 10.0	
Dibenzofuran	132-64-9	10.0	< 10.0	
Diethyl phthalate	84-66-2	10.0	< 10.0	
Dimethoate	60-51-5	10.0	< 10.0	
Dimethyl phthalate	131-11-3	10.0	< 10.0	
Dimethylaminoazobenzene	60-11-7	10.0	< 10.0	
Dinoseb	88-85-7	10.0	< 10.0	
Diphenylamine	122-39-4	10.0	< 10.0	
Disulfoton	298-04-4	10.0	< 10.0	
Ethyl methanesulfonate	62-50-0	10.0	< 10.0	
Famphur	52-85-7	10.0	< 10.0	
Fluoranthene	206-44-0	10.0	< 10.0	
Fluorene	86-73-7	10.0	< 10.0	
Hexachlorobenzene	118-74-1	10.0	< 10.0	
Hexachlorobutadiene	87-68-3	10.0	< 10.0	
Hexachlorocyclopentadiene	77-47-4	10.0	< 10.0	
Hexachloroethane	67-72-1	10.0	< 10.0	
Hexachlorophene	70-30-4	10.0	< 10.0	
Hexachloropropene	1888-71-7	10.0	< 10.0	
Indene	95-13-6	10.0	< 10.0	
Indeno(1,2,3-cd)pyrene	193-39-5	10.0	< 10.0	
Isodrin	465-73-6	10.0	< 10.0	
Isophorone	78-59-1	10.0	< 10.0	
Isosafrole	120-58-1	10.0	< 10.0	
Kepone	143-50-0	10.0	< 10.0	



Lab Sample ID: 1304551-008B

Client Sample ID: East of Boom / 4920395

Analyzed: 4/23/2013 2231h

Extracted: 4/22/2013 836h

Units: µg/L

Dilution Factor: 1

Method: SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Methapyrilene	91-80-5	10.0	< 10.0	
Methyl methanesulfonate	66-27-3	10.0	< 10.0	
n-Decane	124-18-5	10.0	< 10.0	
N-Nitrosodi-n-butylamine	924-16-3	10.0	< 10.0	
N-Nitrosodiethylamine	55-18-5	10.0	< 10.0	
N-Nitrosodimethylamine	62-75-9	10.0	< 10.0	
N-Nitrosodiphenylamine	86-30-6	10.0	< 10.0	
N-Nitrosodi-n-propylamine	621-64-7	10.0	< 10.0	
N-Nitrosomethylethylamine	10595-95-6	10.0	< 10.0	
N-Nitrosomorpholine	59-89-2	10.0	< 10.0	
N-Nitrosopiperidine	100-75-4	10.0	< 10.0	
N-Nitrosopyrrolidine	930-55-2	10.0	< 10.0	
n-Octadecane	593-45-3	10.0	< 10.0	
Naphthalene	91-20-3	10.0	< 10.0	
Nitrobenzene	98-95-3	10.0	< 10.0	
Nitroquinoline-1-oxide	56-57-5	10.0	< 10.0	
O,O,O-Triethyl phosphorothioate	126-68-1	10.0	< 10.0	
o-Toluidine	95-53-4	10.0	< 10.0	
Parathion	56-38-2	10.0	< 10.0	
Methyl parathion	298-00-0	10.0	< 10.0	
Pentachlorobenzene	608-93-5	10.0	< 10.0	
Pentachloronitrobenzene	82-68-8	10.0	< 10.0	
Pentachlorophenol	87-86-5	10.0	< 10.0	
Phenacetin	62-44-2	10.0	< 10.0	
Phenanthrene	85-01-8	10.0	< 10.0	
Phenol	108-95-2	10.0	< 10.0	
Phorate	298-02-2	10.0	< 10.0	
Pronamide	23950-58-5	10.0	< 10.0	
Pyrene	129-00-0	10.0	< 10.0	
Pyridine	110-86-1	10.0	< 10.0	
Quinoline	91-22-5	10.0	< 10.0	
Safrole	94-59-7	10.0	< 10.0	
Tetraethyl dithiopyrophosphate	3689-24-5	10.0	< 10.0	
Thionazin	297-97-2	10.0	< 10.0	
TIC: 2-Pentanone, 4-hydroxy-4-methyl-	000123-42-2		4.03	JN



Lab Sample ID: 1304551-008B

Client Sample ID: East of Boom / 4920395

Analyzed: 4/23/2013 2231h

Extracted: 4/22/2013 836h

Units: µg/L

Dilution Factor: 1

Method: SW8270D

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 2,4,6-Tribromophenol	118-79-6	79.6	80.00	99.5	14-159	
Surr: 2-Fluorobiphenyl	321-60-8	15.4	40.00	38.6	10-124	
Surr: 2-Fluorophenol	367-12-4	31.5	80.00	39.3	10-106	
Surr: Nitrobenzene-d5	4165-60-0	14.7	40.00	36.8	10-180	
Surr: Phenol-d6	13127-88-3	25.3	80.00	31.6	10-122	
Surr: Terphenyl-d14	1718-51-0	38.6	40.00	96.5	10-221	

J - This flag indicates an estimated value.

N - This flag indicates presumptive evidence of a compound.

This sample was analyzed for TICs.

463 West 3600 South

Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross

Laboratory Director

Jose Rocha

QA Officer



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304551-009B
Client Sample ID: North Weir
Collection Date: 4/19/2013 945h
Received Date: 4/19/2013 1240h

Contact: Chris Bittner

Analytical Results

SVOA List by GC/MS Method 8270D/3510C

Analyzed: 4/23/2013 2254h

Extracted: 4/22/2013 836h

Units: µg/L

Dilution Factor: 1

Method: SW8270D

463 West 3600 South

Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross

Laboratory Director

Jose Rocha

QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1'-Biphenyl	92-52-4	10.0	< 10.0	
1,2,4,5-Tetrachlorobenzene	95-94-3	10.0	< 10.0	
1,2,4-Trichlorobenzene	120-82-1	10.0	< 10.0	
1,2-Dichlorobenzene	95-50-1	10.0	< 10.0	
1,3,5-Trinitrobenzene	99-35-4	10.0	< 10.0	
1,3-Dichlorobenzene	541-73-1	10.0	< 10.0	
1,3-Dinitrobenzene	99-65-0	10.0	< 10.0	
1,4-Dichlorobenzene	106-46-7	10.0	< 10.0	
1,4-Dinitrobenzene	100-25-4	10.0	< 10.0	
1,4-Naphthoquinone	130-15-4	10.0	< 10.0	
1,4-Phenylenediamine	106-50-3	10.0	< 10.0	
1-Chloronaphthalene	90-13-1	10.0	< 10.0	
1-Methylnaphthalene	90-12-0	10.0	< 10.0	
1-Naphthylamine	134-32-7	10.0	< 10.0	
2,3,4,6-Tetrachlorophenol	58-90-2	10.0	< 10.0	
2,4,5-Trichlorophenol	95-95-4	10.0	< 10.0	
2,4,6-Trichlorophenol	88-06-2	10.0	< 10.0	
2,4-Dichlorophenol	120-83-2	10.0	< 10.0	
2,4-Dimethylphenol	105-67-9	10.0	< 10.0	
2,4-Dinitrophenol	51-28-5	10.0	< 10.0	
2,4-Dinitrotoluene	121-14-2	10.0	< 10.0	
2,6-Dichlorophenol	87-65-0	10.0	< 10.0	
2,6-Dinitrotoluene	606-20-2	10.0	< 10.0	
2-Acetylaminofluorene	53-96-3	10.0	< 10.0	
2-Chloronaphthalene	91-58-7	10.0	< 10.0	
2-Chlorophenol	95-57-8	10.0	< 10.0	
2-Methylnaphthalene	91-57-6	10.0	< 10.0	
2-Methylphenol	95-48-7	10.0	< 10.0	
2-Naphthylamine	91-59-8	10.0	< 10.0	
2-Nitroaniline	88-74-4	10.0	< 10.0	



Lab Sample ID: 1304551-009B

Client Sample ID: North Weir

Analyzed: 4/23/2013 2254h

Extracted: 4/22/2013 836h

Units: µg/L

Dilution Factor: 1

Method: SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
2-Nitrophenol	88-75-5	10.0	< 10.0	
2-Picoline	109-06-8	10.0	< 10.0	
3&4-Methylphenol		10.0	< 10.0	
3,3'-Dichlorobenzidine	91-94-1	10.0	< 10.0	
3,3'-Dimethylbenzidine	119-93-7	10.0	< 10.0	
3-Methylcholanthrene	56-49-5	10.0	< 10.0	
3-Nitroaniline	99-09-2	10.0	< 10.0	
4,6-Dinitro-2-methylphenol	534-52-1	10.0	< 10.0	
4-Aminobiphenyl	92-67-1	10.0	< 10.0	
4-Bromophenyl phenyl ether	101-55-3	10.0	< 10.0	
4-Chloro-3-methylphenol	59-50-7	10.0	< 10.0	
4-Chloroaniline	106-47-8	10.0	< 10.0	
4-Chlorophenyl phenyl ether	7005-72-3	10.0	< 10.0	
4-Nitroaniline	100-01-6	10.0	< 10.0	
4-Nitrophenol	100-02-7	10.0	< 10.0	
5-Nitro-o-toluidine	99-55-8	10.0	< 10.0	
7,12-Dimethylbenz(a)anthracene	57-97-6	10.0	< 10.0	
a,a-Dimethylphenethylamine	122-09-8	10.0	< 10.0	
Acenaphthene	83-32-9	10.0	< 10.0	
Acenaphthylene	208-96-8	10.0	< 10.0	
Acetophenone	98-86-2	10.0	< 10.0	
alpha-Terpineol	98-55-5	10.0	< 10.0	
Aniline	62-53-3	10.0	< 10.0	
Anthracene	120-12-7	10.0	< 10.0	
Aramite	140-57-8	10.0	< 10.0	
Atrazine	1912-24-9	10.0	< 10.0	
Azobenzene	103-33-3	10.0	< 10.0	
Benz(a)anthracene	56-55-3	10.0	< 10.0	
Benzaldehyde	100-52-7	10.0	< 10.0	
Benzidine	92-87-5	10.0	< 10.0	
Benzo(a)pyrene	50-32-8	10.0	< 10.0	
Benzo(b)fluoranthene	205-99-2	10.0	< 10.0	
Benzo(g,h,i)perylene	191-24-2	10.0	< 10.0	
Benzo(k)fluoranthene	207-08-9	10.0	< 10.0	
Benzoic acid	65-85-0	20.0	< 20.0	
Benzyl alcohol	100-51-6	10.0	< 10.0	
Bis(2-chloroethoxy)methane	111-91-1	10.0	< 10.0	



Lab Sample ID: 1304551-009B

Client Sample ID: North Weir

Analyzed: 4/23/2013 2254h

Extracted: 4/22/2013 836h

Units: µg/L

Dilution Factor: 1

Method: SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Bis(2-chloroethyl) ether	111-44-4	10.0	< 10.0	
Bis(2-chloroisopropyl) ether	108-60-1	10.0	< 10.0	
Bis(2-ethylhexyl) phthalate	117-81-7	10.0	< 10.0	
bis(2-ethylhexyl)adipate	103-23-1	10.0	< 10.0	
Butyl benzyl phthalate	85-68-7	10.0	< 10.0	
Caprolactam	105-60-2	10.0	< 10.0	
Carbazole	86-74-8	10.0	< 10.0	
Chlorobenzilate	510-15-6	10.0	< 10.0	
Chrysene	218-01-9	10.0	< 10.0	
Di-n-butyl phthalate	84-74-2	10.0	< 10.0	
Di-n-octyl phthalate	117-84-0	10.0	< 10.0	
Diallate (cis or trans)	2303-16-4	10.0	< 10.0	
Dibenz(a,h)anthracene	53-70-3	10.0	< 10.0	
Dibenzofuran	132-64-9	10.0	< 10.0	
Diethyl phthalate	84-66-2	10.0	< 10.0	
Dimethoate	60-51-5	10.0	< 10.0	
Dimethyl phthalate	131-11-3	10.0	< 10.0	
Dimethylaminoazobenzene	60-11-7	10.0	< 10.0	
Dinoseb	88-85-7	10.0	< 10.0	
Diphenylamine	122-39-4	10.0	< 10.0	
Disulfoton	298-04-4	10.0	< 10.0	
Ethyl methanesulfonate	62-50-0	10.0	< 10.0	
Famphur	52-85-7	10.0	< 10.0	
Fluoranthene	206-44-0	10.0	< 10.0	
Fluorene	86-73-7	10.0	< 10.0	
Hexachlorobenzene	118-74-1	10.0	< 10.0	
Hexachlorobutadiene	87-68-3	10.0	< 10.0	
Hexachlorocyclopentadiene	77-47-4	10.0	< 10.0	
Hexachloroethane	67-72-1	10.0	< 10.0	
Hexachlorophene	70-30-4	10.0	< 10.0	
Hexachloropropene	1888-71-7	10.0	< 10.0	
Indene	95-13-6	10.0	< 10.0	
Indeno(1,2,3-cd)pyrene	193-39-5	10.0	< 10.0	
Isodrin	465-73-6	10.0	< 10.0	
Isophorone	78-59-1	10.0	< 10.0	
Isosafrole	120-58-1	10.0	< 10.0	
Kepone	143-50-0	10.0	< 10.0	



Lab Sample ID: 1304551-009B

Client Sample ID: North Weir

Analyzed: 4/23/2013 2254h

Extracted: 4/22/2013 836h

Units: µg/L

Dilution Factor: 1

Method: SW8270D

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Methapyrilene	91-80-5	10.0	< 10.0	
Methyl methanesulfonate	66-27-3	10.0	< 10.0	
n-Decane	124-18-5	10.0	< 10.0	
N-Nitrosodi-n-butylamine	924-16-3	10.0	< 10.0	
N-Nitrosodiethylamine	55-18-5	10.0	< 10.0	
N-Nitrosodimethylamine	62-75-9	10.0	< 10.0	
N-Nitrosodiphenylamine	86-30-6	10.0	< 10.0	
N-Nitrosodi-n-propylamine	621-64-7	10.0	< 10.0	
N-Nitrosomethylethylamine	10595-95-6	10.0	< 10.0	
N-Nitrosomorpholine	59-89-2	10.0	< 10.0	
N-Nitrosopiperidine	100-75-4	10.0	< 10.0	
N-Nitrosopyrrolidine	930-55-2	10.0	< 10.0	
n-Octadecane	593-45-3	10.0	< 10.0	
Naphthalene	91-20-3	10.0	< 10.0	
Nitrobenzene	98-95-3	10.0	< 10.0	
Nitroquinoline-1-oxide	56-57-5	10.0	< 10.0	
O,O,O-Triethyl phosphorothioate	126-68-1	10.0	< 10.0	
o-Toluidine	95-53-4	10.0	< 10.0	
Parathion	56-38-2	10.0	< 10.0	
Methyl parathion	298-00-0	10.0	< 10.0	
Pentachlorobenzene	608-93-5	10.0	< 10.0	
Pentachloronitrobenzene	82-68-8	10.0	< 10.0	
Pentachlorophenol	87-86-5	10.0	< 10.0	
Phenacetin	62-44-2	10.0	< 10.0	
Phenanthrene	85-01-8	10.0	< 10.0	
Phenol	108-95-2	10.0	< 10.0	
Phorate	298-02-2	10.0	< 10.0	
Pronamide	23950-58-5	10.0	< 10.0	
Pyrene	129-00-0	10.0	< 10.0	
Pyridine	110-86-1	10.0	< 10.0	
Quinoline	91-22-5	10.0	< 10.0	
Safrole	94-59-7	10.0	< 10.0	
Tetraethyl dithiopyrophosphate	3689-24-5	10.0	< 10.0	
Thionazin	297-97-2	10.0	< 10.0	
TIC: 1(2H)-Naphthalenone, 3,4-dihydro...	014944-23-1		5.67	JN
TIC: 1(2H)-Naphthalenone, 8-ethyl-3,4...	051015-33-9		4.54	JN
TIC: 1H-Inden-1-one, 2,3-dihydro-3,4,...	035322-84-0		5.86	JN



Lab Sample ID: 1304551-009B

Client Sample ID: North Weir

Analyzed: 4/23/2013 2254h **Extracted:** 4/22/2013 836h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8270D

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
TIC: 2H-1-Benzopyran-2-one, 6-methyl-	000092-48-8		4.71	JN
TIC: 5,8-Dimethyl-1,2,3,4-tetrahydro-...	032820-12-5		4.79	JN
TIC: Benzene, 1-(1,1-dimethylethyl)-3...	006630-01-9		8.07	JN
TIC: Benzene, 1-ethyl-3,5-diisopropyl-	015181-13-2		11.6	JN

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 2,4,6-Tribromophenol	118-79-6	71.0	80.00	88.8	14-159	
Surr: 2-Fluorobiphenyl	321-60-8	10.5	40.00	26.2	10-124	
Surr: 2-Fluorophenol	367-12-4	17.6	80.00	22.0	10-106	
Surr: Nitrobenzene-d5	4165-60-0	9.55	40.00	23.9	10-180	
Surr: Phenol-d6	13127-88-3	13.6	80.00	17.0	10-122	
Surr: Terphenyl-d14	1718-51-0	37.1	40.00	92.7	10-221	

J - This flag indicates an estimated value.

N - This flag indicates presumptive evidence of a compound.

This sample was analyzed for TICs.

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304551-001A
Client Sample ID: East of I-15 / 4920392
Collection Date: 4/19/2013 900h
Received Date: 4/19/2013 1240h

Contact: Chris Bittner

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/19/2013 1548h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304551-001A
Client Sample ID: East of I-15 / 4920392

Analyzed: 4/19/2013 1548h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

 Phone: (801) 263-8686
 Toll Free: (888) 263-8686
 Fax: (801) 263-8687
 e-mail: awal@awal-labs.com

 web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	



Lab Sample ID: 1304551-001A
Client Sample ID: East of I-15 / 4920392

Analyzed: 4/19/2013 1548h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	



Lab Sample ID: 1304551-001A
Client Sample ID: East of I-15 / 4920392

Analyzed: 4/19/2013 1548h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	56.1	50.00	112	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	53.4	50.00	107	80-128	
Surr: Dibromofluoromethane	1868-53-7	53.0	50.00	106	80-124	
Surr: Toluene-d8	2037-26-5	49.7	50.00	99.4	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304551-002A
Client Sample ID: S. Marina / 4920495
Collection Date: 4/19/2013 930h
Received Date: 4/19/2013 1240h

Contact: Chris Bittner

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/19/2013 1800h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304551-002A
Client Sample ID: S. Marina / 4920495

Analyzed: 4/19/2013 1800h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	



Lab Sample ID: 1304551-002A
Client Sample ID: S. Marina / 4920495

Analyzed: 4/19/2013 1800h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686
 Toll Free: (888) 263-8686
 Fax: (801) 263-8687
 e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	



Lab Sample ID: 1304551-002A

Client Sample ID: S. Marina / 4920495

Analyzed: 4/19/2013 1800h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	56.0	50.00	112	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	54.6	50.00	109	80-128	
Surr: Dibromofluoromethane	1868-53-7	52.7	50.00	105	80-124	
Surr: Toluene-d8	2037-26-5	49.4	50.00	98.9	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304551-003A
Client Sample ID: Field Blank
Collection Date: 4/19/2013 940h
Received Date: 4/19/2013 1240h

Contact: Chris Bittner

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/23/2013 1049h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304551-003A

Client Sample ID: Field Blank

Analyzed: 4/23/2013 1049h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	



Lab Sample ID: 1304551-003A

Client Sample ID: Field Blank

Analyzed: 4/23/2013 1049h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	2.29	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	



Lab Sample ID: 1304551-003A

Client Sample ID: Field Blank

Analyzed: 4/23/2013 1049h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	57.2	50.00	114	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	56.2	50.00	112	80-128	
Surr: Dibromofluoromethane	1868-53-7	53.5	50.00	107	80-124	
Surr: Toluene-d8	2037-26-5	50.0	50.00	100	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304551-004A
Client Sample ID: Trip Blank
Collection Date: 4/19/2013
Received Date: 4/19/2013 1240h

Contact: Chris Bittner

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/19/2013 1510h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304551-004A

Client Sample ID: Trip Blank

Analyzed: 4/19/2013 1510h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	



Lab Sample ID: 1304551-004A

Client Sample ID: Trip Blank

Analyzed: 4/19/2013 1510h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	



Lab Sample ID: 1304551-004A

Client Sample ID: Trip Blank

Analyzed: 4/19/2013 1510h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	55.6	50.00	111	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	52.8	50.00	106	80-128	
Surr: Dibromofluoromethane	1868-53-7	52.5	50.00	105	80-124	
Surr: Toluene-d8	2037-26-5	49.1	50.00	98.2	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304551-005A
Client Sample ID: East of Boom #3 / 4920402
Collection Date: 4/19/2013 950h
Received Date: 4/19/2013 1240h

Contact: Chris Bittner

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/19/2013 1819h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304551-005A
Client Sample ID: East of Boom #3 / 4920402

Analyzed: 4/19/2013 1819h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	



Lab Sample ID: 1304551-005A
Client Sample ID: East of Boom #3 / 4920402

Analyzed: 4/19/2013 1819h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	



Lab Sample ID: 1304551-005A

Client Sample ID: East of Boom #3 / 4920402

Analyzed: 4/19/2013 1819h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	54.0	50.00	108	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	53.4	50.00	107	80-128	
Surr: Dibromofluoromethane	1868-53-7	51.1	50.00	102	80-124	
Surr: Toluene-d8	2037-26-5	48.8	50.00	97.6	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304551-006A
Client Sample ID: Below Weirs ab Res. / 4920401
Collection Date: 4/19/2013 1000h
Received Date: 4/19/2013 1240h

Contact: Chris Bittner

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/19/2013 1838h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South

Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross

Laboratory Director

Jose Rocha

QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304551-006A
Client Sample ID: Below Weirs ab Res. / 4920401

Analyzed: 4/19/2013 1838h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

 Phone: (801) 263-8686
 Toll Free: (888) 263-8686
 Fax: (801) 263-8687
 e-mail: awal@awal-labs.com

 web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

 Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	



Lab Sample ID: 1304551-006A
Client Sample ID: Below Weirs ab Res. / 4920401

Analyzed: 4/19/2013 1838h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	



Lab Sample ID: 1304551-006A

Client Sample ID: Below Weirs ab Res. / 4920401

Analyzed: 4/19/2013 1838h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	56.1	50.00	112	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	52.6	50.00	105	80-128	
Surr: Dibromofluoromethane	1868-53-7	53.2	50.00	106	80-124	
Surr: Toluene-d8	2037-26-5	49.8	50.00	99.6	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304551-007A
Client Sample ID: Duplicate / 4920395
Collection Date: 4/19/2013 1020h
Received Date: 4/19/2013 1240h

Contact: Chris Bittner

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/19/2013 1857h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304551-007A
Client Sample ID: Duplicate / 4920395

Analyzed: 4/19/2013 1857h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

 Phone: (801) 263-8686
 Toll Free: (888) 263-8686
 Fax: (801) 263-8687
 e-mail: awal@awal-labs.com

 web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	



Lab Sample ID: 1304551-007A
Client Sample ID: Duplicate / 4920395

Analyzed: 4/19/2013 1857h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	



Lab Sample ID: 1304551-007A

Client Sample ID: Duplicate / 4920395

Analyzed: 4/19/2013 1857h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	54.6	50.00	109	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	53.6	50.00	107	80-128	
Surr: Dibromofluoromethane	1868-53-7	51.3	50.00	103	80-124	
Surr: Toluene-d8	2037-26-5	49.0	50.00	98.1	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304551-008A
Client Sample ID: East of Boom / 4920395
Collection Date: 4/19/2013 1020h
Received Date: 4/19/2013 1240h

Contact: Chris Bittner

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/19/2013 1916h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	< 2.00	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	< 2.00	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304551-008A
Client Sample ID: East of Boom / 4920395

Analyzed: 4/19/2013 1916h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
 Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
 Laboratory Director

Jose Rocha
 QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	



Lab Sample ID: 1304551-008A
Client Sample ID: East of Boom / 4920395

Analyzed: 4/19/2013 1916h

Units: µg/L **Dilution Factor:** 1 **Method:** SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	



Lab Sample ID: 1304551-008A

Client Sample ID: East of Boom / 4920395

Analyzed: 4/19/2013 1916h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	54.2	50.00	108	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	54.0	50.00	108	80-128	
Surr: Dibromofluoromethane	1868-53-7	50.7	50.00	101	80-124	
Surr: Toluene-d8	2037-26-5	49.4	50.00	98.8	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer



ORGANIC ANALYTICAL REPORT

Client: Utah Division of Water Quality
Project: MP 44.9
Lab Sample ID: 1304551-009A
Client Sample ID: North Weir
Collection Date: 4/19/2013 945h
Received Date: 4/19/2013 1240h

Contact: Chris Bittner

Analytical Results

VOAs Full List by GC/MS Method 8260C/5030C

Analyzed: 4/19/2013 1935h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com
web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
1,1,1,2-Tetrachloroethane	630-20-6	2.00	< 2.00	
1,1,1-Trichloroethane	71-55-6	2.00	< 2.00	
1,1,2,2-Tetrachloroethane	79-34-5	2.00	< 2.00	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	2.00	< 2.00	
1,1,2-Trichloroethane	79-00-5	2.00	< 2.00	
1,1-Dichloropropene	563-58-6	2.00	< 2.00	
1,1-Dichloroethane	75-34-3	2.00	< 2.00	
1,1-Dichloroethene	75-35-4	2.00	< 2.00	
1,2,3-Trichlorobenzene	87-61-6	2.00	< 2.00	
1,2,3-Trichloropropane	96-18-4	2.00	< 2.00	
1,2,3-Trimethylbenzene	526-73-8	2.00	5.65	
1,2,4-Trichlorobenzene	120-82-1	2.00	< 2.00	
1,2,4-Trimethylbenzene	95-63-6	2.00	3.19	
1,2-Dibromo-3-chloropropane	96-12-8	5.00	< 5.00	
1,2-Dibromoethane	106-93-4	2.00	< 2.00	
1,2-Dichlorobenzene	95-50-1	2.00	< 2.00	
1,2-Dichloroethane	107-06-2	2.00	< 2.00	
1,2-Dichloropropane	78-87-5	2.00	< 2.00	
1,3,5-Trimethylbenzene	108-67-8	2.00	< 2.00	
1,3-Dichlorobenzene	541-73-1	2.00	< 2.00	
1,3-Dichloropropane	142-28-9	2.00	< 2.00	
1,4-Dichlorobenzene	106-46-7	2.00	< 2.00	
1,4-Dioxane	123-91-1	50.0	< 50.0	
2,2-Dichloropropane	594-20-7	2.00	< 2.00	
2-Butanone	78-93-3	10.0	< 10.0	
2-Chloroethyl vinyl ether	110-75-8	5.00	< 5.00	
2-Chlorotoluene	95-49-8	2.00	< 2.00	
2-Hexanone	591-78-6	5.00	< 5.00	
2-Nitropropane	79-46-9	5.00	< 5.00	
4-Chlorotoluene	106-43-4	2.00	< 2.00	



Lab Sample ID: 1304551-009A

Client Sample ID: North Weir

Analyzed: 4/19/2013 1935h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
4-Isopropyltoluene	99-87-6	2.00	< 2.00	
4-Methyl-2-pentanone	108-10-1	5.00	< 5.00	
Acetone	67-64-1	10.0	< 10.0	
Acetonitrile	75-05-8	5.00	< 5.00	
Acrolein	107-02-8	5.00	< 5.00	
Acrylonitrile	107-13-1	10.0	< 10.0	
Allyl chloride	107-05-1	5.00	< 5.00	
Benzene	71-43-2	2.00	< 2.00	
Benzyl chloride	100-44-7	5.00	< 5.00	
Bis(2-chloroisopropyl) ether	108-60-1	5.00	< 5.00	
Bromobenzene	108-86-1	2.00	< 2.00	
Bromochloromethane	74-97-5	2.00	< 2.00	
Bromodichloromethane	75-27-4	2.00	< 2.00	
Bromoform	75-25-2	2.00	< 2.00	
Bromomethane	74-83-9	5.00	< 5.00	
Butyl acetate	123-86-4	10.0	< 10.0	
Carbon disulfide	75-15-0	2.00	< 2.00	
Carbon tetrachloride	56-23-5	2.00	< 2.00	
Chlorobenzene	108-90-7	2.00	< 2.00	
Chloroethane	75-00-3	2.00	< 2.00	
Chloroform	67-66-3	2.00	< 2.00	
Chloromethane	74-87-3	3.00	< 3.00	
Chloroprene	126-99-8	2.00	< 2.00	
cis-1,2-Dichloroethene	156-59-2	2.00	< 2.00	
cis-1,3-Dichloropropene	10061-01-5	2.00	< 2.00	
Cyclohexane	110-82-7	2.00	< 2.00	
Cyclohexanone	108-94-1	50.0	< 50.0	
Dibromochloromethane	124-48-1	2.00	< 2.00	
Dibromomethane	74-95-3	2.00	< 2.00	
Dichlorodifluoromethane	75-71-8	2.00	< 2.00	
Ethyl acetate	141-78-6	10.0	< 10.0	
Ethyl ether	60-29-7	10.0	< 10.0	
Ethyl methacrylate	97-63-2	2.00	< 2.00	
Ethylbenzene	100-41-4	2.00	< 2.00	
Hexachlorobutadiene	87-68-3	2.00	< 2.00	
Iodomethane	74-88-4	5.00	< 5.00	
Isobutyl alcohol	78-83-1	100	< 100	



Lab Sample ID: 1304551-009A

Client Sample ID: North Weir

Analyzed: 4/19/2013 1935h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686

Toll Free: (888) 263-8686

Fax: (801) 263-8687

e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Isopropyl acetate	108-21-4	10.0	< 10.0	
Isopropyl alcohol	67-63-0	40.0	< 40.0	
Isopropylbenzene	98-82-8	2.00	< 2.00	
m,p-Xylene	179601-23-1	2.00	< 2.00	
Methacrylonitrile	126-98-7	5.00	< 5.00	
Methyl Acetate	79-20-9	5.00	< 5.00	
Methyl methacrylate	80-62-6	5.00	< 5.00	
Methyl tert-butyl ether	1634-04-4	2.00	< 2.00	
Methylcyclohexane	108-87-2	2.00	< 2.00	
Methylene chloride	75-09-2	2.00	< 2.00	
n-Amyl acetate	628-63-7	10.0	< 10.0	
n-Butyl alcohol	71-36-3	100	< 100	
n-Butylbenzene	104-51-8	2.00	< 2.00	
n-Hexane	110-54-3	2.00	< 2.00	
n-Octane	111-65-9	2.00	< 2.00	
n-Propylbenzene	103-65-1	2.00	< 2.00	
Naphthalene	91-20-3	2.00	< 2.00	
o-Xylene	95-47-6	2.00	< 2.00	
Pentachloroethane	76-01-7	5.00	< 5.00	
Propionitrile	107-12-0	25.0	< 25.0	
Propyl acetate	109-60-4	10.0	< 10.0	
sec-Butylbenzene	135-98-8	2.00	< 2.00	
Styrene	100-42-5	2.00	< 2.00	
tert-Butyl alcohol	76-65-0	20.0	< 20.0	
tert-Butylbenzene	98-06-6	2.00	< 2.00	
Tetrachloroethene	127-18-4	2.00	< 2.00	
Tetrahydrofuran	109-99-9	2.00	< 2.00	
Toluene	108-88-3	2.00	< 2.00	
trans-1,2-Dichloroethene	156-60-5	2.00	< 2.00	
trans-1,3-Dichloropropene	10061-02-6	2.00	< 2.00	
trans-1,4-Dichloro-2-butene	110-57-6	2.00	< 2.00	
Trichloroethene	79-01-6	2.00	< 2.00	
Trichlorofluoromethane	75-69-4	2.00	< 2.00	
Vinyl acetate	108-05-4	10.0	< 10.0	
Vinyl chloride	75-01-4	1.00	< 1.00	
Xylenes, Total	1330-20-7	2.00	< 2.00	



Lab Sample ID: 1304551-009A

Client Sample ID: North Weir

Analyzed: 4/19/2013 1935h

Units: µg/L

Dilution Factor: 1

Method: SW8260C

Surrogate	CAS	Result	Amount Spiked	% REC	Limits	Qual
Surr: 1,2-Dichloroethane-d4	17060-07-0	56.3	50.00	113	72-151	
Surr: 4-Bromofluorobenzene	460-00-4	51.3	50.00	103	80-128	
Surr: Dibromofluoromethane	1868-53-7	52.9	50.00	106	80-124	
Surr: Toluene-d8	2037-26-5	49.4	50.00	98.8	77-129	

463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686
Toll Free: (888) 263-8686
Fax: (801) 263-8687
e-mail: awal@awal-labs.com

web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: GC
QC Type: LCS

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
LCS-24933	Diesel Range Organics (DRO) (C10-C28)	mg/L	SW8015D	1.48	2.000	0	74.0	48-118				4/20/2013 557h
LCS-24933	Surr: 4-Bromofluorobenzene	%REC	SW8015D	0.199	0.4000		49.6	18-95				4/20/2013 557h



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: GC
QC Type: MBLK

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
MB-24933	Diesel Range Organics (DRO) (C10-C28)	mg/L	SW8015D	< 0.500				-				4/20/2013 538h
MB-24933	Surr: 4-Bromofluorobenzene	%REC	SW8015D	0.139	0.4000		34.7	18-95				4/20/2013 538h



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: GC
QC Type: MS

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
1304551-001CMS	Diesel Range Organics (DRO) (C10-C28)	mg/L	SW8015D	1.61	2.000	0	80.7	60-161				4/22/2013 1758h
1304551-001CMS	Surr: 4-Bromofluorobenzene	%REC	SW8015D	0.224	0.4000		56.1	10-190				4/22/2013 1758h



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: GC
QC Type: MSD

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
1304551-001CMSD	Diesel Range Organics (DRO) (C10-C28)	mg/L	SW8015D	1.55	2.000	0	77.7	60-161	3.85	25		4/22/2013 1818h
1304551-001CMSD	Surr: 4-Bromofluorobenzene	%REC	SW8015D	0.214	0.4000		53.6	10-190				4/22/2013 1818h



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: MSSV
QC Type: LCS

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
LCS-24943	1,2,4-Trichlorobenzene	µg/L	SW8270D	32.3	80.00	0	40.4	10-104				4/23/2013 1919h
LCS-24943	1,4-Dichlorobenzene	µg/L	SW8270D	18.5	80.00	0	23.1	10-118				4/23/2013 1919h
LCS-24943	2,4,6-Trichlorophenol	µg/L	SW8270D	69.2	80.00	0	86.5	17-119				4/23/2013 1919h
LCS-24943	2,4-Dimethylphenol	µg/L	SW8270D	59.8	80.00	0	74.8	10-131				4/23/2013 1919h
LCS-24943	2,4-Dinitrotoluene	µg/L	SW8270D	88.6	80.00	0	111	42-219				4/23/2013 1919h
LCS-24943	2-Chloronaphthalene	µg/L	SW8270D	46.4	80.00	0	58.0	23-126				4/23/2013 1919h
LCS-24943	2-Chlorophenol	µg/L	SW8270D	43.7	80.00	0	54.7	15-128				4/23/2013 1919h
LCS-24943	4,6-Dinitro-2-methylphenol	µg/L	SW8270D	91.3	80.00	0	114	30-198				4/23/2013 1919h
LCS-24943	4-Chloro-3-methylphenol	µg/L	SW8270D	82.6	80.00	0	103	29-148				4/23/2013 1919h
LCS-24943	4-Nitrophenol	µg/L	SW8270D	43.6	80.00	0	54.5	10-157				4/23/2013 1919h
LCS-24943	Acenaphthene	µg/L	SW8270D	52.1	80.00	0	65.2	20-116				4/23/2013 1919h
LCS-24943	Benzo(a)pyrene	µg/L	SW8270D	101	80.00	0	126	10-221				4/23/2013 1919h
LCS-24943	N-Nitrosodi-n-propylamine	µg/L	SW8270D	41.6	80.00	0	52.0	20-148				4/23/2013 1919h
LCS-24943	Pentachlorophenol	µg/L	SW8270D	102	80.00	0	128	21-153				4/23/2013 1919h
LCS-24943	Phenol	µg/L	SW8270D	24.5	80.00	0	30.6	10-131				4/23/2013 1919h
LCS-24943	Pyrene	µg/L	SW8270D	77.0	80.00	0	96.3	37-150				4/23/2013 1919h
LCS-24943	Surr: 2,4,6-Tribromophenol	%REC	SW8270D	109	80.00		136	10-165				4/23/2013 1919h
LCS-24943	Surr: 2-Fluorobiphenyl	%REC	SW8270D	20.2	40.00		50.6	10-118				4/23/2013 1919h
LCS-24943	Surr: 2-Fluorophenol	%REC	SW8270D	26.2	80.00		32.8	10-121				4/23/2013 1919h
LCS-24943	Surr: Nitrobenzene-d5	%REC	SW8270D	16.8	40.00		41.9	10-127				4/23/2013 1919h
LCS-24943	Surr: Phenol-d6	%REC	SW8270D	25.0	80.00		31.2	10-124				4/23/2013 1919h
LCS-24943	Surr: Terphenyl-d14	%REC	SW8270D	42.6	40.00		106	51-221				4/23/2013 1919h
LCS-24943	Acenaphthene	µg/L	SW8270D	45.0	80.00	0	56.2	23-159				4/23/2013 837h
LCS-24943	Benzo(a)pyrene	µg/L	SW8270D	59.2	80.00	0	74.0	26-223				4/23/2013 837h
LCS-24943	Pentachlorophenol	µg/L	SW8270D	107	80.00	0	133	10-249				4/23/2013 837h
LCS-24943	Pyrene	µg/L	SW8270D	61.4	80.00	0	76.8	28-204				4/23/2013 837h



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687

e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: MSSV
QC Type: MBLK

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
MB-24943	1,1'-Biphenyl	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	1,2,4,5-Tetrachlorobenzene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	1,2,4-Trichlorobenzene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	1,2-Dichlorobenzene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	1,3,5-Trinitrobenzene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	1,3-Dichlorobenzene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	1,3-Dinitrobenzene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	1,4-Dichlorobenzene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	1,4-Dinitrobenzene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	1,4-Naphthoquinone	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	1,4-Phenylenediamine	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	1-Chloronaphthalene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	1-Methylnaphthalene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	1-Naphthylamine	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	2,3,4,6-Tetrachlorophenol	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	2,4,5-Trichlorophenol	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	2,4,6-Trichlorophenol	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	2,4-Dichlorophenol	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	2,4-Dimethylphenol	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	2,4-Dinitrophenol	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	2,4-Dinitrotoluene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	2,6-Dichlorophenol	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	2,6-Dinitrotoluene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	2-Acetylaminofluorene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	2-Chloronaphthalene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	2-Chlorophenol	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	2-Methylnaphthalene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h

Report Date: 4/24/2013 Page 95 of 167



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687

e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality

Lab Set ID: 1304551

Project: MP 44.9

Contact: Chris Bittner

Dept: MSSV

QC Type: MBLK

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
MB-24943	2-Methylphenol	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	2-Naphthylamine	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	2-Nitroaniline	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	2-Nitrophenol	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	2-Picoline	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	3&4-Methylphenol	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	3,3'-Dichlorobenzidine	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	3,3'-Dimethylbenzidine	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	3-Methylcholanthrene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	3-Nitroaniline	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	4,6-Dinitro-2-methylphenol	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	4-Aminobiphenyl	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	4-Bromophenyl phenyl ether	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	4-Chloro-3-methylphenol	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	4-Chloroaniline	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	4-Chlorophenyl phenyl ether	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	4-Nitroaniline	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	4-Nitrophenol	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	5-Nitro-o-toluidine	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	7,12-Dimethylbenz(a)anthracene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	a,a-Dimethylphenethylamine	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Acenaphthene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Acenaphthylene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Acetophenone	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	alpha-Terpineol	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Aniline	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Anthracene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h

Report Date: 4/24/2013 Page 96 of 167



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: MSSV
QC Type: MBLK

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
MB-24943	Aramite	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Atrazine	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Azobenzene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Benz(a)anthracene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Benzaldehyde	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Benzidine	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Benzo(a)pyrene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Benzo(b)fluoranthene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Benzo(g,h,i)perylene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Benzo(k)fluoranthene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Benzoic acid	µg/L	SW8270D	< 20.0				-				4/23/2013 1855h
MB-24943	Benzyl alcohol	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Bis(2-chloroethoxy)methane	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Bis(2-chloroethyl) ether	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Bis(2-chloroisopropyl) ether	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Bis(2-ethylhexyl) phthalate	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	bis(2-ethylhexyl)adipate	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Butyl benzyl phthalate	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Caprolactam	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Carbazole	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Chlorobenzilate	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Chrysene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Diallate (cis or trans)	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Dibenz(a,h)anthracene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Dibenzofuran	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Diethyl phthalate	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Dimethoate	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h

Report Date: 4/24/2013 Page 97 of 167



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: MSSV
QC Type: MBLK

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
MB-24943	Dimethyl phthalate	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Dimethylaminoazobenzene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Di-n-butyl phthalate	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Di-n-octyl phthalate	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Dinoseb	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Diphenylamine	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Disulfoton	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Ethyl methanesulfonate	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Famphur	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Fluoranthene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Fluorene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Hexachlorobenzene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Hexachlorobutadiene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Hexachlorocyclopentadiene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Hexachloroethane	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Hexachlorophene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Hexachloropropene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Indene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Indeno(1,2,3-cd)pyrene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Isodrin	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Isophorone	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Isosafrole	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Kepone	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Methapyrilene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Methyl methanesulfonate	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Naphthalene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	n-Decane	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h

Report Date: 4/24/2013 Page 98 of 167



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: MSSV
QC Type: MBLK

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
MB-24943	Nitrobenzene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Nitroquinoline-1-oxide	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	N-Nitrosodiethylamine	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	N-Nitrosodimethylamine	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	N-Nitrosodi-n-butylamine	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	N-Nitrosodiphenylamine	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	N-Nitrosodi-n-propylamine	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	N-Nitrosomethylethylamine	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	N-Nitrosomorpholine	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	N-Nitrosopiperidine	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	N-Nitrosopyrrolidine	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	n-Octadecane	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	O,O,O-Triethyl phosphorothioate	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	o-Toluidine	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Parathion	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Methyl parathion	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Pentachlorobenzene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Pentachloronitrobenzene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Pentachlorophenol	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Phenacetin	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Phenanthrene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Phenol	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Phorate	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Pronamide	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Pyrene	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Pyridine	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Quinoline	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h

Report Date: 4/24/2013 Page 99 of 167



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: MSSV
QC Type: MBLK

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
MB-24943	Safrole	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Tetraethyl dithiopyrophosphate	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Thionazin	µg/L	SW8270D	< 10.0				-				4/23/2013 1855h
MB-24943	Surr: 2,4,6-Tribromophenol	%REC	SW8270D	80.8	80.00		101	10-165				4/23/2013 1855h
MB-24943	Surr: 2-Fluorobiphenyl	%REC	SW8270D	14.0	40.00		35.0	10-118				4/23/2013 1855h
MB-24943	Surr: 2-Fluorophenol	%REC	SW8270D	22.3	80.00		27.8	10-121				4/23/2013 1855h
MB-24943	Surr: Nitrobenzene-d5	%REC	SW8270D	12.4	40.00		31.1	10-127				4/23/2013 1855h
MB-24943	Surr: Phenol-d6	%REC	SW8270D	17.7	80.00		22.1	10-124				4/23/2013 1855h
MB-24943	Surr: Terphenyl-d14	%REC	SW8270D	47.6	40.00		119	51-221				4/23/2013 1855h
MB-24943	1-Methylnaphthalene	µg/L	SW8270D	< 0.100				-				4/23/2013 811h
MB-24943	2-Methylnaphthalene	µg/L	SW8270D	< 0.100				-				4/23/2013 811h
MB-24943	Acenaphthene	µg/L	SW8270D	< 0.100				-				4/23/2013 811h
MB-24943	Acenaphthylene	µg/L	SW8270D	< 0.100				-				4/23/2013 811h
MB-24943	Anthracene	µg/L	SW8270D	< 0.100				-				4/23/2013 811h
MB-24943	Benz(a)anthracene	µg/L	SW8270D	< 0.100				-				4/23/2013 811h
MB-24943	Benzo(a)pyrene	µg/L	SW8270D	< 0.100				-				4/23/2013 811h
MB-24943	Benzo(b)fluoranthene	µg/L	SW8270D	< 0.100				-				4/23/2013 811h
MB-24943	Benzo(g,h,i)perylene	µg/L	SW8270D	< 0.100				-				4/23/2013 811h
MB-24943	Benzo(k)fluoranthene	µg/L	SW8270D	< 0.100				-				4/23/2013 811h
MB-24943	Chrysene	µg/L	SW8270D	< 0.100				-				4/23/2013 811h
MB-24943	Dibenz(a,h)anthracene	µg/L	SW8270D	< 0.100				-				4/23/2013 811h
MB-24943	Fluoranthene	µg/L	SW8270D	< 0.100				-				4/23/2013 811h
MB-24943	Fluorene	µg/L	SW8270D	< 0.100				-				4/23/2013 811h
MB-24943	Hexachlorobenzene	µg/L	SW8270D	< 1.00				-				4/23/2013 811h
MB-24943	Indene	µg/L	SW8270D	< 0.100				-				4/23/2013 811h
MB-24943	Indeno(1,2,3-cd)pyrene	µg/L	SW8270D	< 0.100				-				4/23/2013 811h
MB-24943	Naphthalene	µg/L	SW8270D	< 0.100				-				4/23/2013 811h

Report Date: 4/24/2013 Page 100 of 167



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: MSSV
QC Type: MBLK

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
MB-24943	Pentachlorophenol	µg/L	SW8270D	< 1.00				-				4/23/2013 811h
MB-24943	Phenanthrene	µg/L	SW8270D	< 0.100				-				4/23/2013 811h
MB-24943	Pyrene	µg/L	SW8270D	< 0.100				-				4/23/2013 811h



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: MSSV
QC Type: MS

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
1304551-002BMS	1,2,4-Trichlorobenzene	µg/L	SW8270D	36.0	80.00	0	45.0	20-107				4/23/2013 2031h
1304551-002BMS	1,4-Dichlorobenzene	µg/L	SW8270D	21.5	80.00	0	26.9	11-90				4/23/2013 2031h
1304551-002BMS	2,4,6-Trichlorophenol	µg/L	SW8270D	72.0	80.00	0	90.0	10-223				4/23/2013 2031h
1304551-002BMS	2,4-Dimethylphenol	µg/L	SW8270D	63.5	80.00	0	79.4	10-176				4/23/2013 2031h
1304551-002BMS	2,4-Dinitrotoluene	µg/L	SW8270D	86.1	80.00	0	108	21-191				4/23/2013 2031h
1304551-002BMS	2-Chloronaphthalene	µg/L	SW8270D	51.3	80.00	0	64.1	12-132				4/23/2013 2031h
1304551-002BMS	2-Chlorophenol	µg/L	SW8270D	51.0	80.00	0	63.7	20-107				4/23/2013 2031h
1304551-002BMS	4,6-Dinitro-2-methylphenol	µg/L	SW8270D	90.6	80.00	0	113	20-250				4/23/2013 2031h
1304551-002BMS	4-Chloro-3-methylphenol	µg/L	SW8270D	83.1	80.00	0	104	10-136				4/23/2013 2031h
1304551-002BMS	4-Nitrophenol	µg/L	SW8270D	44.1	80.00	0	55.1	10-135				4/23/2013 2031h
1304551-002BMS	Acenaphthene	µg/L	SW8270D	56.8	80.00	0	71.0	21-113				4/23/2013 2031h
1304551-002BMS	Benzo(a)pyrene	µg/L	SW8270D	95.8	80.00	0	120	15-169				4/23/2013 2031h
1304551-002BMS	N-Nitrosodi-n-propylamine	µg/L	SW8270D	42.6	80.00	0	53.2	10-133				4/23/2013 2031h
1304551-002BMS	Pentachlorophenol	µg/L	SW8270D	34.0	80.00	0	42.5	10-131				4/23/2013 2031h
1304551-002BMS	Phenol	µg/L	SW8270D	28.6	80.00	0	35.8	10-71				4/23/2013 2031h
1304551-002BMS	Pyrene	µg/L	SW8270D	73.4	80.00	0	91.7	23-150				4/23/2013 2031h
1304551-002BMS	Surr: 2,4,6-Tribromophenol	%REC	SW8270D	91.8	80.00		115	14-159				4/23/2013 2031h
1304551-002BMS	Surr: 2-Fluorobiphenyl	%REC	SW8270D	22.5	40.00		56.2	10-124				4/23/2013 2031h
1304551-002BMS	Surr: 2-Fluorophenol	%REC	SW8270D	32.6	80.00		40.7	10-106				4/23/2013 2031h
1304551-002BMS	Surr: Nitrobenzene-d5	%REC	SW8270D	17.0	40.00		42.5	10-180				4/23/2013 2031h
1304551-002BMS	Surr: Phenol-d6	%REC	SW8270D	28.2	80.00		35.2	10-122				4/23/2013 2031h
1304551-002BMS	Surr: Terphenyl-d14	%REC	SW8270D	38.1	40.00		95.3	10-221				4/23/2013 2031h
1304551-002BMS	Acenaphthene	µg/L	SW8270D	46.2	80.00	0	57.8	21-113				4/23/2013 956h
1304551-002BMS	Benzo(a)pyrene	µg/L	SW8270D	55.2	80.00	0	69.0	15-169				4/23/2013 956h
1304551-002BMS	Pentachlorophenol	µg/L	SW8270D	69.6	80.00	0	87.0	10-249				4/23/2013 956h
1304551-002BMS	Pyrene	µg/L	SW8270D	56.4	80.00	0	70.5	23-150				4/23/2013 956h



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: MSSV
QC Type: MSD

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
1304551-002BMSD	1,2,4-Trichlorobenzene	µg/L	SW8270D	36.0	80.00	0	45.0	20-107	0.0834	25		4/23/2013 2055h
1304551-002BMSD	1,4-Dichlorobenzene	µg/L	SW8270D	21.3	80.00	0	26.6	11-90	1.12	25		4/23/2013 2055h
1304551-002BMSD	2,4,6-Trichlorophenol	µg/L	SW8270D	75.4	80.00	0	94.2	10-223	4.56	25		4/23/2013 2055h
1304551-002BMSD	2,4-Dimethylphenol	µg/L	SW8270D	66.0	80.00	0	82.5	10-176	3.81	25		4/23/2013 2055h
1304551-002BMSD	2,4-Dinitrotoluene	µg/L	SW8270D	85.4	80.00	0	107	21-191	0.804	25		4/23/2013 2055h
1304551-002BMSD	2-Chloronaphthalene	µg/L	SW8270D	45.4	80.00	0	56.7	12-132	12.3	25		4/23/2013 2055h
1304551-002BMSD	2-Chlorophenol	µg/L	SW8270D	51.8	80.00	0	64.7	20-107	1.58	25		4/23/2013 2055h
1304551-002BMSD	4,6-Dinitro-2-methylphenol	µg/L	SW8270D	89.5	80.00	0	112	20-250	1.27	25		4/23/2013 2055h
1304551-002BMSD	4-Chloro-3-methylphenol	µg/L	SW8270D	87.5	80.00	0	109	10-136	5.08	25		4/23/2013 2055h
1304551-002BMSD	4-Nitrophenol	µg/L	SW8270D	45.3	80.00	0	56.6	10-135	2.71	25		4/23/2013 2055h
1304551-002BMSD	Acenaphthene	µg/L	SW8270D	56.2	80.00	0	70.3	21-113	1.06	25		4/23/2013 2055h
1304551-002BMSD	Benzo(a)pyrene	µg/L	SW8270D	95.6	80.00	0	119	15-169	0.209	25		4/23/2013 2055h
1304551-002BMSD	N-Nitrosodi-n-propylamine	µg/L	SW8270D	42.3	80.00	0	52.9	10-133	0.73	25		4/23/2013 2055h
1304551-002BMSD	Pentachlorophenol	µg/L	SW8270D	46.5	80.00	0	58.1	10-131	30.9	25	@	4/23/2013 2055h
1304551-002BMSD	Phenol	µg/L	SW8270D	28.7	80.00	0	35.9	10-71	0.418	25		4/23/2013 2055h
1304551-002BMSD	Pyrene	µg/L	SW8270D	73.3	80.00	0	91.7	23-150	0.0545	25		4/23/2013 2055h
1304551-002BMSD	Surr: 2,4,6-Tribromophenol	%REC	SW8270D	100	80.00		125	14-159				4/23/2013 2055h
1304551-002BMSD	Surr: 2-Fluorobiphenyl	%REC	SW8270D	22.0	40.00		55.0	10-124				4/23/2013 2055h
1304551-002BMSD	Surr: 2-Fluorophenol	%REC	SW8270D	33.4	80.00		41.8	10-106				4/23/2013 2055h
1304551-002BMSD	Surr: Nitrobenzene-d5	%REC	SW8270D	18.2	40.00		45.5	10-180				4/23/2013 2055h
1304551-002BMSD	Surr: Phenol-d6	%REC	SW8270D	28.9	80.00		36.1	10-122				4/23/2013 2055h
1304551-002BMSD	Surr: Terphenyl-d14	%REC	SW8270D	39.2	40.00		98.1	10-221				4/23/2013 2055h
1304551-002BMSD	Acenaphthene	µg/L	SW8270D	48.8	80.00	0	61.0	21-113	5.47	25		4/23/2013 1022h
1304551-002BMSD	Benzo(a)pyrene	µg/L	SW8270D	59.6	80.00	0	74.5	15-169	7.67	25		4/23/2013 1022h
1304551-002BMSD	Pentachlorophenol	µg/L	SW8270D	79.0	80.00	0	98.8	10-249	12.7	25		4/23/2013 1022h
1304551-002BMSD	Pyrene	µg/L	SW8270D	64.0	80.00	0	80.0	23-150	12.6	25		4/23/2013 1022h

@ - High RPD due to suspected sample non-homogeneity or matrix interference.



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: MSVOA
QC Type: LCS

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
LCS VOC 041913A	1,1,1-Trichloroethane	µg/L	SW8260C	24.0	20.00	0	120	59-156				4/19/2013 1334h
LCS VOC 041913A	1,1-Dichloroethene	µg/L	SW8260C	23.2	20.00	0	116	46-171				4/19/2013 1334h
LCS VOC 041913A	1,2-Dichlorobenzene	µg/L	SW8260C	21.2	20.00	0	106	67-135				4/19/2013 1334h
LCS VOC 041913A	1,2-Dichloroethane	µg/L	SW8260C	22.4	20.00	0	112	60-137				4/19/2013 1334h
LCS VOC 041913A	1,2-Dichloropropane	µg/L	SW8260C	20.4	20.00	0	102	59-135				4/19/2013 1334h
LCS VOC 041913A	Benzene	µg/L	SW8260C	21.1	20.00	0	106	62-127				4/19/2013 1334h
LCS VOC 041913A	Chlorobenzene	µg/L	SW8260C	20.2	20.00	0	101	63-140				4/19/2013 1334h
LCS VOC 041913A	Chloroform	µg/L	SW8260C	21.9	20.00	0	109	67-132				4/19/2013 1334h
LCS VOC 041913A	Ethylbenzene	µg/L	SW8260C	20.6	20.00	0	103	55-133				4/19/2013 1334h
LCS VOC 041913A	Isopropylbenzene	µg/L	SW8260C	21.4	20.00	0	107	60-162				4/19/2013 1334h
LCS VOC 041913A	Methyl tert-butyl ether	µg/L	SW8260C	22.3	20.00	0	112	37-189				4/19/2013 1334h
LCS VOC 041913A	Methylene chloride	µg/L	SW8260C	23.0	20.00	0	115	32-185				4/19/2013 1334h
LCS VOC 041913A	Naphthalene	µg/L	SW8260C	17.4	20.00	0	86.8	28-136				4/19/2013 1334h
LCS VOC 041913A	Tetrahydrofuran	µg/L	SW8260C	15.3	20.00	0	76.7	43-146				4/19/2013 1334h
LCS VOC 041913A	Toluene	µg/L	SW8260C	20.3	20.00	0	101	64-129				4/19/2013 1334h
LCS VOC 041913A	Trichloroethene	µg/L	SW8260C	20.5	20.00	0	102	54-152				4/19/2013 1334h
LCS VOC 041913A	Xylenes, Total	µg/L	SW8260C	61.9	60.00	0	103	52-134				4/19/2013 1334h
LCS VOC 041913A	Surr: 1,2-Dichloroethane-d4	%REC	SW8260C	54.6	50.00		109	76-138				4/19/2013 1334h
LCS VOC 041913A	Surr: 4-Bromofluorobenzene	%REC	SW8260C	50.2	50.00		101	77-121				4/19/2013 1334h
LCS VOC 041913A	Surr: Dibromofluoromethane	%REC	SW8260C	52.8	50.00		106	67-128				4/19/2013 1334h
LCS VOC 041913A	Surr: Toluene-d8	%REC	SW8260C	48.6	50.00		97.3	81-135				4/19/2013 1334h
LCS VOC 042313A	1,1,1-Trichloroethane	µg/L	SW8260C	23.3	20.00	0	117	59-156				4/23/2013 952h
LCS VOC 042313A	1,1-Dichloroethene	µg/L	SW8260C	24.2	20.00	0	121	46-171				4/23/2013 952h
LCS VOC 042313A	1,2-Dichlorobenzene	µg/L	SW8260C	20.3	20.00	0	102	67-135				4/23/2013 952h
LCS VOC 042313A	1,2-Dichloroethane	µg/L	SW8260C	22.3	20.00	0	112	60-137				4/23/2013 952h
LCS VOC 042313A	1,2-Dichloropropane	µg/L	SW8260C	19.1	20.00	0	95.4	59-135				4/23/2013 952h
LCS VOC 042313A	Benzene	µg/L	SW8260C	19.8	20.00	0	99.2	62-127				4/23/2013 952h

Report Date: 4/24/2013 Page 104 of 167



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: MSVOA
QC Type: LCS

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
LCS VOC 042313A	Chlorobenzene	µg/L	SW8260C	19.2	20.00	0	96.1	63-140				4/23/2013 952h
LCS VOC 042313A	Chloroform	µg/L	SW8260C	21.4	20.00	0	107	67-132				4/23/2013 952h
LCS VOC 042313A	Ethylbenzene	µg/L	SW8260C	19.5	20.00	0	97.5	55-133				4/23/2013 952h
LCS VOC 042313A	Isopropylbenzene	µg/L	SW8260C	20.3	20.00	0	102	60-162				4/23/2013 952h
LCS VOC 042313A	Methyl tert-butyl ether	µg/L	SW8260C	22.1	20.00	0	110	37-189				4/23/2013 952h
LCS VOC 042313A	Methylene chloride	µg/L	SW8260C	22.9	20.00	0	114	32-185				4/23/2013 952h
LCS VOC 042313A	Naphthalene	µg/L	SW8260C	14.4	20.00	0	71.8	28-136				4/23/2013 952h
LCS VOC 042313A	Tetrahydrofuran	µg/L	SW8260C	15.9	20.00	0	79.4	43-146				4/23/2013 952h
LCS VOC 042313A	Toluene	µg/L	SW8260C	19.3	20.00	0	96.5	64-129				4/23/2013 952h
LCS VOC 042313A	Trichloroethene	µg/L	SW8260C	21.2	20.00	0	106	54-152				4/23/2013 952h
LCS VOC 042313A	Xylenes, Total	µg/L	SW8260C	58.3	60.00	0	97.2	52-134				4/23/2013 952h
LCS VOC 042313A	Surr: 1,2-Dichloroethane-d4	%REC	SW8260C	57.0	50.00		114	76-138				4/23/2013 952h
LCS VOC 042313A	Surr: 4-Bromofluorobenzene	%REC	SW8260C	51.4	50.00		103	77-121				4/23/2013 952h
LCS VOC 042313A	Surr: Dibromofluoromethane	%REC	SW8260C	54.4	50.00		109	67-128				4/23/2013 952h
LCS VOC 042313A	Surr: Toluene-d8	%REC	SW8260C	48.4	50.00		96.8	81-135				4/23/2013 952h



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: MSVOA
QC Type: MBLK

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
MB VOC 041913A	1,1,1,2-Tetrachloroethane	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	1,1,1-Trichloroethane	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	1,1,1,2,2-Tetrachloroethane	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	1,1,2-Trichloro-1,2,2-trifluoroethane	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	1,1,2-Trichloroethane	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	1,1-Dichloropropene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	1,1-Dichloroethane	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	1,1-Dichloroethene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	1,2,3-Trichlorobenzene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	1,2,3-Trichloropropane	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	1,2,3-Trimethylbenzene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	1,2,4-Trichlorobenzene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	1,2,4-Trimethylbenzene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	1,2-Dibromo-3-chloropropane	µg/L	SW8260C	< 5.00				-				4/19/2013 1412h
MB VOC 041913A	1,2-Dibromoethane	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	1,2-Dichlorobenzene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	1,2-Dichloroethane	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	1,2-Dichloropropane	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	1,3,5-Trimethylbenzene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	1,3-Dichlorobenzene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	1,3-Dichloropropane	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	1,4-Dichlorobenzene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	1,4-Dioxane	µg/L	SW8260C	< 50.0				-				4/19/2013 1412h
MB VOC 041913A	2,2-Dichloropropane	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	2-Butanone	µg/L	SW8260C	< 10.0				-				4/19/2013 1412h
MB VOC 041913A	2-Chloroethyl vinyl ether	µg/L	SW8260C	< 5.00				-				4/19/2013 1412h

Report Date: 4/24/2013 Page 106 of 167



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: MSVOA
QC Type: MBLK

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
MB VOC 041913A	2-Chlorotoluene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	2-Hexanone	µg/L	SW8260C	< 5.00				-				4/19/2013 1412h
MB VOC 041913A	2-Nitropropane	µg/L	SW8260C	< 5.00				-				4/19/2013 1412h
MB VOC 041913A	4-Chlorotoluene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	4-Isopropyltoluene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	4-Methyl-2-pentanone	µg/L	SW8260C	< 5.00				-				4/19/2013 1412h
MB VOC 041913A	Acetone	µg/L	SW8260C	< 10.0				-				4/19/2013 1412h
MB VOC 041913A	Acetonitrile	µg/L	SW8260C	< 5.00				-				4/19/2013 1412h
MB VOC 041913A	Acrolein	µg/L	SW8260C	< 5.00				-				4/19/2013 1412h
MB VOC 041913A	Acrylonitrile	µg/L	SW8260C	< 10.0				-				4/19/2013 1412h
MB VOC 041913A	Allyl chloride	µg/L	SW8260C	< 5.00				-				4/19/2013 1412h
MB VOC 041913A	Benzene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Benzyl chloride	µg/L	SW8260C	< 5.00				-				4/19/2013 1412h
MB VOC 041913A	Bis(2-chloroisopropyl) ether	µg/L	SW8260C	< 5.00				-				4/19/2013 1412h
MB VOC 041913A	Bromobenzene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Bromochloromethane	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Bromodichloromethane	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Bromoform	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Bromomethane	µg/L	SW8260C	< 5.00				-				4/19/2013 1412h
MB VOC 041913A	Butyl acetate	µg/L	SW8260C	< 10.0				-				4/19/2013 1412h
MB VOC 041913A	Carbon disulfide	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Carbon tetrachloride	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Chlorobenzene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Chloroethane	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Chloroform	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Chloromethane	µg/L	SW8260C	< 3.00				-				4/19/2013 1412h
MB VOC 041913A	Chloroprene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h

Report Date: 4/24/2013 Page 107 of 167



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: MSVOA
QC Type: MBLK

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
MB VOC 041913A	cis-1,2-Dichloroethene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	cis-1,3-Dichloropropene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Cyclohexane	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Cyclohexanone	µg/L	SW8260C	< 50.0				-				4/19/2013 1412h
MB VOC 041913A	Dibromochloromethane	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Dibromomethane	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Dichlorodifluoromethane	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Ethyl acetate	µg/L	SW8260C	< 10.0				-				4/19/2013 1412h
MB VOC 041913A	Ethyl ether	µg/L	SW8260C	< 10.0				-				4/19/2013 1412h
MB VOC 041913A	Ethyl methacrylate	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Ethylbenzene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Hexachlorobutadiene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Iodomethane	µg/L	SW8260C	< 5.00				-				4/19/2013 1412h
MB VOC 041913A	Isobutyl alcohol	µg/L	SW8260C	< 100				-				4/19/2013 1412h
MB VOC 041913A	Isopropyl acetate	µg/L	SW8260C	< 10.0				-				4/19/2013 1412h
MB VOC 041913A	Isopropyl alcohol	µg/L	SW8260C	< 40.0				-				4/19/2013 1412h
MB VOC 041913A	Isopropylbenzene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	m,p-Xylene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Methacrylonitrile	µg/L	SW8260C	< 5.00				-				4/19/2013 1412h
MB VOC 041913A	Methyl Acetate	µg/L	SW8260C	< 5.00				-				4/19/2013 1412h
MB VOC 041913A	Methyl methacrylate	µg/L	SW8260C	< 5.00				-				4/19/2013 1412h
MB VOC 041913A	Methyl tert-butyl ether	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Methylcyclohexane	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Methylene chloride	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	n-Amyl acetate	µg/L	SW8260C	< 10.0				-				4/19/2013 1412h
MB VOC 041913A	Naphthalene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	n-Butyl alcohol	µg/L	SW8260C	< 100				-				4/19/2013 1412h

Report Date: 4/24/2013 Page 108 of 167



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: MSVOA
QC Type: MBLK

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
MB VOC 041913A	n-Butylbenzene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	n-Hexane	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	n-Octane	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	n-Propylbenzene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	o-Xylene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Pentachloroethane	µg/L	SW8260C	< 5.00				-				4/19/2013 1412h
MB VOC 041913A	Propionitrile	µg/L	SW8260C	< 25.0				-				4/19/2013 1412h
MB VOC 041913A	Propyl acetate	µg/L	SW8260C	< 10.0				-				4/19/2013 1412h
MB VOC 041913A	sec-Butylbenzene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Styrene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	tert-Butyl alcohol	µg/L	SW8260C	< 20.0				-				4/19/2013 1412h
MB VOC 041913A	tert-Butylbenzene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Tetrachloroethene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Tetrahydrofuran	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Toluene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	trans-1,2-Dichloroethene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	trans-1,3-Dichloropropene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	trans-1,4-Dichloro-2-butene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Trichloroethene	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Trichlorofluoromethane	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Vinyl acetate	µg/L	SW8260C	< 10.0				-				4/19/2013 1412h
MB VOC 041913A	Vinyl chloride	µg/L	SW8260C	< 1.00				-				4/19/2013 1412h
MB VOC 041913A	Xylenes, Total	µg/L	SW8260C	< 2.00				-				4/19/2013 1412h
MB VOC 041913A	Surr: 1,2-Dichloroethane-d4	%REC	SW8260C	55.2	50.00		110	76-138				4/19/2013 1412h
MB VOC 041913A	Surr: 4-Bromofluorobenzene	%REC	SW8260C	52.9	50.00		106	77-121				4/19/2013 1412h
MB VOC 041913A	Surr: Dibromofluoromethane	%REC	SW8260C	53.0	50.00		106	67-128				4/19/2013 1412h
MB VOC 041913A	Surr: Toluene-d8	%REC	SW8260C	49.9	50.00		99.8	81-135				4/19/2013 1412h

Report Date: 4/24/2013 Page 109 of 167



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: MSVOA
QC Type: MBLK

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
MB VOC 042313A	1,1,1,2-Tetrachloroethane	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	1,1,1-Trichloroethane	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	1,1,1,2,2-Tetrachloroethane	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	1,1,2-Trichloro-1,2,2-trifluoroethane	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	1,1,2-Trichloroethane	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	1,1-Dichloropropene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	1,1-Dichloroethane	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	1,1-Dichloroethene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	1,2,3-Trichlorobenzene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	1,2,3-Trichloropropane	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	1,2,3-Trimethylbenzene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	1,2,4-Trichlorobenzene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	1,2,4-Trimethylbenzene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	1,2-Dibromo-3-chloropropane	µg/L	SW8260C	< 5.00				-				4/23/2013 1030h
MB VOC 042313A	1,2-Dibromoethane	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	1,2-Dichlorobenzene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	1,2-Dichloroethane	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	1,2-Dichloropropane	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	1,3,5-Trimethylbenzene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	1,3-Dichlorobenzene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	1,3-Dichloropropane	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	1,4-Dichlorobenzene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	1,4-Dioxane	µg/L	SW8260C	< 50.0				-				4/23/2013 1030h
MB VOC 042313A	2,2-Dichloropropane	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	2-Butanone	µg/L	SW8260C	< 10.0				-				4/23/2013 1030h
MB VOC 042313A	2-Chloroethyl vinyl ether	µg/L	SW8260C	< 5.00				-				4/23/2013 1030h

Report Date: 4/24/2013 Page 110 of 167



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: MSVOA
QC Type: MBLK

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
MB VOC 042313A	2-Chlorotoluene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	2-Hexanone	µg/L	SW8260C	< 5.00				-				4/23/2013 1030h
MB VOC 042313A	2-Nitropropane	µg/L	SW8260C	< 5.00				-				4/23/2013 1030h
MB VOC 042313A	4-Chlorotoluene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	4-Isopropyltoluene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	4-Methyl-2-pentanone	µg/L	SW8260C	< 5.00				-				4/23/2013 1030h
MB VOC 042313A	Acetone	µg/L	SW8260C	< 10.0				-				4/23/2013 1030h
MB VOC 042313A	Acetonitrile	µg/L	SW8260C	< 5.00				-				4/23/2013 1030h
MB VOC 042313A	Acrolein	µg/L	SW8260C	< 5.00				-				4/23/2013 1030h
MB VOC 042313A	Acrylonitrile	µg/L	SW8260C	< 10.0				-				4/23/2013 1030h
MB VOC 042313A	Allyl chloride	µg/L	SW8260C	< 5.00				-				4/23/2013 1030h
MB VOC 042313A	Benzene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Benzyl chloride	µg/L	SW8260C	< 5.00				-				4/23/2013 1030h
MB VOC 042313A	Bis(2-chloroisopropyl) ether	µg/L	SW8260C	< 5.00				-				4/23/2013 1030h
MB VOC 042313A	Bromobenzene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Bromochloromethane	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Bromodichloromethane	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Bromoform	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Bromomethane	µg/L	SW8260C	< 5.00				-				4/23/2013 1030h
MB VOC 042313A	Butyl acetate	µg/L	SW8260C	< 10.0				-				4/23/2013 1030h
MB VOC 042313A	Carbon disulfide	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Carbon tetrachloride	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Chlorobenzene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Chloroethane	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Chloroform	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Chloromethane	µg/L	SW8260C	< 3.00				-				4/23/2013 1030h
MB VOC 042313A	Chloroprene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h

Report Date: 4/24/2013 Page 111 of 167



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687

e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality

Lab Set ID: 1304551

Project: MP 44.9

Contact: Chris Bittner

Dept: MSVOA

QC Type: MBLK

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
MB VOC 042313A	cis-1,2-Dichloroethene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	cis-1,3-Dichloropropene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Cyclohexane	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Cyclohexanone	µg/L	SW8260C	< 50.0				-				4/23/2013 1030h
MB VOC 042313A	Dibromochloromethane	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Dibromomethane	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Dichlorodifluoromethane	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Ethyl acetate	µg/L	SW8260C	< 10.0				-				4/23/2013 1030h
MB VOC 042313A	Ethyl ether	µg/L	SW8260C	< 10.0				-				4/23/2013 1030h
MB VOC 042313A	Ethyl methacrylate	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Ethylbenzene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Hexachlorobutadiene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Iodomethane	µg/L	SW8260C	< 5.00				-				4/23/2013 1030h
MB VOC 042313A	Isobutyl alcohol	µg/L	SW8260C	< 100				-				4/23/2013 1030h
MB VOC 042313A	Isopropyl acetate	µg/L	SW8260C	< 10.0				-				4/23/2013 1030h
MB VOC 042313A	Isopropyl alcohol	µg/L	SW8260C	< 40.0				-				4/23/2013 1030h
MB VOC 042313A	Isopropylbenzene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	m,p-Xylene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Methacrylonitrile	µg/L	SW8260C	< 5.00				-				4/23/2013 1030h
MB VOC 042313A	Methyl Acetate	µg/L	SW8260C	< 5.00				-				4/23/2013 1030h
MB VOC 042313A	Methyl methacrylate	µg/L	SW8260C	< 5.00				-				4/23/2013 1030h
MB VOC 042313A	Methyl tert-butyl ether	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Methylcyclohexane	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Methylene chloride	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	n-Amyl acetate	µg/L	SW8260C	< 10.0				-				4/23/2013 1030h
MB VOC 042313A	Naphthalene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	n-Butyl alcohol	µg/L	SW8260C	< 100				-				4/23/2013 1030h

Report Date: 4/24/2013 Page 112 of 167



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: MSVOA
QC Type: MBLK

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
MB VOC 042313A	n-Butylbenzene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	n-Hexane	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	n-Octane	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	n-Propylbenzene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	o-Xylene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Pentachloroethane	µg/L	SW8260C	< 5.00				-				4/23/2013 1030h
MB VOC 042313A	Propionitrile	µg/L	SW8260C	< 25.0				-				4/23/2013 1030h
MB VOC 042313A	Propyl acetate	µg/L	SW8260C	< 10.0				-				4/23/2013 1030h
MB VOC 042313A	sec-Butylbenzene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Styrene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	tert-Butyl alcohol	µg/L	SW8260C	< 20.0				-				4/23/2013 1030h
MB VOC 042313A	tert-Butylbenzene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Tetrachloroethene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Tetrahydrofuran	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Toluene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	trans-1,2-Dichloroethene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	trans-1,3-Dichloropropene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	trans-1,4-Dichloro-2-butene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Trichloroethene	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Trichlorofluoromethane	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Vinyl acetate	µg/L	SW8260C	< 10.0				-				4/23/2013 1030h
MB VOC 042313A	Vinyl chloride	µg/L	SW8260C	< 1.00				-				4/23/2013 1030h
MB VOC 042313A	Xylenes, Total	µg/L	SW8260C	< 2.00				-				4/23/2013 1030h
MB VOC 042313A	Surr: 1,2-Dichloroethane-d4	%REC	SW8260C	57.7	50.00		115	76-138				4/23/2013 1030h
MB VOC 042313A	Surr: 4-Bromofluorobenzene	%REC	SW8260C	56.1	50.00		112	77-121				4/23/2013 1030h
MB VOC 042313A	Surr: Dibromofluoromethane	%REC	SW8260C	54.4	50.00		109	67-128				4/23/2013 1030h
MB VOC 042313A	Surr: Toluene-d8	%REC	SW8260C	50.5	50.00		101	81-135				4/23/2013 1030h



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: MSVOA
QC Type: MS

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
1304551-001AMS	1,1,1-Trichloroethane	µg/L	SW8260C	23.8	20.00	0	119	67-147				4/19/2013 1625h
1304551-001AMS	1,1-Dichloroethene	µg/L	SW8260C	23.0	20.00	0	115	51-152				4/19/2013 1625h
1304551-001AMS	1,2-Dichlorobenzene	µg/L	SW8260C	19.5	20.00	0	97.3	70-130				4/19/2013 1625h
1304551-001AMS	1,2-Dichloroethane	µg/L	SW8260C	21.3	20.00	0	106	39-162				4/19/2013 1625h
1304551-001AMS	1,2-Dichloropropane	µg/L	SW8260C	18.9	20.00	0	94.3	59-135				4/19/2013 1625h
1304551-001AMS	Benzene	µg/L	SW8260C	19.7	20.00	0	98.4	66-145				4/19/2013 1625h
1304551-001AMS	Chlorobenzene	µg/L	SW8260C	18.9	20.00	0	94.4	63-140				4/19/2013 1625h
1304551-001AMS	Chloroform	µg/L	SW8260C	20.8	20.00	0	104	50-146				4/19/2013 1625h
1304551-001AMS	Ethylbenzene	µg/L	SW8260C	19.3	20.00	0	96.7	69-133				4/19/2013 1625h
1304551-001AMS	Isopropylbenzene	µg/L	SW8260C	20.1	20.00	0	100	60-147				4/19/2013 1625h
1304551-001AMS	Methyl tert-butyl ether	µg/L	SW8260C	22.0	20.00	0	110	37-189				4/19/2013 1625h
1304551-001AMS	Methylene chloride	µg/L	SW8260C	22.6	20.00	0	113	30-192				4/19/2013 1625h
1304551-001AMS	Naphthalene	µg/L	SW8260C	14.8	20.00	0	73.8	41-131				4/19/2013 1625h
1304551-001AMS	Tetrahydrofuran	µg/L	SW8260C	17.8	20.00	0	89.2	43-146				4/19/2013 1625h
1304551-001AMS	Toluene	µg/L	SW8260C	19.2	20.00	0	96.2	18-192				4/19/2013 1625h
1304551-001AMS	Trichloroethene	µg/L	SW8260C	21.4	20.00	0	107	61-153				4/19/2013 1625h
1304551-001AMS	Xylenes, Total	µg/L	SW8260C	57.6	60.00	0	96.0	42-167				4/19/2013 1625h
1304551-001AMS	Surr: 1,2-Dichloroethane-d4	%REC	SW8260C	56.7	50.00		113	72-151				4/19/2013 1625h
1304551-001AMS	Surr: 4-Bromofluorobenzene	%REC	SW8260C	50.1	50.00		100	80-128				4/19/2013 1625h
1304551-001AMS	Surr: Dibromofluoromethane	%REC	SW8260C	53.8	50.00		108	80-124				4/19/2013 1625h
1304551-001AMS	Surr: Toluene-d8	%REC	SW8260C	48.0	50.00		96.0	77-129				4/19/2013 1625h
1304588-001AMS	1,1,1-Trichloroethane	µg/L	SW8260C	23.9	20.00	0	120	67-147				4/23/2013 1402h
1304588-001AMS	1,1-Dichloroethene	µg/L	SW8260C	23.1	20.00	0	115	51-152				4/23/2013 1402h
1304588-001AMS	1,2-Dichlorobenzene	µg/L	SW8260C	19.2	20.00	0	95.9	70-130				4/23/2013 1402h
1304588-001AMS	1,2-Dichloroethane	µg/L	SW8260C	22.0	20.00	0	110	39-162				4/23/2013 1402h
1304588-001AMS	1,2-Dichloropropane	µg/L	SW8260C	18.0	20.00	0	90.1	59-135				4/23/2013 1402h
1304588-001AMS	Benzene	µg/L	SW8260C	19.4	20.00	0	97.1	66-145				4/23/2013 1402h

Report Date: 4/24/2013 Page 114 of 167



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: MSVOA
QC Type: MS

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
1304588-001AMS	Chlorobenzene	µg/L	SW8260C	18.2	20.00	0	91.0	63-140				4/23/2013 1402h
1304588-001AMS	Chloroform	µg/L	SW8260C	21.3	20.00	0	107	50-146				4/23/2013 1402h
1304588-001AMS	Ethylbenzene	µg/L	SW8260C	18.7	20.00	0	93.4	69-133				4/23/2013 1402h
1304588-001AMS	Isopropylbenzene	µg/L	SW8260C	18.6	20.00	0	93.0	60-147				4/23/2013 1402h
1304588-001AMS	Methyl tert-butyl ether	µg/L	SW8260C	18.9	20.00	0	94.4	37-189				4/23/2013 1402h
1304588-001AMS	Methylene chloride	µg/L	SW8260C	22.2	20.00	0	111	30-192				4/23/2013 1402h
1304588-001AMS	Naphthalene	µg/L	SW8260C	14.4	20.00	0	72.0	41-131				4/23/2013 1402h
1304588-001AMS	Tetrahydrofuran	µg/L	SW8260C	20.0	20.00	0	99.8	43-146				4/23/2013 1402h
1304588-001AMS	Toluene	µg/L	SW8260C	18.7	20.00	0	93.5	18-192				4/23/2013 1402h
1304588-001AMS	Trichloroethene	µg/L	SW8260C	19.9	20.00	0	99.4	61-153				4/23/2013 1402h
1304588-001AMS	Xylenes, Total	µg/L	SW8260C	55.3	60.00	0	92.1	42-167				4/23/2013 1402h
1304588-001AMS	Surr: 1,2-Dichloroethane-d4	%REC	SW8260C	59.5	50.00		119	72-151				4/23/2013 1402h
1304588-001AMS	Surr: 4-Bromofluorobenzene	%REC	SW8260C	52.6	50.00		105	80-128				4/23/2013 1402h
1304588-001AMS	Surr: Dibromofluoromethane	%REC	SW8260C	55.2	50.00		110	80-124				4/23/2013 1402h
1304588-001AMS	Surr: Toluene-d8	%REC	SW8260C	48.1	50.00		96.3	77-129				4/23/2013 1402h



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687

e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer

QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: MSVOA
QC Type: MSD

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
1304551-001AMSD	1,1,1-Trichloroethane	µg/L	SW8260C	22.7	20.00	0	114	67-147	4.9	25		4/19/2013 1644h
1304551-001AMSD	1,1-Dichloroethene	µg/L	SW8260C	22.4	20.00	0	112	51-152	2.51	25		4/19/2013 1644h
1304551-001AMSD	1,2-Dichlorobenzene	µg/L	SW8260C	19.1	20.00	0	95.6	70-130	1.76	25		4/19/2013 1644h
1304551-001AMSD	1,2-Dichloroethane	µg/L	SW8260C	20.3	20.00	0	101	39-162	4.81	25		4/19/2013 1644h
1304551-001AMSD	1,2-Dichloropropane	µg/L	SW8260C	18.5	20.00	0	92.7	59-135	1.71	25		4/19/2013 1644h
1304551-001AMSD	Benzene	µg/L	SW8260C	19.6	20.00	0	98.0	66-145	0.509	25		4/19/2013 1644h
1304551-001AMSD	Chlorobenzene	µg/L	SW8260C	18.5	20.00	0	92.3	63-140	2.2	25		4/19/2013 1644h
1304551-001AMSD	Chloroform	µg/L	SW8260C	20.0	20.00	0	100	50-146	3.92	25		4/19/2013 1644h
1304551-001AMSD	Ethylbenzene	µg/L	SW8260C	19.0	20.00	0	94.9	69-133	1.88	25		4/19/2013 1644h
1304551-001AMSD	Isopropylbenzene	µg/L	SW8260C	19.7	20.00	0	98.6	60-147	1.81	25		4/19/2013 1644h
1304551-001AMSD	Methyl tert-butyl ether	µg/L	SW8260C	21.5	20.00	0	107	37-189	2.21	25		4/19/2013 1644h
1304551-001AMSD	Methylene chloride	µg/L	SW8260C	22.0	20.00	0	110	30-192	2.91	25		4/19/2013 1644h
1304551-001AMSD	Naphthalene	µg/L	SW8260C	14.0	20.00	0	69.9	41-131	5.43	25		4/19/2013 1644h
1304551-001AMSD	Tetrahydrofuran	µg/L	SW8260C	15.5	20.00	0	77.4	43-146	14.2	25		4/19/2013 1644h
1304551-001AMSD	Toluene	µg/L	SW8260C	19.0	20.00	0	94.9	18-192	1.31	25		4/19/2013 1644h
1304551-001AMSD	Trichloroethene	µg/L	SW8260C	20.0	20.00	0	100	61-153	6.66	25		4/19/2013 1644h
1304551-001AMSD	Xylenes, Total	µg/L	SW8260C	57.0	60.00	0	95.1	42-167	0.994	25		4/19/2013 1644h
1304551-001AMSD	Surr: 1,2-Dichloroethane-d4	%REC	SW8260C	55.3	50.00		111	72-151				4/19/2013 1644h
1304551-001AMSD	Surr: 4-Bromofluorobenzene	%REC	SW8260C	49.8	50.00		99.5	80-128				4/19/2013 1644h
1304551-001AMSD	Surr: Dibromofluoromethane	%REC	SW8260C	52.8	50.00		106	80-124				4/19/2013 1644h
1304551-001AMSD	Surr: Toluene-d8	%REC	SW8260C	47.8	50.00		95.6	77-129				4/19/2013 1644h
1304588-001AMSD	1,1,1-Trichloroethane	µg/L	SW8260C	24.6	20.00	0	123	67-147	2.88	25		4/23/2013 1420h
1304588-001AMSD	1,1-Dichloroethene	µg/L	SW8260C	24.0	20.00	0	120	51-152	3.78	25		4/23/2013 1420h
1304588-001AMSD	1,2-Dichlorobenzene	µg/L	SW8260C	20.4	20.00	0	102	70-130	6.12	25		4/23/2013 1420h
1304588-001AMSD	1,2-Dichloroethane	µg/L	SW8260C	22.9	20.00	0	114	39-162	3.74	25		4/23/2013 1420h
1304588-001AMSD	1,2-Dichloropropane	µg/L	SW8260C	18.6	20.00	0	92.8	59-135	3.01	25		4/23/2013 1420h
1304588-001AMSD	Benzene	µg/L	SW8260C	20.6	20.00	0	103	66-145	5.95	25		4/23/2013 1420h

Report Date: 4/24/2013 Page 116 of 167



463 West 3600 South
Salt Lake City, UT 84115

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross
Laboratory Director

Jose Rocha
QA Officer


QC SUMMARY REPORT

Client: Utah Division of Water Quality
Lab Set ID: 1304551
Project: MP 44.9

Contact: Chris Bittner
Dept: MSVOA
QC Type: MSD

Sample ID	Analyte	Units	Method	Result	Amount Spiked	Original Amount	%REC	Limits	%RPD	RPD Limit	Qual	Date Analyzed
1304588-001AMSD	Chlorobenzene	µg/L	SW8260C	19.5	20.00	0	97.6	63-140	6.95	25		4/23/2013 1420h
1304588-001AMSD	Chloroform	µg/L	SW8260C	21.7	20.00	0	109	50-146	1.86	25		4/23/2013 1420h
1304588-001AMSD	Ethylbenzene	µg/L	SW8260C	19.8	20.00	0	99.0	69-133	5.82	25		4/23/2013 1420h
1304588-001AMSD	Isopropylbenzene	µg/L	SW8260C	20.2	20.00	0	101	60-147	8.39	25		4/23/2013 1420h
1304588-001AMSD	Methyl tert-butyl ether	µg/L	SW8260C	19.4	20.00	0	97.1	37-189	2.87	25		4/23/2013 1420h
1304588-001AMSD	Methylene chloride	µg/L	SW8260C	22.9	20.00	0	114	30-192	2.88	25		4/23/2013 1420h
1304588-001AMSD	Naphthalene	µg/L	SW8260C	15.3	20.00	0	76.5	41-131	5.99	25		4/23/2013 1420h
1304588-001AMSD	Tetrahydrofuran	µg/L	SW8260C	21.3	20.00	0	106	43-146	6.36	25		4/23/2013 1420h
1304588-001AMSD	Toluene	µg/L	SW8260C	19.6	20.00	0	97.8	18-192	4.5	25		4/23/2013 1420h
1304588-001AMSD	Trichloroethene	µg/L	SW8260C	20.7	20.00	0	104	61-153	4.28	25		4/23/2013 1420h
1304588-001AMSD	Xylenes, Total	µg/L	SW8260C	59.0	60.00	0	98.4	42-167	6.56	25		4/23/2013 1420h
1304588-001AMSD	Surr: 1,2-Dichloroethane-d4	%REC	SW8260C	59.5	50.00		119	72-151				4/23/2013 1420h
1304588-001AMSD	Surr: 4-Bromofluorobenzene	%REC	SW8260C	53.2	50.00		106	80-128				4/23/2013 1420h
1304588-001AMSD	Surr: Dibromofluoromethane	%REC	SW8260C	54.8	50.00		110	80-124				4/23/2013 1420h
1304588-001AMSD	Surr: Toluene-d8	%REC	SW8260C	49.4	50.00		98.9	77-129				4/23/2013 1420h


=====
Acq. Operator : Seq. Line : 9
Acq. Instrument : GC C Location : Vial 9
Injection Date : 4/22/2013 7:16:39 PM Inj : 1
Inj Volume : 5 µl
Acq. Method : C:\CHEM32\1\DATA\0422-TPH 2013-04-22 16-39-04\TPH-FRONT-1090171B.M
Last changed : 4/15/2013 9:56:52 PM
Analysis Method : C:\CHEM32\1\DATA\0422-TPH 2013-04-22 16-39-04\TPH-FRONT-1090171B.M (Sequence Method)
Last changed : 4/23/2013 11:13:16 AM
(modified after loading)
=====



=====
External Standard Report
=====

Sorted By : Signal
Calib. Data Modified : 4/15/2013 9:56:46 PM
Multiplier: : 1.0000
Dilution: : 1.0000
Do not use Multiplier & Dilution Factor with ISTDs


=====
Acq. Operator : Seq. Line : 11
Acq. Instrument : GC C Location : Vial 11
Injection Date : 4/22/2013 7:55:16 PM Inj : 1
Inj Volume : 5 µl
Acq. Method : C:\CHEM32\1\DATA\0422-TPH 2013-04-22 16-39-04\TPH-FRONT-1090171B.M
Last changed : 4/15/2013 9:56:52 PM
Analysis Method : C:\CHEM32\1\DATA\0422-TPH 2013-04-22 16-39-04\TPH-FRONT-1090171B.M (Sequence Method)
Last changed : 4/23/2013 11:13:16 AM
(modified after loading)
=====



=====
External Standard Report
=====

Sorted By : Signal
Calib. Data Modified : 4/15/2013 9:56:46 PM
Multiplier: : 1.0000
Dilution: : 1.0000
Do not use Multiplier & Dilution Factor with ISTDs


=====
Acq. Operator : Seq. Line : 48
Acq. Instrument : GC C Location : Vial 36
Injection Date : 4/20/2013 5:57:50 AM Inj : 1
Inj Volume : 5 µl
Acq. Method : C:\CHEM32\1\DATA\0419-TPH 2013-04-19 14-46-18\TPH-FRONT-1090171B.M
Last changed : 4/15/2013 9:56:52 PM
Analysis Method : C:\CHEM32\1\DATA\0419-TPH 2013-04-19 14-46-18\TPH-FRONT-1090171B.M (Sequence Method)
Last changed : 4/21/2013 2:36:15 PM
=====



=====
External Standard Report
=====

Sorted By : Signal
Calib. Data Modified : 4/15/2013 9:56:46 PM
Multiplier: : 1.0000
Dilution: : 1.0000
Do not use Multiplier & Dilution Factor with ISTDs


=====
Acq. Operator : Seq. Line : 47
Acq. Instrument : GC C Location : Vial 35
Injection Date : 4/20/2013 5:38:28 AM Inj : 1
Inj Volume : 5 µl
Acq. Method : C:\CHEM32\1\DATA\0419-TPH 2013-04-19 14-46-18\TPH-FRONT-1090171B.M
Last changed : 4/15/2013 9:56:52 PM
Analysis Method : C:\CHEM32\1\DATA\0419-TPH 2013-04-19 14-46-18\TPH-FRONT-1090171B.M (Sequence Method)
Last changed : 4/21/2013 2:36:15 PM
=====



=====
External Standard Report
=====

Sorted By : Signal
Calib. Data Modified : 4/15/2013 9:56:46 PM
Multiplier: : 1.0000
Dilution: : 1.0000
Do not use Multiplier & Dilution Factor with ISTDs


=====
Acq. Operator : Seq. Line : 5
Acq. Instrument : GC C Location : Vial 5
Injection Date : 4/22/2013 5:58:49 PM Inj : 1
Inj Volume : 5 µl
Acq. Method : C:\CHEM32\1\DATA\0422-TPH 2013-04-22 16-39-04\TPH-FRONT-1090171B.M
Last changed : 4/15/2013 9:56:52 PM
Analysis Method : C:\CHEM32\1\DATA\0422-TPH 2013-04-22 16-39-04\TPH-FRONT-1090171B.M (Sequence Method)
Last changed : 4/23/2013 11:13:16 AM
(modified after loading)
=====



=====
External Standard Report
=====

Sorted By : Signal
Calib. Data Modified : 4/15/2013 9:56:46 PM
Multiplier: : 1.0000
Dilution: : 1.0000
Do not use Multiplier & Dilution Factor with ISTDs

=====
Acq. Operator : Seq. Line : 6
Acq. Instrument : GC C Location : Vial 6
Injection Date : 4/22/2013 6:18:16 PM Inj : 1
Inj Volume : 5 µl
Acq. Method : C:\CHEM32\1\DATA\0422-TPH 2013-04-22 16-39-04\TPH-FRONT-1090171B.M
Last changed : 4/15/2013 9:56:52 PM
Analysis Method : C:\CHEM32\1\DATA\0422-TPH 2013-04-22 16-39-04\TPH-FRONT-1090171B.M (Sequence Method)
Last changed : 4/23/2013 11:13:16 AM
(modified after loading)
=====




=====
External Standard Report
=====

Sorted By : Signal
Calib. Data Modified : 4/15/2013 9:56:46 PM
Multiplier: : 1.0000
Dilution: : 1.0000
Do not use Multiplier & Dilution Factor with ISTDs

Quantitation Report (QT Reviewed)

Data Path : Z:\MSDCHEM\1\DATA\APR 13\23APR13-A\
Data File : R15 1304551-001B.D
Acq On : 23 Apr 2013 9:03 am
Operator : ALICIA HABERLE
Sample : 1304551-001B
Misc : SAMP
ALS Vial : 7 Sample Multiplier: 1


Quant Time: Apr 23 15:39:44 2013
Quant Method : C:\MSDCHEM\1\METHODS\PAH GWM QUANT SIM 03-20-2013.M
Quant Title : Semi-Volatile Compounds HP-GCMS 5973-B
QLast Update : Mon Apr 22 10:01:37 2013
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : Z:\MSDCHEM\1\DATA\APR 13\23APR13-A\
Data File : R16 1304551-002B.D
Acq On : 23 Apr 2013 9:29 am
Operator : ALICIA HABERLE
Sample : 1304551-002B
Misc : SAMP
ALS Vial : 8 Sample Multiplier: 1


Quant Time: Apr 23 15:40:40 2013
Quant Method : C:\MSDCHEM\1\METHODS\PAH GWM QUANT SIM 03-20-2013.M
Quant Title : Semi-Volatile Compounds HP-GCMS 5973-B
QLast Update : Mon Apr 22 10:01:37 2013
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : Z:\MSDCHEM\1\DATA\APR 13\23APR13-A\
Data File : R19 1304551-005B.D
Acq On : 23 Apr 2013 10:48 am
Operator : ALICIA HABERLE
Sample : 1304551-005B
Misc : SAMP
ALS Vial : 11 Sample Multiplier: 1


Quant Time: Apr 23 15:43:03 2013
Quant Method : C:\MSDCHEM\1\METHODS\PAH GWM QUANT SIM 03-20-2013.M
Quant Title : Semi-Volatile Compounds HP-GCMS 5973-B
QLast Update : Mon Apr 22 10:01:37 2013
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : Z:\MSDCHEM\1\DATA\APR 13\23APR13-A\
Data File : R20 1304551-006B.D
Acq On : 23 Apr 2013 11:14 am
Operator : ALICIA HABERLE
Sample : 1304551-006B
Misc : SAMP
ALS Vial : 12 Sample Multiplier: 1


Quant Time: Apr 23 15:43:37 2013
Quant Method : C:\MSDCHEM\1\METHODS\PAH GWM QUANT SIM 03-20-2013.M
Quant Title : Semi-Volatile Compounds HP-GCMS 5973-B
QLast Update : Mon Apr 22 10:01:37 2013
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : Z:\MSDCHEM\1\DATA\APR 13\23APR13-A\
Data File : R21 1304551-007B.D
Acq On : 23 Apr 2013 11:40 am
Operator : ALICIA HABERLE
Sample : 1304551-007B
Misc : SAMP
ALS Vial : 13 Sample Multiplier: 1


Quant Time: Apr 23 15:44:05 2013
Quant Method : C:\MSDCHEM\1\METHODS\PAH GWM QUANT SIM 03-20-2013.M
Quant Title : Semi-Volatile Compounds HP-GCMS 5973-B
QLast Update : Mon Apr 22 10:01:37 2013
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : Z:\MSDCHEM\1\DATA\APR 13\23APR13-A\
Data File : R22 1304551-008B.D
Acq On : 23 Apr 2013 12:06 pm
Operator : ALICIA HABERLE
Sample : 1304551-008B
Misc : SAMP
ALS Vial : 14 Sample Multiplier: 1


Quant Time: Apr 23 15:44:44 2013
Quant Method : C:\MSDCHEM\1\METHODS\PAH GWM QUANT SIM 03-20-2013.M
Quant Title : Semi-Volatile Compounds HP-GCMS 5973-B
QLast Update : Mon Apr 22 10:01:37 2013
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : Z:\MSDCHEM\1\DATA\APR 13\23APR13-A\
Data File : R23 1304551-009B.D
Acq On : 23 Apr 2013 12:33 pm
Operator : ALICIA HABERLE
Sample : 1304551-009B
Misc : SAMP
ALS Vial : 15 Sample Multiplier: 1


Quant Time: Apr 23 15:45:34 2013
Quant Method : C:\MSDCHEM\1\METHODS\PAH GWM QUANT SIM 03-20-2013.M
Quant Title : Semi-Volatile Compounds HP-GCMS 5973-B
QLast Update : Mon Apr 22 10:01:37 2013
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : Z:\MSDCHEM\1\DATA\APR 13\23APR13-A\
 Data File : R14 LCS-24943.D
 Acq On : 23 Apr 2013 8:37 am
 Operator : ALICIA HABERLE
 Sample : LCS-24943
 Misc : LCS
 ALS Vial : 6 Sample Multiplier: 1


Quant Time: Apr 23 15:39:05 2013
 Quant Method : C:\MSDCHEM\1\METHODS\PAH GWM QUANT SIM 03-20-2013.M
 Quant Title : Semi-Volatile Compounds HP-GCMS 5973-B
 QLast Update : Mon Apr 22 10:01:37 2013
 Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : Z:\MSDCHEM\1\DATA\APR 13\23APR13-A\
Data File : R13 MB-24943.D
Acq On : 23 Apr 2013 8:11 am
Operator : ALICIA HABERLE
Sample : MB-24943
Misc : MBLK
ALS Vial : 5 Sample Multiplier: 1


Quant Time: Apr 23 15:38:37 2013
Quant Method : C:\MSDCHEM\1\METHODS\PAH GWM QUANT SIM 03-20-2013.M
Quant Title : Semi-Volatile Compounds HP-GCMS 5973-B
QLast Update : Mon Apr 22 10:01:37 2013
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : Z:\MSDCHEM\1\DATA\APR 13\23APR13-A\
 Data File : R17 1304551-002BMS.D
 Acq On : 23 Apr 2013 9:56 am
 Operator : ALICIA HABERLE
 Sample : 1304551-002BMS
 Misc : MS
 ALS Vial : 9 Sample Multiplier: 1


Quant Time: Apr 23 15:42:14 2013
 Quant Method : C:\MSDCHEM\1\METHODS\PAH GWM QUANT SIM 03-20-2013.M
 Quant Title : Semi-Volatile Compounds HP-GCMS 5973-B
 QLast Update : Mon Apr 22 10:01:37 2013
 Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : Z:\MSDCHEM\1\DATA\APR 13\23APR13-A\
 Data File : R18 1304551-002BMSD.D
 Acq On : 23 Apr 2013 10:22 am
 Operator : ALICIA HABERLE
 Sample : 1304551-002BMSD
 Misc : MSD
 ALS Vial : 10 Sample Multiplier: 1


Quant Time: Apr 23 15:42:31 2013
 Quant Method : C:\MSDCHEM\1\METHODS\PAH GWM QUANT SIM 03-20-2013.M
 Quant Title : Semi-Volatile Compounds HP-GCMS 5973-B
 QLast Update : Mon Apr 22 10:01:37 2013
 Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\APR 13\23APR 13-A\
 Data File : H66 1304551-001B.D
 Acq On : 23 Apr 2013 7:43 pm
 Operator : ALICIA HABERLE
 Sample : 1304551-001B
 Misc : SAMP
 ALS Vial : 7 Sample Multiplier: 1


Quant Time: Apr 24 12:15:17 2013
 Quant Method : C:\msdchem\1\methods\SVQUANT4-15-13.M
 Quant Title : Semi-Volatile Compounds HP-GCMS 5973-B
 QLast Update : Fri Apr 19 15:38:07 2013
 Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\APR 13\23APR 13-A\
Data File : H67 1304551-002B.D
Acq On : 23 Apr 2013 8:08 pm
Operator : ALICIA HABERLE
Sample : 1304551-002B
Misc : SAMP
ALS Vial : 8 Sample Multiplier: 1


Quant Time: Apr 24 11:10:15 2013
Quant Method : C:\msdchem\1\methods\SVQUANT4-15-13.M
Quant Title : Semi-Volatile Compounds HP-GCMS 5973-B
QLast Update : Fri Apr 19 15:38:07 2013
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\APR 13\23APR 13-A\
Data File : H70 1304551-005B.D
Acq On : 23 Apr 2013 9:19 pm
Operator : ALICIA HABERLE
Sample : 1304551-005B
Misc : SAMP
ALS Vial : 11 Sample Multiplier: 1


Quant Time: Apr 24 12:17:13 2013
Quant Method : C:\msdchem\1\methods\SVQUANT4-15-13.M
Quant Title : Semi-Volatile Compounds HP-GCMS 5973-B
QLast Update : Fri Apr 19 15:38:07 2013
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\APR 13\23APR 13-A\
Data File : H71 1304551-006B.D
Acq On : 23 Apr 2013 9:43 pm
Operator : ALICIA HABERLE
Sample : 1304551-006B
Misc : SAMP
ALS Vial : 12 Sample Multiplier: 1


Quant Time: Apr 24 12:17:44 2013
Quant Method : C:\msdchem\1\methods\SVQUANT4-15-13.M
Quant Title : Semi-Volatile Compounds HP-GCMS 5973-B
QLast Update : Fri Apr 19 15:38:07 2013
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\APR 13\23APR 13-A\
 Data File : H72 1304551-007B.D
 Acq On : 23 Apr 2013 10:07 pm
 Operator : ALICIA HABERLE
 Sample : 1304551-007B
 Misc : SAMP
 ALS Vial : 13 Sample Multiplier: 1


Quant Time: Apr 24 12:18:07 2013
 Quant Method : C:\msdchem\1\methods\SVQUANT4-15-13.M
 Quant Title : Semi-Volatile Compounds HP-GCMS 5973-B
 QLast Update : Fri Apr 19 15:38:07 2013
 Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\APR 13\23APR 13-A\
Data File : H73 1304551-008B.D
Acq On : 23 Apr 2013 10:31 pm
Operator : ALICIA HABERLE
Sample : 1304551-008B
Misc : SAMP
ALS Vial : 14 Sample Multiplier: 1


Quant Time: Apr 24 12:18:24 2013
Quant Method : C:\msdchem\1\methods\SVQUANT4-15-13.M
Quant Title : Semi-Volatile Compounds HP-GCMS 5973-B
QLast Update : Fri Apr 19 15:38:07 2013
Response via : Initial Calibration



Quantitation Report (QT Reviewed)


Data Path : C:\msdchem\1\data\APR 13\23APR 13-A\
Data File : H74 1304551-009B.D
Acq On : 23 Apr 2013 10:54 pm
Operator : ALICIA HABERLE
Sample : 1304551-009B
Misc : SAMP
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Apr 24 12:18:44 2013
Quant Method : C:\msdchem\1\methods\SVQUANT4-15-13.M
Quant Title : Semi-Volatile Compounds HP-GCMS 5973-B
QLast Update : Fri Apr 19 15:38:07 2013
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\APR 13\23APR 13-A\
 Data File : H65 LCS-24943.D
 Acq On : 23 Apr 2013 7:19 pm
 Operator : ALICIA HABERLE
 Sample : LCS-24943
 Misc : LCS
 ALS Vial : 6 Sample Multiplier: 1


Quant Time: Apr 24 12:14:58 2013
 Quant Method : C:\msdchem\1\methods\SVQUANT4-15-13.M
 Quant Title : Semi-Volatile Compounds HP-GCMS 5973-B
 QLast Update : Fri Apr 19 15:38:07 2013
 Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\APR 13\23APR 13-A\
Data File : H64 MB-24943.D
Acq On : 23 Apr 2013 6:55 pm
Operator : ALICIA HABERLE
Sample : MB-24943
Misc : MBLK
ALS Vial : 5 Sample Multiplier: 1


Quant Time: Apr 24 12:14:06 2013
Quant Method : C:\msdchem\1\methods\SVQUANT4-15-13.M
Quant Title : Semi-Volatile Compounds HP-GCMS 5973-B
QLast Update : Fri Apr 19 15:38:07 2013
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\APR13-C\19APR13\
Data File : R42L5511.D
Acq On : 19 Apr 2013 3:48 pm
Operator :
Sample : 1304551-001A
Misc : SAMP 5.0ML 1OF3 SB
ALS Vial : 9 Sample Multiplier: 1


Quant Time: Apr 22 13:27:21 2013
Quant Method : C:\MSDCHEM\1\METHODS\AFULLW_80.M
Quant Title : VOA Calibration
QLast Update : Fri Apr 19 11:29:31 2013
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\APR13-C\19APR13\
Data File : R49L5512.D
Acq On : 19 Apr 2013 6:00 pm
Operator :
Sample : 1304551-002A
Misc : SAMP 5.0ML 1OF3 SB
ALS Vial : 16 Sample Multiplier: 1


Quant Time: Apr 22 13:29:34 2013
Quant Method : C:\MSDCHEM\1\METHODS\AFULLW_80.M
Quant Title : VOA Calibration
QLast Update : Fri Apr 19 11:29:31 2013
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\APR13-C\23APR13\
Data File : S06L5513.D
Acq On : 23 Apr 2013 10:49 am
Operator :
Sample : 1304551-003A
Misc : SAMP 5.0ML 2OF3 SB
ALS Vial : 6 Sample Multiplier: 1


Quant Time: Apr 23 13:31:27 2013
Quant Method : C:\MSDCHEM\1\METHODS\AFULLW_80.M
Quant Title : VOA Calibration
QLast Update : Tue Apr 23 09:06:02 2013
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\APR13-C\19APR13\
Data File : R40L5514.D
Acq On : 19 Apr 2013 3:10 pm
Operator :
Sample : 1304551-004A
Misc : SAMP 5.0ML 1OF3 SB
ALS Vial : 7 Sample Multiplier: 1


Quant Time: Apr 22 13:26:27 2013
Quant Method : C:\MSDCHEM\1\METHODS\AFULLW_80.M
Quant Title : VOA Calibration
QLast Update : Fri Apr 19 11:29:31 2013
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\APR13-C\19APR13\
Data File : R50L5515.D
Acq On : 19 Apr 2013 6:19 pm
Operator :
Sample : 1304551-005A
Misc : SAMP 5.0ML 1OF3 SB
ALS Vial : 17 Sample Multiplier: 1


Quant Time: Apr 22 13:30:01 2013
Quant Method : C:\MSDCHEM\1\METHODS\AFULLW_80.M
Quant Title : VOA Calibration
QLast Update : Fri Apr 19 11:29:31 2013
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\APR13-C\19APR13\
Data File : R51L5516.D
Acq On : 19 Apr 2013 6:38 pm
Operator :
Sample : 1304551-006A
Misc : SAMP 5.0ML 1OF3 SB
ALS Vial : 18 Sample Multiplier: 1


Quant Time: Apr 22 13:30:43 2013
Quant Method : C:\MSDCHEM\1\METHODS\AFULLW_80.M
Quant Title : VOA Calibration
QLast Update : Fri Apr 19 11:29:31 2013
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\APR13-C\19APR13\
Data File : R52L5517.D
Acq On : 19 Apr 2013 6:57 pm
Operator :
Sample : 1304551-007A
Misc : SAMP 5.0ML 1OF3 SB
ALS Vial : 19 Sample Multiplier: 1


Quant Time: Apr 22 13:31:09 2013
Quant Method : C:\MSDCHEM\1\METHODS\AFULLW_80.M
Quant Title : VOA Calibration
QLast Update : Fri Apr 19 11:29:31 2013
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\APR13-C\19APR13\
Data File : R53L5518.D
Acq On : 19 Apr 2013 7:16 pm
Operator :
Sample : 1304551-008A
Misc : SAMP 5.0ML 1OF3 SB
ALS Vial : 20 Sample Multiplier: 1


Quant Time: Apr 22 13:31:39 2013
Quant Method : C:\MSDCHEM\1\METHODS\AFULLW_80.M
Quant Title : VOA Calibration
QLast Update : Fri Apr 19 11:29:31 2013
Response via : Initial Calibration



Quantitation Report (QT Reviewed)


Data Path : C:\msdchem\1\DATA\APR13-C\19APR13\
Data File : R54L5519.D
Acq On : 19 Apr 2013 7:35 pm
Operator :
Sample : 1304551-009A
Misc : SAMP 5.0ML 1OF3 SB
ALS Vial : 21 Sample Multiplier: 1

Quant Time: Apr 22 13:32:23 2013
Quant Method : C:\MSDCHEM\1\METHODS\AFULLW_80.M
Quant Title : VOA Calibration
QLast Update : Fri Apr 19 11:29:31 2013
Response via : Initial Calibration



Data Path : C:\msdchem\1\DATA\APR13-C\19APR13\
Data File : R36LCS20.D
Acq On : 19 Apr 2013 1:34 pm
Operator :
Sample : LCS VOC 041913A
Misc : LCS SEE COVERSHEET FOR ID AND AMOUNT SB
ALS Vial : 3 Sample Multiplier: 1


Quant Time: Apr 19 14:31:51 2013
Quant Method : C:\msdchem\1\METHODS\AFULLW_80.M
Quant Title : VOA Calibration
QLast Update : Fri Apr 19 11:29:31 2013
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data Path : C:\msdchem\1\DATA\APR13-C\23APR13\
Data File : S03LCS20.D
Acq On : 23 Apr 2013 9:52 am
Operator :
Sample : LCS VOC 042313A
Misc : LCS SEE COVERSHEET FOR ID AND AMOUNT SB
ALS Vial : 3 Sample Multiplier: 1


Quant Time: Apr 23 10:03:56 2013
Quant Method : C:\MSDCHEM\1\METHODS\AFULLW_80.M
Quant Title : VOA Calibration
QLast Update : Tue Apr 23 09:06:02 2013
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\APR13-C\19APR13\
Data File : R38LMBLK.D
Acq On : 19 Apr 2013 2:12 pm
Operator :
Sample : MB VOC 041913A
Misc : MBLK 5.0ML SB
ALS Vial : 5 Sample Multiplier: 1


Quant Time: Apr 22 13:25:55 2013
Quant Method : C:\msdchem\1\METHODS\AFULLW_80.M
Quant Title : VOA Calibration
QLast Update : Fri Apr 19 11:29:31 2013
Response via : Initial Calibration



Quantitation Report (QT Reviewed)


Data Path : C:\msdchem\1\DATA\APR13-C\23APR13\
Data File : S05LMBLK.D
Acq On : 23 Apr 2013 10:30 am
Operator :
Sample : MB VOC 042313A
Misc : MBLK 5.0ML SB
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Apr 23 13:30:41 2013
Quant Method : C:\MSDCHEM\1\METHODS\AFULLW_80.M
Quant Title : VOA Calibration
QLast Update : Tue Apr 23 09:06:02 2013
Response via : Initial Calibration



Data Path : C:\msdchem\1\DATA\APR13-C\19APR13\
Data File : R45D5511.D
Acq On : 19 Apr 2013 4:44 pm
Operator :
Sample : 1304551-001AMSD
Misc : MSD 5.0ML 3OF3 SB
ALS Vial : 12 Sample Multiplier: 1

Quant Time: Apr 19 16:56:45 2013
Quant Method : C:\MSDCHEM\1\METHODS\AFULLW_80.M
Quant Title : VOA Calibration
QLast Update : Fri Apr 19 11:29:31 2013
Response via : Initial Calibration



WORK ORDER Summary

Work Order: **1304551** Page 1 of 2

Client: Utah Division of Water Quality

Due Date: 4/23/2013

Client ID: UTD200

Contact: Chris Bittner

Project: MP 44.9

QC Level: III

WO Type: Standard

Comments: 2 Day Rush; QC 3. Include TICs on SVOC only. Send partial reports as results become available. Bill accordingly.;

Sample ID	Client Sample ID	Collected Date	Received Date	Test Code	Matrix	Sel	Storage			
1304551-001A	East of I-15 / 4920392	4/19/2013 0900h	4/19/2013 1240h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3		
<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>										
1304551-001B				3510-SVOA-PR				<input type="checkbox"/>	Walkin-Semi	2
				8270-W		<input checked="" type="checkbox"/>	Walkin-Semi			
<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>										
				8270-W-SIM		<input checked="" type="checkbox"/>	Walkin-Semi			
<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>										
1304551-001C				3510-TPH-PR		<input type="checkbox"/>	Walkin-TPH (Liters)			
				8015-W-TPH(1L)		<input checked="" type="checkbox"/>	Walkin-TPH (Liters)			
<i>Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1</i>										
1304551-002A	S. Marina / 4920495	4/19/2013 0930h	4/19/2013 1240h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3		
<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>										
1304551-002B				3510-SVOA-PR				<input type="checkbox"/>	Walkin-Semi	2
				8270-W		<input checked="" type="checkbox"/>	Walkin-Semi			
<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>										
				8270-W-SIM		<input checked="" type="checkbox"/>	Walkin-Semi			
<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>										
1304551-002C				3510-TPH-PR		<input type="checkbox"/>	Walkin-TPH (Liters)			
				8015-W-TPH(1L)		<input checked="" type="checkbox"/>	Walkin-TPH (Liters)			
<i>Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1</i>										
1304551-003A	Field Blank	4/19/2013 0940h	4/19/2013 1240h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3		
<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>										
1304551-004A	Trip Blank	4/19/2013	4/19/2013 1240h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3		
<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>										
1304551-005A	East of Boom #3 / 4920402	4/19/2013 0950h	4/19/2013 1240h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3		
<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>										
1304551-005B				3510-SVOA-PR				<input type="checkbox"/>	Walkin-Semi	2
				8270-W		<input checked="" type="checkbox"/>	Walkin-Semi			
<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>										
				8270-W-SIM		<input checked="" type="checkbox"/>	Walkin-Semi			
<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>										
1304551-005C				3510-TPH-PR		<input type="checkbox"/>	Walkin-TPH (Liters)			
				8015-W-TPH(1L)		<input checked="" type="checkbox"/>	Walkin-TPH (Liters)			
<i>Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1</i>										

WORK ORDER Summary

Work Order: **1304551** Page 2 of 2

Client: Utah Division of Water Quality

Due Date: 4/23/2013

Sample ID	Client Sample ID	Collected Date	Received Date	Test Code	Matrix	Sel	Storage	
1304551-006A	Below Weirs ab Res. / 4920401	4/19/2013 1000h	4/19/2013 1240h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3
<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>								
1304551-006B				3510-SVOA-PR		<input type="checkbox"/>	Walkin-Semi	2
				8270-W		<input checked="" type="checkbox"/>	Walkin-Semi	
<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>								
				8270-W-SIM		<input checked="" type="checkbox"/>	Walkin-Semi	
<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>								
1304551-006C				3510-TPH-PR		<input type="checkbox"/>	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		<input checked="" type="checkbox"/>	Walkin-TPH (Liters)	
<i>Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1</i>								
1304551-007A	Duplicate / 4920395	4/19/2013 1020h	4/19/2013 1240h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3
<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>								
1304551-007B				3510-SVOA-PR		<input type="checkbox"/>	Walkin-Semi	2
				8270-W		<input checked="" type="checkbox"/>	Walkin-Semi	
<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>								
				8270-W-SIM		<input checked="" type="checkbox"/>	Walkin-Semi	
<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>								
1304551-007C				3510-TPH-PR		<input type="checkbox"/>	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		<input checked="" type="checkbox"/>	Walkin-TPH (Liters)	
<i>Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1</i>								
1304551-008A	East of Boom / 4920395	4/19/2013 1020h	4/19/2013 1240h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3
<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>								
1304551-008B				3510-SVOA-PR		<input type="checkbox"/>	Walkin-Semi	2
				8270-W		<input checked="" type="checkbox"/>	Walkin-Semi	
<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>								
				8270-W-SIM		<input checked="" type="checkbox"/>	Walkin-Semi	
<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>								
1304551-008C				3510-TPH-PR		<input type="checkbox"/>	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		<input checked="" type="checkbox"/>	Walkin-TPH (Liters)	
<i>Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1</i>								
1304551-009A	North Weir	4/19/2013 0945h	4/19/2013 1240h	8260-W	Aqueous	<input checked="" type="checkbox"/>	VOCFridge	3
<i>Test Group: 8260-W-Full; # of Analytes: 103 / # of Surr: 4</i>								
1304551-009B				3510-SVOA-PR		<input type="checkbox"/>	Walkin-Semi	2
				8270-W		<input checked="" type="checkbox"/>	Walkin-Semi	
<i>Test Group: 8270-W-Custom; # of Analytes: 138 / # of Surr: 6</i>								
				8270-W-SIM		<input checked="" type="checkbox"/>	Walkin-Semi	
<i>Test Group: 8270-W-PNA-SIM; # of Analytes: 19 / # of Surr:</i>								
1304551-009C				3510-TPH-PR		<input type="checkbox"/>	Walkin-TPH (Liters)	
				8015-W-TPH(1L)		<input checked="" type="checkbox"/>	Walkin-TPH (Liters)	
<i>Test Group: 8015-W-TPH1L; # of Analytes: 1 / # of Surr: 1</i>								

American West Analytical Laboratories

Chain of Custody

Lab Sample Set # 1304551

Client: **Utah Division of Water Quality**
 Address: **195 N. 1950 W.**
Salt Lake City, UT 84115

Contact: **Chris Bittner**
 Phone: **(801) 536-3600**
 Fax:
 Email: **cbittner@utah.gov**

Page 1 of 1

Project Name: **MP 44.9**
 PO#:

QC Level: **3**
 Turn Around Time
2 DAY RUSH

Sample ID:	Date Sampled	Time	# of Containers	Sample Matrix	VOC's (8260C)	Full SVOC - w/ TICs (8270D)	PNA SVOC - SIM (8270D)	DRO (8015D)	Comments
1 East of I-15	4920392	4/19/2013	9:00	7 W	X	X	X	X	
2 S. Marina	4920495	4/19/2013	9:30	7 W	X	X	X	X	
3 Field Blank		4/19/2013	9:40	3 W	X				
4 Trip Blank		4/19/2013		3 W	X				
5 East of Boom #3	4920402	4/19/2013	9:50	7 W	X	X	X	X	
6 Below Weirs ab Res.	4920401	4/19/2013	10:00	7 W	X	X	X	X	
7 Duplicate	4920395	4/19/2013	10:20	7 W	X	X	X	X	
8 East of Boom	4920395	4/19/2013	10:20	7 W	X	X	X	X	
9 North weir	4920395	4/19/2013	9:45	7 W	X	X	X	X	
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Laboratory Use Only

Samples Were:

- Shipped or Hand delivered
- Ambient or Chilled
- Temperature 1.9
- Received Broken/Leaking (Improperly Sealed)
- Properly Preserved N
- Received Within Holding Times N

COC Tape Was:

- Present on Outer Package N
- Unbroken on Outer Package NA
- Present on Sample NA
- Unbroken on Sample NA

Discrepancies Between Sample Labels and COC Record? NA

Special Instructions: **Release results as they become available**

Relinquished by: Signature <u>Suzan Tahir</u>	Date: <u>4-19-2013</u>	Received by: Signature <u>Silma Hayward</u>	Date: <u>4/19/13</u>
Print Name <u>SUZAN TAHIR</u>	Time: <u>12:40</u>	Print Name <u>Silma Hayward</u>	Time: <u>12:40</u>
Relinquished by: Signature	Date:	Received by: Signature	Date:
Print Name	Time:	Print Name	Time: